



LOCKOUT TAGOUT

SOLUTIONS FOR HAZARDOUS ENERGY CONTROL



Prevent Accidents & Losses



Surveys, Training, Audits & Machine Specific Procedures




Policy & Procedures



LOTO Devices & Accessories



Installation & Implementation



Hazard Isolation

	LOCKOUT HASP	01 To 20		SHADOW LOCKOUT STATION	201 To 212
	MULTIPURPOSE CABLE LOCKOUT	21 To 40		LOCKOUT TAGOUT STATION / PADLOCK & KEY CABINET	213 To 226
	VALVE LOCKOUT	41 To 68		GROUP LOCK BOXES	227 To 242
	BLIND FLANGE LOCKOUT	69 To 72		LOCKOUT TAGS & ACCESSORIES	243 To 256
	CYLINDER LOCKOUT	73 To 76		TAGS-ON-A-ROLL	257 To 264
	PNEUMATIC LOCKOUT	77 To 82		ENERGY SOURCE IDENTIFICATION TAGS	265 To 270
	PLUG LOCKOUT	83 To 94		LOCKOUT SIGNS & LABELS	271 To 276
	PIN & SLEEVE PLUG / SOCKET LOCKOUT	95 To 98		LOCKOUT KITS	277 To 302
	CIRCUIT BREAKER LOCKOUT	99 To 132		LOCKOUT POSTERS	303 To 310
	BLOCKING BAR LOCKOUT	133 To 136		STEERING WHEEL COVERS	311 To 316
	FUSE LOCKOUT	137 To 142		LADDER LOCKOUT	317 To 324
	ELECTRICAL PANEL LOCKOUT	143 To 158		LOCKOUT ACCESSORIES	325 To 336
	LOCKOUT SAFETY PADLOCK & ACCESSORIES	159 To 192		SCAFFOLDING TAGS & TAG HOLDERS	337 To 348
	OPEN LOCKOUT STATION	193 To 200		CONFINED SPACE LOCKOUT COVERS	349 To 360

LOCKOUT HASP



A Lockout Hasp, also known as a safety hasp, is a device used in industrial settings to ensure machinery and equipment is safely shut off and cannot be restarted until maintenance or service work is completed. The main function of a lockout hasp is to provide multiple authorised workers the ability to apply their personal locks to individually secure a device or power source.

Each worker involved in the maintenance or service work will place their individual lock on the hasp, and the equipment cannot be restarted until all workers have removed their locks. This ensures that every worker has control over their own safety, preventing accidental restart of the equipment until everyone has completed their tasks and is safely out of harm's way.

VINYL COATED LOCKOUT HASP



- Scissor action hasps are available in 25 mm and 38 mm Dia jaw size.
- Up to 6 padlocks with shackle diameters of 9 mm or less can be attached to the same energy source using the vinyl-coated hasp to execute lockout.
- Fit the scissor action hasp around the lockout point, clip it into place, and add as many padlocks as you need.
- It keeps the equipment inoperative during servicing and maintenance until the last worker has removed their personal padlock.
- Constructed from high-tensile steel that undergoes electro-plating to mitigate rusting, the Lockout Hasp is well-suited for rigorous industrial applications. In the case of Yellow Black hasps, a black powder coating is applied to the steel surface.
- The padlock fixing section is vinyl coated for better grip and visibility.



ES-VCH-S



ES-VCH-P



ES-VCH-S-Y&B



ES-VCH-P-Y&B



ES-VCH-S

ES-VCH-P

Other Available Colours



YELLOW



GREEN



BLUE

* Minimum Quantity 200 Nos.

Specification

Model	ES-VCH-S	ES-VCH-P
	VCH-S-Y&B	VCH-P-Y&B
	VCH-S-CR	VCH-P-CR
Material	Mild Steel	Mild Steel
Dia (Jaw Size)	25 mm	38 mm
Body - Width	39 mm	39 mm
Body - Height	114 mm	127 mm
Shackle Dia	5.5 mm	6.5 mm

MODEL	PRODUCT DESCRIPTION
ES-VCH-S	Vinyl Coated Hasp - Small - Red (5.5 mm Shackle)
ES-VCH-P	Vinyl Coated Hasp - Premier - Red (6.5 mm Shackle)
ES-VCH-S-Y&B	Vinyl Coated Hasp - Small - Yellow & Black
ES-VCH-P-Y&B	Vinyl Coated Hasp - Premier - Yellow & Black
ES-VCH-S-CR	Vinyl Coated Hasp - Small - Colour * Y / B / G
ES-VCH-P-CR	Vinyl Coated Hasp - Premier - Colour * Y / B / G

VINYL COATED LOCKOUT HASP

- Made from high-tensile steel with electro-plating to prevent rusting, this lockout hasp is designed to withstand demanding industrial environments.
- The lockout hasp features a scissor action mechanism, with a 25 mm diameter jaw size, providing secure locking.
- The padlock fixing section of the hasp is vinyl coated, offering improved grip and visibility, ensuring ease of use.
- Accepts padlocks with a shackle diameter up to 9 mm.
- Besides 7 holes, 25 mm jaw size conventional vinyl coated hasps are also available in 12, 13, and 24 holes.



Specification

Model	ES-VCH-7	ES-VCH-12	ES-VCH-13	ES-VCH-24
Material	Mild Steel	Mild Steel	Mild Steel	Mild Steel
Dia (Jaw Size)	25 mm	25 mm	25 mm	25 mm
Body - Width	39 mm	39 mm	39 mm	39 mm
Body - Height	129 mm	164 mm	171 mm	262 mm
Shackle Dia	5 mm	6.5 mm	6.5 mm	6.5 mm

MODEL	PRODUCT DESCRIPTION
ES-VCH-7	Vinyl Coated Hasp - 7 Hole
ES-VCH-12	Vinyl Coated Hasp - 12 Hole
ES-VCH-13	Vinyl Coated Hasp - 13 Hole
ES-VCH-24	Vinyl Coated Hasp - 24 Hole

Other Available Colours



YELLOW



GREEN



BLUE

* Minimum Quantity 200 Nos.

INTERLOCKING VINYL COATED LOCKOUT HASP

- Scissor action hasps available in 25mm and 38mm Dia jaw sizes.
- Vinyl coated padlock fixing section for improved grip and visibility.
- Accommodates up to 6 padlocks with shackle diameters of 9mm or less for secure lockout execution.
- Made of high-tensile steel, electro-plated to prevent rusting, suitable for demanding applications.
- Tamper - proof design with interlocking provision on the shackle for enhanced security during lockout procedures.



ES-VCH-S-SL



ES-VCH-S-DL



ES-VCH-P-SL



ES-VCH-P-DL



- | | |
|----|-----------------------|
| 1. | Standard Hook |
| 2. | Single Hook / Locking |
| 3. | Double Hook / Locking |

Specification

Model	ES-VCH-S-SL	ES-VCH-S-DL	ES-VCH-P-SL	ES-VCH-P-DL
Material	Mild Steel	Mild Steel	Mild Steel	Mild Steel
Dia (Jaw Size)	25 mm	25 mm	36 mm	38 mm
Body - Width	39 mm	39 mm	40 mm	39 mm
Body - Height	117 mm	117 mm	125 mm	130 mm
Shackle Dia	5 mm	9 mm	5.5 mm	9 mm

MODEL	PRODUCT DESCRIPTION
ES-VCH-S-SL	Vinyl Coated Hasp - Small - Single Locking
ES-VCH-P-SL	Vinyl Coated Hasp - Premier - Single Locking
ES-VCH-S-DL	Vinyl Coated Hasp - Small - Double Locking
ES-VCH-P-DL	Vinyl Coated Hasp - Premier - Double Locking

RED POWDER COATED STANDARD LOCKOUT HASP

- Constructed from durable steel with a red powder-coated finish for added resilience.
- Designed to be applied to a lockout point, allowing multiple padlocks to be attached simultaneously.
- Capable of accommodating up to six padlocks, providing secure lockout capability.
- Available in various models to meet specific requirements.
- Features interlocking jaws for easy positioning and secure locking of energy sources in the off position during lockout procedures.



ES-SH-S



ES-SH-P



ES-SH-S-DL



ES-SH-P-SL



ES-SH-P-DL



1. Standard Hook
2. Single Hook / Locking
3. Double Hook / Locking

Specification

Model	ES-SH-S	ES-SH-P	ES-SH-S-DL	ES-SH-P-SL	ES-SH-P-DL
Material	Mild Steel				
Dia (Jaw Size)	25 mm	38 mm	25 mm	36 mm	36 mm
Body - Width	39 mm				
Body - Height	111 mm	125 mm	114 mm	125 mm	125 mm
Shackle Dia	5 mm	6.5 mm	9 mm	6.5 mm	9 mm

MODEL	PRODUCT DESCRIPTION
ES-SH-S	Standard Hasp - Small
ES-SH-P	Standard Hasp - Premier
ES-SH-S-DL	Standard Hasp - Small - Double Locking
ES-SH-P-SL	Standard Hasp - Premier - Single Locking
ES-SH-P-DL	Standard Hasp - Premier - Double Locking

STANDARD RED POWDER COATED LOCKOUT HASP

- Constructed from durable steel with a red powder-coated finish for added resilience.
- Designed to be applied to a lockout point, allowing multiple padlocks to be attached simultaneously.
- Capable of accommodating up to six padlocks, providing secure lockout capability.
- Available in various models to meet specific requirements.
- Features interlocking jaws for easy positioning and secure locking of energy sources in the off position during lockout procedures.



ES-SH-7



ES-SH-12



ES-SH-13



ES-SH-24



Specification

Model	ES-SH-7	ES-SH-12	ES-SH-13	ES-SH-24
Material	Mild Steel	Mild Steel	Mild Steel	Mild Steel
Dia (Jaw Size)	25 mm	25 mm	25 mm	25 mm
Body - Width	38 mm	38 mm	38 mm	38 mm
Body - Height	128 mm	164 mm	170 mm	262 mm
Shackle Dia	5 mm	6.5 mm	6 mm	6.5 mm

MODEL	PRODUCT DESCRIPTION
ES-SH-7	Standard Hasp - 7 Hole
ES-SH-12	Standard Hasp - 12 Hole
ES-SH-13	Standard Hasp - 13 Hole
ES-SH-24	Standard Hasp - 24 Hole

LOCKOUT HASP

SCORPIO LOCKOUT HASP



- Scorpio Lockout Hasp with versatile dual jaw sizes: 20mm and 45mm inner width.
- Length of 136 mm and made from durable tempered steel sheet.
- Accommodates up to 6 padlocks for secure lockout capability.
- Available in Plated Steel or Red Powder Coating to resist rust.
- Smooth movement ensured by aluminium rivet in the center.
- Lightweight aluminium option available with 25mm and 38mm jaw sizes, chrome-plated finish, and 10 holes.



ES-SCORPIO-PS



ES-SCORPIO



ES-ALH-2-WAY

MODEL	PRODUCT DESCRIPTION
ES-SCORPIO	Powder Coated Scorpio Hasp - Red
ES-SCORPIO-PS	Scorpio Hasp - Plated Steel
ES-ALH-2-WAY	Aluminium Hasp - 2 Way 10 Hole - Chrome Plated

DE - ELECTRIC DOUBLE SIDED ECONOMY HASP



- Designed for de-electric applications, ensuring safety during maintenance operations.
- Features dual jaw sizes, similar to steel Scorpio hasps, providing versatility.
- Constructed from durable nylon material.
- Inter-lockable design with 7 holes for secure lockout procedures.
- Supplied with a small padlock.



ES-DS-EH-7-INT

Other Available Colours



YELLOW



GREEN



BLUE


* Minimum quantity 200 Nos.

MODEL	PRODUCT DESCRIPTION
ES-DS-EH-7-INT	Double Sided Economy Hasp - 7 Hole Interlocking Nylon with Lock

ALUMINIUM VINYL COATED LOCKOUT HASP



- Scissor action hasps available in 25mm and 38mm diameter jaw sizes.
- Vinyl coated padlock fixing section for improved grip and visibility.
- Allows attachment of up to six padlocks to the same lockout point, preventing access to equipment during servicing and maintenance.
- Manufactured from high-quality aluminium die casting.
- Electro-plated or powder coated finish based on specific requirements.



STANDARD ALUMINIUM RED POWDER COATED LOCKOUT HASP

- Non-sparking Aluminum Standard Hasps designed for areas prone to explosion, providing additional protection.
- Lightweight construction enables easy use on electrical boxes, valves, and control units.
- Red powder coating enhances visibility for increased safety awareness.



Specification				
Model	ES-SH-AL-25	ES-SH-AL-38	ES-SH-AL-25	ES-SH-AL-38
Material	Casted Aluminium	Casted Aluminium	Casted Aluminium	Casted Aluminium
Dia (Jaw Size)	25 mm	38 mm	25 mm	38 mm
Body - Width	39 mm	39 mm	39 mm	39 mm
Body - Height	113 mm	126 mm	113 mm	126 mm
Shackle Dia	5 mm	6 mm	5 mm	6 mm

MODEL	PRODUCT DESCRIPTION
ES-ALH-25	Aluminium Hasp - 25 mm
ES-ALH-38	Aluminium Hasp - 38 mm
ES-SH-AL25	Standard Hasp Aluminium - 25 mm
ES-SH-AL38	Standard Hasp Aluminium - 38 mm

STAINLESS STEEL LOCKOUT HASP

Stainless Steel hasps are made as per internationally accepted designs. They are easy to use and acceptable at most of the isolation locking points.

ES - VC SSH - S / P Hasps are manufactured from 304 stainless steel sheet and have a sleek aluminum rivet. They are duly vinyl coated at the padlock insert holes - for better grip and visibility. Rustproof construction ensures long-lasting performance, even in harsh conditions. Suitable for places with high stress or chemical exposure.

ES - SSH - 25 is manufactured from 304 stainless steel sheet with a bright nickle plated finished using mixed aluminum die casted insert. Ideal for use in all industrial environments. Full body opening for easy & secure attachment around challenging isolation points. Stainless steel construction makes it ideal for environments prone to corrosion.

ES - SSH - 25 FSS is complete Stainless Steel piece with SS rivet and shackle.



ES-VC-SSH-S



ES-VC-SSH-P



ES-SSH-25



ES-SSH-25-YB



ES-SSH-25-FSS



Specification

Model	ES-VC-SSH-S	ES-VC-SSH-P	ES-SSH-25 ES-SSH-25-FSS	ES-SSH-25-YB
Material	Stainless Steel	Stainless Steel	Stainless Steel / Casted Aluminium	Stainless Steel / Casted Aluminium
Dia (Jaw Size)	25 mm	38 mm	25 / 34 mm	25 / 34 mm
Body - Width	39 mm	39 mm	49 mm	49 mm
Body - Height	114 mm	127 mm	116 mm	116 mm
Shackle Dia	5 mm	6 mm	5 mm	5 mm

MODEL	PRODUCT DESCRIPTION
ES-VC-SSH-S	Vinyl Coated Stainless Steel Hasp - Small
ES-VC-SSH-P	Vinyl Coated Stainless Steel Hasp - Premier
ES-SSH-25	Stainless Steel Hasp - 25 mm
ES-SSH-25-FSS	Stainless Steel Hasp - 25 mm - Full Stainless Steel
ES-SSH-25-YB	Stainless Steel Hasp - 25 mm - Yellow Black Powder Coated

STAINLESS STEEL LOCKOUT HASP



- Manufactured based on internationally accepted designs, ensuring reliability and usability.
- Widely accepted for securing isolation locking points in various industries.
- ES - SSH Die casted 304 stainless steel hasps are highly popular in harsh and corrosive environments.
- Capable of withstanding extreme stress and corrosion.
- Suitable for firmly securing different types of energy sources.
- Accommodates up to seven individual padlocks, ensuring secure lockout procedures.
- Features a 5mm shackle thickness and 29mm diameter jaw size for effective energy source isolation.



ES-SSH-5

Specification	
Model	ES-SSH-5
Material	Stainless Steel
Dia (Jaw Size)	30 / 29 mm
Body - Width	45 mm
Body - Height	113 mm
Shackle Dia	5 mm

MODEL	PRODUCT DESCRIPTION
ES-SSH-5	Stainless Steel Hasp - 5 mm Shackle

STAINLESS STEEL TAMPER PROOF HEAVY DUTY HASP

- Specially designed hasps made of marine grade 316 stainless steel for exceptional durability.
- Fits most switch gears and lockout points with a minimum hole size of 3.5 mm or 6.15 mm.
- Highly popular in corrosive offshore environment & mining application.
- Tamper proof design ensures the hasp remains securely fixed until all padlocks are removed.
- ES-HDH-7H3 variant supplied with a 3mm stainless steel shackle.



ES-HDH-7-H3



ES-HDH-7-H



ES-HDH-13-H

Specification

Model	ES-HDH-7-H3	ES-HDH-7-H	ES-HDH-13-H
Material	Stainless Steel	Stainless Steel	Stainless Steel
Dia (Jaw Size)	35 / 63 mm	31 / 59 mm	27 / 36 mm
Body - Width	58 mm	58 mm	57 mm
Body - Height	132 mm	132 mm	145 mm
Shackle Dia	3 mm	5 mm	5 mm

MODEL	PRODUCT DESCRIPTION
ES-HDH-7-H3	Heavy Duty Hasp - 7 Hole - 3 mm Shackle
ES-HDH-7-H	Heavy Duty Hasp - 7 Hole - 5 mm Shackle
ES-HDH-13-H	Heavy Duty Hasp - 13 Hole - 5 mm Shackle

STAINLESS STEEL TAMPER PROOF HEAVY DUTY HASP

- Made from high quality marine-grade stainless steel, this lockout hasp is an essential for protecting your workers from harm.
- Fits most switch gears and lockout points with a minimum hole size of 3.5mm or 6.15mm.
- Highly popular in corrosive offshore environment & mining application.
- Tamper proof design ensures the hasp remains securely fixed until all padlocks are removed.



ES-HDH-11



ES-HDH-13



ES-HDH-84



ES-HDH-84-C

Specification


Model	ES- HDH-11	ES- HDH-13	ES- HDH-84	ES- HDH-84 C
Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Dia (Jaw Size)	28 / 25 mm	29 / 70 mm	26 / 60 mm	58 / 70 mm
Body - Width	60 mm	60 mm	44 mm	44 mm
Body - Height	89 mm	172 mm	158 mm	174 mm
Shackle Dia	6 mm	6 mm	4 mm	4 mm

MODEL	PRODUCT DESCRIPTION
ES-HDH-11	Heavy Duty Hasp - 1 Inch x 1 Inch - 3 Locks
ES-HDH-13	Heavy Duty Hasp - 1 Inch x 3 Inch - 6 Locks
ES-HDH-84	Heavy Duty Hasp - 8 Hole 4mm Shackle
ES-HDH-84-C	Heavy Duty Hasp - 8 Hole 4mm Shackle Circular

TAGO 2-IN-1 LOCKOUT HASP



- Combines a hasp and tag into one convenient product for easy lockout and indication of lockout status.
- Features tags on both sides: front side includes a warning tag with space for specifying the reason for lockout, while the back side includes a unique label with space for adding a person's name next to their padlock (up to eight padlocks can be attached).
- Made from high-quality aluminium, ensuring durability and non-conductivity for electrical applications.
- Powder-coated finish provides enhanced durability, resistance to chipping, fading, rust, and corrosion.
- Built-in interlocking system across the jaws prevents unauthorized removal, ensuring additional security.



Specification	ES-2-IN-1-SL-HASP	ES-2-IN-1-DL-HASP
Model	ES-2-IN-1-SL-HASP	ES-2-IN-1-DL-HASP
Material	Aluminium	Aluminium
Dia (Jaw Size)	39 mm	39 mm
Body - Width	60 mm	60 mm
Body - Height	223 mm	223 mm
Shackle Dia	10 mm	10 mm



MODEL	PRODUCT DESCRIPTION
ES-2-IN-1-SL-HASP	2-in-1 Do Not Operate Single Lockable Labeled Hasp
ES-2-IN-1-DL-HASP	2-in-1 Do Not Operate Double Lockable Labeled Hasp

TAGO HASP



- Provides the combined benefits of a standard hasp and a tag, offering convenience and efficiency in lockout procedures.
- Manufactured from **powder-coated aluminum** sheet for durability & corrosion resistance.
- Red colouration ensures high visibility in industrial environments.
- Labels can be customised for personalized identification and instructions.
- TAGO-6-YE/RE variants are made of **electroplated aluminum**.

POWDER COATED FINISH



ES-TAGO-R-6



ES-TAGO-R-8



ES-TAGO-R



ES-TAGO-R-10

ELECTROPLATED FINISH



ES-TAGO-6-YE



ES-TAGO-6-RE

Specification

Model	ES-TAGO-6-YE&RE	ES-TAGO-R	ES-TAGO-R-6, -8, -10
Material	Electroplated Aluminium	Powder-Coated Aluminium	Powder-Coated Aluminium
Dia (Jaw Size)	27 mm	27 mm	25 mm
Body - Width	77 mm	77 mm	75 mm
Body - Height	190 mm	190 mm	171 mm
Shackle Dia	6 mm	6 mm	6 mm

MODEL	PRODUCT DESCRIPTION
ES-TAGO-R	Tago Hasp - Red
ES-TAGO-R-6	Tago Hasp - Red 6 Hole
ES-TAGO-R-8	Tago Hasp - Red 8 Hole
ES-TAGO-R-10	Tago Hasp - Red 10 Hole
ES-TAGO-6-RE	Tago Hasp - 6 Hole Red Electroplated
ES-TAGO-6-YE	Tago Hasp - 6 Hole Yellow Electroplated



Customization Accepted

FLEXIBLE DE - ELECTRIC LOCKOUT HASP




- Manufactured from heavy duty flexible nylon with 45 mm & 80 mm clearance.
- Ideal for difficult applications. Accepts padlocks with a shackle diameter up to 9 mm.
- Tough, flexible, and lightweight design.
- Completely non-conductive, ensuring safety in electrical environments.
- Ideal for securing electrical panels, MCBs, switches, and panel handles.



ES-E-HASP-33



ES-E-HASP-36



ES-E-HASP-66



ES-E-HASP-65

Specification

Model	ES-E-HASP-33	ES-E-HASP-36	ES-E-HASP-66	ES-E-HASP-65
Material	Nylon	Nylon	Nylon	Nylon
Dia (Jaw Size)	23 / 52 mm	23 / 52 mm	26 / 86 mm	26 / 80 mm
Body - Width	40 mm	40 mm	43 mm	44 mm
Body - Height	112 mm	115 mm	195 mm	176 mm
Shackle Dia	3 mm	6 mm	6 mm	5.5 mm

MODEL	PRODUCT DESCRIPTION
ES-E-HASP-33	3 holes, 3 mm Shackle thickness, 45 mm clearance
ES-E-HASP-36	3 holes, 6 mm Shackle thickness, 45 mm clearance
ES-E-HASP-66	6 holes, 6 mm Shackle thickness, 80 mm clearance
ES-E-HASP-65	6 holes, 5.5 mm Shackle thickness, 80 mm clearance

**4 LOCK
PREMIER LABELED
LOCKOUT HASP**



- These **LTT Lock** Patented lockout hasps require minimal effort for installation on the machine, which is to be locked out.
- Allows attachment of up to 4 padlocks to the same lockout point for enhanced security.
- Includes warning labels on each side to emphasize the importance of keeping the lockout attached during maintenance.
- Available with a choice of 3 mm or 4 mm thick Stainless-Steel shackles, providing durability and strength.



Specification	ES-34-LH	ES-44-LH
Model	ES-34-LH	ES-44-LH
Material	Stainless Steel / ABS	Stainless Steel / ABS
Dia (Jaw Size)	27 / 41 mm	26 / 40 mm
Body - Width	49 mm	49 mm
Body - Height	127 mm	127 mm
Shackle Dia	3 mm	4 mm



MODEL	PRODUCT DESCRIPTION
ES-34-LH	3 mm Shackle with 4 Locks Labeled Hasp
ES-44-LH	4 mm Shackle with 4 Locks Labeled Hasp

DE - ELECTRIC SLIDER LOCKOUT HASP



- **LTT Lock** patented design: De-Electric 4-hole slider hasp with 3 mm / 6 mm shackle sizes.
- Available individually or in sets of 2.
- Can accommodate up to 4 Lockout padlocks.
- Constructed from hard nylon / ABS material for non-conductivity.
- Highly visible with a bright yellow colour.
- Best recommended for use on electrical panels, MCBs, and other electrical applications.



ES-DESH-43



ES-DESH-46



Open Position



Slide Toggle Upwards



Closed Position

Specification

Model	ES-DESH-43	ES-DESH-46
Material	Hard Nylon / ABS	Hard Nylon / ABS
Dia (Jaw Size)	24 / 46 mm	21 / 43 mm
Body - Width	61 mm	61 mm
Body - Height	105 mm	105 mm
Shackle Dia	3 mm	6 mm



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-DESH-43	De - Electric Slider Hasp for 4 Locks / 3 mm Shackle
ES-DESH-46	De - Electric Slider Hasp for 4 Locks / 6 mm Shackle

NON-CONDUCTIVE GROUP LOCKOUT HASP

- These hasps have excellent insulating characteristics and high performance in harsh weather conditions.
- Manufactured from heavy duty flexible nylon with 3 mm & 6 mm shackle dia.
- Ideal for difficult applications. Accepts padlocks with a shackle diameter up to 7.5 mm.
- These hasps are tough, flexible, light weight and have additional benefit of being completely non-conductive.
- Ideal for their installation on Electrical Panels, MCBs, Switches & Panel Handles.
- Available in Yellow and Red colours.



ES-GLH-3-Y



ES-GLH-6-Y



ES-GLH-3-R



ES-GLH-6-R

Specification

Model	ES-GLH-3	ES-GLH-6
Material	Hard Nylon / ABS	Hard Nylon / ABS
Dia (Jaw Size)	23 / 50 mm	20 / 47 mm
Body - Width	63 mm	61 mm
Body - Height	125 mm	126 mm
Shackle Dia	3 mm	6 mm

MODEL	PRODUCT DESCRIPTION
ES-GLH-3-Y	Group Lockout Hasp - 3 mm Yellow
ES-GLH-6-Y	Group Lockout Hasp - 6 mm Yellow
ES-GLH-3-R	Group Lockout Hasp - 3 mm Red
ES-GLH-6-R	Group Lockout Hasp - 6 mm Red



Customization Accepted

DE-ELECTRIC POP-UP HASP



- Manufactured from heavy duty ABS and flexible nylon 3 mm & 6 mm shackle.
- Can easily be installed at different locations. Ideal for difficult applications. Accepts padlocks with a shackle diameter up to 7 mm.
- These hasps are tough, flexible, light weight and have additional benefit of being completely non-conductive.
- Ideal for their installation on Electrical Panels, MCBs, Switches & Panel Handles.
- Available in Yellow and Red colours.



Specification

Model	ES-DEPH-39	ES-DEPH-69
Material	Hard Nylon / ABS	Hard Nylon / ABS
Dia (Jaw Size)	28 / 46 mm	22 / 46 mm
Body - Width	44 mm	44 mm
Body - Height	130 mm	130 mm
Shackle Dia	3 mm	6 mm

MODEL	PRODUCT DESCRIPTION
ES-DEPH-39-Y	De-Electric Pop-Up Hasp with 3 mm Shackle 9 Lock Provision Yellow
ES-DEPH-69-Y	De-Electric Pop-Up Hasp with 6 mm Shackle 9 Lock Provision Yellow
ES-DEPH-39-R	De-Electric Pop-Up Hasp with 3 mm Shackle 9 Lock Provision Red
ES-DEPH-69-R	De-Electric Pop-Up Hasp with 6 mm Shackle 9 Lock Provision Red



**Customization
Accepted**

**TWO WAY
BLACK MG
TOGGLE HASP**


- Two way Merlin Gerin Padlocking Hasp.
- Merlin Gerin Powerpact 4c Toggle Padlocking Attachment.
- This device engages in the slot behind the switch toggle, blocking its operation. Adding a padlock prevents unauthorised operation and secures the device in place when the breaker is in the OFF position.



ES-TW-TH



Installed easily in 3 - steps



Switch of the MCCB & Insert the "TOGGLE HASP".


MODEL	PRODUCT DESCRIPTION
ES-TW-TH	Two Way Black MG Toggle Hasp

**MOLDED CASE
CIRCUIT BREAKER
LOCKOUT HASP**

- This is applied to the T1 - T2 - T3 / FUJI molded case circuit breaker cover to prevent the lever closing or opening operation. It allows installation up to a maximum of three padlocks of up to 7 mm shackle dia.
- Plug-in locking device only for the closing operation.



ES-MCCBL-A



MODEL	PRODUCT DESCRIPTION
ES-MCCBL-A	Molded Case Circuit Breaker Lockout for ABB

MULTIPURPOSE CABLE LOCKOUT



Cable lockouts are ideal for situations where there is a need to lockout multiple energy sources with one device or where the design / placement of the energy sources prevents other types of lockouts from being used.

The design and flexibility of a cable lockout device allows it to be used in a variety of settings. The flexible cable is looped around or through the isolating point and then secured. The lockout device holds the cable firmly and prevents it from loosening. This prevents the energy-isolating device from being activated until the cable is removed. Several padlocks can be applied on the device to ensure the safety of workers.

They are flexible, cost-effective, easy-to-use, and are just as efficient as chains but are much lighter and visible.

MULTIPURPOSE CABLE LOCKOUT

ECONOMY MULTIPURPOSE CABLE LOCKOUT



ES-EML+2CL-CR*



**Customised Cable
Length can be Ordered**

**Other
Available
Colours**



YELLOW



GREEN



BLUE

* Minimum quantity 200 Nos.

- Constructed from durable polypropylene material.
- Injection moulded one-set construction includes a stainless-steel nut and bolt for corrosion resistance and long-lasting performance.
- Supplied with a 2-meter galvanized vinyl coated steel cable.
- Lockout valves, switches, and other similar applications with this cable lockout, providing a quick and simple method for securing difficult equipment.
- Patented easy GRIP & TWIST design for user convenience.
- Accepts up to 6 padlocks, allowing for multiple lockout applications.
- Withstands temperatures ranging from +55°C to -20°C.
- Cable can be ordered in 2, 5, 10, 20, 50, or 100 meters.



ES-EML

ES-EML+2C
(Without Loop)



ES-EML+2CL




ES-EML-T+2CL

MODEL	PRODUCT DESCRIPTION
ES-EML	Economy Multipurpose Cable Lockout
ES-EML+2C	EML with 2 Mtrs. Vinyl Coated Steel Cable without Loop
ES-EML+2C-CR*	EML with 2 Mtrs. Vinyl Coated Steel Cable - Coloured (Green, Blue, Yellow etc.)
ES-EML+2CL	EML with 2 Mtrs. Vinyl Coated Steel Cable with Loop
ES-EML+2CL-CR*	EML with 2 Mtrs. Vinyl Coated Steel Cable with Loop - Coloured (Green, Blue, Yellow etc.)
ES-EML-T+2CL	EML with Tool & 2 Mtrs. Vinyl Coated Steel Cable with Loop

MULTIPURPOSE CABLE LOCKOUT

HANGING TWISTER UNIVERSAL MULTIPURPOSE CABLE LOCKOUT



Hanging provision to place the device on shadow boards easily.

Other Available Colours



YELLOW



GREEN



BLUE

* Minimum quantity 200 Nos.


- Designed to secure multiple energy isolation points & difficult-to-secure isolating devices.
- Manufactured from impact-resistant copolymer polypropylene for durability.
- Injection moulded one-set construction includes a stainless-steel nut and bolt for corrosion-free, long-lasting performance.
- Withstands harsh weather conditions ranging from +85°C to -20°C.
- Comes complete with a 2-meter 4mm PVC coated, heavy-duty steel cable.
- Cable can withstand weights exceeding 100kg.
- PVC coated, heavy-duty steel cable available in rolls of 2, 5, 10, 50, or 100 meters.
- Standard colour is red; other colours are available upon request (*MOQ applicable).



No tools required.



ES-UMCL-HT



ES-UMCL-HT+2C



Patented easy-grip twist design; users can quickly tighten the twister wheel using their fingers.

Its unique design does not allow the tightening twister wheel to come off the base unit, preventing accidental loss.

MODEL	PRODUCT DESCRIPTION
ES-UMCL-HT	Universal Multipurpose Cable Lockout - Hanging Twister
ES-UMCL-HT+2C	UMCL - HT with 2 Mtrs. Vinyl Coated Steel Cable without Loop

MULTIPURPOSE CABLE LOCKOUT

UNIVERSAL MULTIPURPOSE CABLE LOCKOUT

- Completely de-electric, suitable for securing multiple energy isolation points and difficult-to-secure isolating devices with ease.
- Moulded section in PVC to securely hold 12 padlocks at any given time.
- Incorporates solid stainless-steel inserts for added durability and strength.
- Strongly holds the vinyl-coated galvanized steel cable in all environmental conditions.
- Cable can withstand weights exceeding 100kg.
- Supplied with a 2-meter cable of 4mm thickness.
- Compatible with cables ranging from 3mm to 6mm in thickness.



ES-UMCL-YB



3mm Cable



ES-UMCL+2C



Customized Cable
Length can be Ordered

MODEL	PRODUCT DESCRIPTION
ES-UMCL-YB	Universal Multipurpose Cable Lockout - Yellow Black
ES-UMCL+2C	UMCL Supplied with 2 Mtrs. 4 mm PVC Coated Steel Cable

PREMIER MULTIPURPOSE CABLE LOCKOUT



Can also be used as a Hasp



Customized Cable
Length can be Ordered

- Versatile design allows for use as a Hasp and Cable Lockout, making it ideal for multiple applications.
- Scientifically designed moulded section of PVC to ensure a comfortable fit in the human palm.
- Incorporates a solid steel die-cut insert for securely holding the looped vinyl-coated galvanized steel cable at one point.
- Galvanized steel cable can withstand weights exceeding 100kg.
- Additional cable lengths of 2m, 5m, 10m, 20m, 50m, and 100m can be ordered separately for added flexibility and customization.
- At the time of ordering, please mention whether the wire is required - with or without loop.



ES-PML



ES-PML+2CL


MODEL	PRODUCT DESCRIPTION
ES-PML	Premier Multipurpose Cable Lockout (Without Cable)
ES-PML+2CL	PML with 2 Mtrs. Vinyl Coated Steel Cable with Loop

MULTIPURPOSE CABLE LOCKOUT

SQUEEZER MULTIPURPOSE CABLE LOCKOUT



- Ergonomically designed to fit comfortably in a human palm, ensuring fast and simple placement and use.
- Typically supplied with a 1-meter cable (*Customized lengths available upon request).
- Easy operation: Route the cable to the device to be locked out, insert the cable from the top of the locking device, tighten it until the source is locked out, squeeze the handle, and apply a padlock.
- **Available in two versions:** Vinyl Coated Steel Core Cable (blue) and Nylon Core De-Electric Cable (Yellow), suitable for various locking needs.



ES-SMCL-MB




ES-SMCL-DE-Y



MODEL	PRODUCT DESCRIPTION
ES-SMCL-MB	Squeezers Multipurpose Cable Lockout - Metallic Blue Cable
ES-SMCL-DE-Y	Squeezers Multipurpose Cable Lockout - De-Electric - Yellow

MULTIPURPOSE CABLE LOCKOUT

PREMIER SQUEEZER MULTIPURPOSE CABLE LOCKOUT (LOCKABLE)



- Ergonomically designed to fit comfortably in a human palm, ensuring fast and simple placement and use.
- Typically supplied with a 1-meter cable (*Customized lengths available upon request).
- Easy operation: Route the cable to the device to be locked out, insert the cable from the top, tighten it until the source is locked out, squeeze the handle, and apply a padlock.
- **Available in two versions:** Vinyl Coated Steel Core Cable (blue) and Nylon Core De-Electric Cable (Yellow), suitable for various locking needs.
- **Features a CAP operation for locking the handle and easy installation of a padlock.**



ES-PSMCL



ES-PSMCL-DE-Y



De-Electric
Yellow cable



Customized Cable
Length can be ordered

MODEL	PRODUCT DESCRIPTION
ES-PSMCL	Premier Squeezer Multipurpose Cable Lockout (Lockable)
ES-PSMCL-DE-Y	Premier Squeezer Multipurpose Cable Lockout - De-Electric - Yellow Cable

ADJUSTABLE CABLE LOCKOUT


- The ACL series is specifically designed for locking off multiple breakers, switches, and valves to ensure circuit and system safety during maintenance as part of a safe isolation procedure.
- The flexible multi-stranded steel cable with PVC sheath allows for easy threading and can be adjusted to the desired length before locking off with a simple squeeze action.
- Ergonomically designed with a built-in hasp that accommodates up to six padlocks, making it suitable for situations where multiple operators are working on the same system.
- Available in 1m, 3m, and 5m cable lengths for added flexibility.



The black handle of this lockout can not be separated as it is rivetted to the body of this lockout.



ES-ACL-RB



ES-ACL-YB



Customized Cable
Length can be Ordered

MODEL	PRODUCT DESCRIPTION
ES-ACL-RB	Adjustable Cable Lockout - Red & Black
ES-ACL-YB	Adjustable Cable Lockout - Yellow & Black

MULTIPURPOSE CABLE LOCKOUT

GRIP TYPE INTER LOCKABLE MULTIPURPOSE CABLE LOCKOUT



- Completely de-electric design made of PVC, ensuring non-conductivity.
- Suitable for securing multiple energy isolation points.
- Easy installation process: Feed the cable around the object to be secured, Thread the cable back through the hole of the lockout device to close the loop, clip the lockout together, and then attach padlocks.
- Four padlocks can be attached simultaneously to provide secure locking.
- High-quality flexible steel cable with red vinyl coating for durability and visibility.
- Interlocking design allows for easy snap-open and snap-shut operation.
- Includes solid stainless-steel inserts for securely holding the galvanized steel cable.
- Supplied with 2-meter or 5-meter cable of 3.5mm thickness; with brass tip at the end.



ES-GTML+2C



Customized Cable
Length can be Ordered

MODEL	PRODUCT DESCRIPTION
ES-GTMCL+2C	Grip Type Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable

MULTIPURPOSE CABLE LOCKOUT

6 HOLE HASP ADJUSTABLE MULTIPURPOSE CABLE LOCKOUT



ES-6H-HAMCL+2C

The 6 Hole integrated hasp and multipurpose cable lockouts provides the versatility of a cable lockout to isolate multiple energy isolation points and the benefits of a hasp to accommodate several personal locks during group operations.

- Lightweight ABS construction for easy handling, carrying, and operation.
- Device includes a vinyl-coated steel cable for secure locking.
- Easy installation: Feed the cable through the multiple isolation points and thread it back through the device to close the loop. Pull the cable tightly to maximize tension and hold isolation points in the off position. Squeeze the lockout device to tighten the cable and apply a lockout padlock to secure the device.
- Accommodates up to 6 padlocks for enhanced security.
- Cables can be ordered in different lengths: 4m, 6m, 8m, or 10m.
- Standard colour is Red for increased visibility.



Customized Cable
Length can be Ordered

MODEL	PRODUCT DESCRIPTION
ES-6H-HAMCL+2C	6 Hole Hasp Adjustable Multipurpose Cable Lockout with 2 mtrs. Cable

MULTIPURPOSE CABLE LOCKOUT

7 HOLE MULTIPURPOSE CABLE LOCKOUT



- Flexible and cost-effective cable lockout. Made of durable ABS material for long-lasting performance. Lighter than chains, providing ease of carrying and use. Standard cable length is 2 meters and is supplied with loop. (*Customised Length Available)



ES-7HMCL+2CL



ES-7HHMCL+2CL



**Customized Cable
Length can be ordered**

MODEL	PRODUCT DESCRIPTION
ES-7HMCL	7 Hole - Multipurpose Cable Lockout
ES-7HMCL+2CL	7H MCL with 2 Mtrs. Vinyl Coated Steel Cable with Loop
ES-7HHMCL	7 Hole Hasp type - Multipurpose Cable Lockout
ES-7HHMCL+2CL	7H HMCL with 2 Mtrs. Vinyl Coated Steel Cable with Loop

RAZOR MULTIPURPOSE CABLE LOCKOUT



- Innovative multipurpose cable lockout device featuring a scissor action mechanism on the supplied cable.
- Supplied with a 2-meter looped galvanized vinyl coated steel cable for secure locking.
- Unique design with easy handling, constructed from special grade hard PVC for durability.
- Has provision for 4 locks, ensuring enhanced security.
- *Cable lengths of 5 or 10 meters available upon request.
- Finger curves and thumb rest designed for ease of use and comfortable grip.



ES-RMCL+2C



**Customized Cable
Length can be Ordered**


MODEL	PRODUCT DESCRIPTION
ES-RMCL	Razor Multipurpose Cable Lockout
ES-RMCL+2C	RMCL with 2 Mtrs. Vinyl Coated Steel Cable with Loop

MULTIPURPOSE CABLE LOCKOUT

MOUSE TYPE MULTIPURPOSE CABLE LOCKOUT



- The body of the Mouse-Type Multipurpose Cable Lockout is constructed of impact-modified nylon, ensuring durability and reliability.
- The 2-meter cable is made of highly-flexible steel with a vinyl coating for added strength and protection.
- Suitable for challenging lockout applications, including securing large gate valves and oversized equipment.
- Easy-to-use design: Feed the cable through the object being locked out, then thread it back through the body of the lockout. Tighten the cable and attach up to six padlocks for increased security.
- Additional cable lengths of 5m, 10m, or 20m are available upon request, offering flexibility for various lockout scenarios.



MTCL is Available in
4 mm & 6 mm Dia Cable

MODEL	PRODUCT DESCRIPTION
ES-MTCL+2C4	Mouse Type Cable Lockout with 2 Mtrs. 4 mm Vinyl Coated Steel Cable
ES-MTCL+2C6	Mouse Type Cable Lockout with 2 Mtrs. 6 mm Vinyl Coated Steel Cable

MULTIPURPOSE CABLE LOCKOUT

ECONOMY METALLIC MULTIPURPOSE CABLE LOCKOUT

- Each device includes a 2-meter-long stainless-steel cable with the locking device.
- The cable is securely clamped using a tamper-proof screw with the special key provided.
- **TMMCL/LMMCL** models and their handles are made of **304 grade Stainless Steel**.
- Stainless-Steel Cable Lockouts are highly durable and resistant to rust or corrosion.



ES-LMMCL+2CL+T



ES-TMMCL+2C



ES-LMMCL+2CL+T



ES-TMMCL+2C



**Customised Cable
Length can be Ordered**

MODEL	PRODUCT DESCRIPTION
ES-LMMCL+2CL+T	Lattu MMCL with 2 Mtrs. SS Cable with Loop and Tool
ES-T-LMMCL	Special operating Tool for LMMCL
ES-TMMCL+2C	Twister Metallic Multipurpose Cable Lockout with 2 Mtrs. SS Cable

MULTIPURPOSE CABLE LOCKOUT

ECONOMY METALLIC MULTIPURPOSE CABLE LOCKOUT

- Made of Brass/Stainless Steel for long-lasting performance. (Non-corrosive)
- Each device includes a 2-meter-long stainless-steel cable with the locking device.
- The cable is securely clamped using a tamper-proof screw with the special key provided.
- Stainless-Steel Cable Lockouts are highly durable and resistant to rust or corrosion.



Step 1: Prepare and Thread the Cable

Open the cable lockout device to its unlocked position, ensuring the cable is ready for use. Thread the cable through all necessary isolation points on the equipment or machinery, ensuring full coverage of energy control points.




Step 2: Close the Loop

Feed the cable back into the lockout device, closing the loop around the control points. Pull to tighten, ensuring there's no slack and all isolation points are securely enclosed within the loop.




Step 3: Secure the Cable in Place

Use the special key provided to tighten the cable lockout device, ensuring it grips the cable firmly and prevents any movement or loosening.



Step 4: Perform Lockout

Apply a padlock through the designated locking hole to secure the lockout device and affix a tag detailing the lockout information. Store the key in a secure location to maintain the integrity of the lockout.



**Customized Cable
Length can be Ordered**

MODEL	PRODUCT DESCRIPTION
ES-EMMCL+2C	Economy Metallic Multipurpose Cable Lockout with 2 Mtrs. SS Cable

MULTIPURPOSE CABLE LOCKOUT

METALLIC MULTIPURPOSE CABLE LOCKOUT

- Specifically designed for outdoor use and corrosive / harsh industrial environment. Highly recommended for offshore installations.
- Features a specially moulded metallic construction with a Stainless-Steel nut for corrosion-free and long-lasting working.
- Consists of a 4-piece moulded set; easy to install and lockout.
- Utilizes an open-ended Stainless-Steel cable with the MMCL model.
- Stainless Steel cable can be ordered separately in 2m, 5m, or 10m lengths.
- Ideal for locking large gate valves of all types.
- Totally dependable; Worldwide appreciated design.



ES-MMCL



ES-MMCL+2C



An E-Square innovative
products for the world



Customized Cable
Length can be Ordered


MODEL	PRODUCT DESCRIPTION
ES-MMCL	Metallic Multipurpose Cable Lockout
ES-MMCL+2C	MMCL with 2 Mtrs. Stainless Steel Cable
ES-2C for MMCL	2 Mtrs. Stainless Steel Cable for MMCL
ES-5C for MMCL	5 Mtrs. Stainless Steel Cable for MMCL

MULTIPURPOSE CABLE LOCKOUT

MINI CABLE LOCKOUT



- Flexible and cost-effective cable lockout designed for securing multiple points.
- Specially designed for installation on smaller hole sizes, ensuring versatility in lockout applications.
- Lighter than chains, providing ease of carrying and use.
- Steel cable with insulated cover for reliable locking.
- Standard cable length is 1 foot, with extra length available upon order.
- Supplied with a loop for easy attachment.
- Made of durable ABS material.



Customized Cable
Length can be Ordered

MODEL	PRODUCT DESCRIPTION
ES-MCL1	Mini Cable Lockout Device with 1 mm PVC Coated Cable
ES-MCL2	Mini Cable Lockout Device with 2 mm PVC Coated Cable



ENERGY SECURE CABLE LOCKOUT



Before



After

- A ground breaking innovation from **LTTLock** revolutionizing global energy isolation safety practices.
- Designed for electrical or mechanical energy isolating points, particularly those with protruding sections, it is a versatile and robust lockout device.
- It features a seamless one-piece design that allows for quick and effective installation, demanding no additional tools. Simply place the lockout over the valve stem or electrical point, route the cable, secure with the ergonomic twister cap, and apply lockout padlock(s).
- Additionally comes with a separate storage bag for safekeeping of essential machine components, preventing any misplacement and unauthorized access. (*Additional Charges Apply)
- Equipped with an **additional bottom rubber grip** for smaller lockout points to ensure a secure fit.
- Features eight holes to accommodate multiple authorized personnel to secure the lockout with their individual padlocks, with a maximum shackle diameter of 9mm.
- Once secured with a lockout padlock, the device prevents accidental or unauthorised reactivation, enhancing your workspace's safety.
- Constructed with durable PP and stainless-steel to resist cracking and abrasion, ensuring longevity.
- Built to endure extreme weather conditions and temperature variations, perfect for outdoor applications.
- Available in a standard red colour with a contrasting black cap.
- Versatile usage, capable of securing manually operated plug valves with stem diameters ranging from 23mm to 63mm.



ES-ESCL+2C

MODEL	PRODUCT DESCRIPTION
ES-ESCL+1C	Energy Secure Cable Lockout with 1 Meter Cable
ES-ESCL+2C	Energy Secure Cable Lockout with 2 Meter Cable



ENERGY SECURE CABLE LOCKOUT



Before



After



With Pouch

Pouches For Storing Small Components



.....and more!

Best for >>



MODEL	PRODUCT DESCRIPTION
ES-ESCL+1C	Energy Secure Cable Lockout with 1 Meter Cable
ES-ESCL+2C	Energy Secure Cable Lockout with 2 Meter Cable
ES-ESCL-SP	Energy Secure Cable Lockout Small Pouch
ES-ESCL-BP	Energy Secure Cable Lockout Big Pouch



Customization
Accepted

MULTIPURPOSE CABLE LOCKOUT

VINYL COATED STEEL CABLES

- Designed for lockout purposes, offering options for short or long cables.
- Can be ordered with or without loops for added flexibility.
- Customizable lengths ranging from 1 foot to 200 meters to suit specific requirements.
- Vinyl coated steel cables are predominantly available in Red colour, ensuring high visibility.



ES-VSCWL



ES-VSCOSL



ES-VSCBSL




Customized Cable
Length can be Ordered

MODEL	PRODUCT DESCRIPTION
ES-VSCWL	Vinyl Coated Steel Cable Without Loop
ES-VSCOSL	Vinyl Coated Steel Cable with One Side Loop
ES-VSCBSL	Vinyl Coated Steel Cable with Both Side Loop

MULTIPURPOSE CABLE LOCKOUT

STAINLESS STEEL CABLES

With or without loop



- Designed for lockout purposes, offering options for short or long cables.
- Can be ordered with or without loops for added flexibility.
- Customizable lengths ranging from 1 foot to 200 meters to suit specific requirements.




MODEL	PRODUCT DESCRIPTION
ES-SSCWL	Stainless Steel Cable Without Loop
ES-SSCOSL	Stainless Steel Cable with One Side Loop
ES-SSCBSL	Stainless Steel Cable with Both Side Loop



Customized Cable
Length can be Ordered

VINYL COATED DE-ELECTRIC CABLES

With or without loop



MODEL	PRODUCT DESCRIPTION
ES-VDECWL	Vinyl Coated De Electric Cable Without Loop
ES-VDECOSL	Vinyl Coated De Electric Cable with One Side Loop
ES-VDECBSL	Vinyl Coated De Electric Cable with Both Side Loop



Customized Cable
Length can be Ordered

VALVE LOCKOUT



Valve lockouts are simple and effective in order to prevent unauthorized operation of valves.


Valves come in a huge range of shapes, sizes and methods of operation. Whether you have Ball Valves, Gate Valves, Plug Valves, Globe Valves or Butterfly Valves; their method of operation determine the lockout device for the valve.

Several valves are manually operated via a handwheel / lever / wrench or the valve might be power actuated e.g. electric motor, hydraulic or pneumatic actuator. Regardless of the method of operation, all valves can be locked out by our various available lockout solutions.

VALVE LOCKOUT

GATE VALVE LOCKOUT

- A durable and reliable device designed to lockout gate valves in the closed position.
- Virtually indestructible valve covers.
- Once locked, they rotate freely around the hand wheel & prevent the valve wheel from being turned.
- The strong polyurethane plastics make them resistant to cracking and abrasion.
- They are resistant to extreme weather and temperature conditions.
- Available in 5 sizes (Red colour). Other colours are available on request (*MOQ Applicable).
- Padlock holes are available in each gate valve lockout device for lockout.
- Withstands temperatures from -20°C to 90°C.
- Unique knockout center accommodates OS & Y or “rising stem” valves.
- Hasps and padlocks can be used to lock these lockouts.
- At the time of ordering - please specify the required product's colour.



Other Available Colours

YELLOW	GREEN	BLUE

* Minimum quantity 100 Nos.



Yellow



Blue





Green

VALVE LOCKOUT



GATE VALVE LOCKOUT



Select the valve lockout according to the valve measurement size.



Make a cutout with sharp blade to accommodate rising spindle stem valves



Dimension



Model	ES-02-GVL	ES-04-GVL	ES-06-GVL	ES-08-GVL	ES-10-GVL
Size	25 - 63.5 mm	63.5 - 127 mm	127 - 165 mm	165 - 254 mm	254 - 355 mm
Outside Dia (A)	76 mm	143 mm	176 mm	266 mm	368 mm
Neck Dia (B)	20 mm	39 mm	63 mm	89 mm	103 mm
Inside Dia (C)	70 mm	134 mm	167 mm	254 mm	355 mm
Inside Depth (D)	31 mm	34 mm	38 mm	52 mm	64 mm
Outside Depth (E)	38 mm	41 mm	52 mm	63 mm	74 mm



MODEL	GVL : Gate Valve Lockout
ES-02-GVL	Fits on handle wheel dia from 25 to 63.5 mm (1" - 2½" inch)
ES-04-GVL	Fits on handle wheel dia from 63.5 to 127 mm (2½" - 5" inch)
ES-06-GVL	Fits on handle wheel dia from 127 to 165 mm (5" - 6½" inch)
ES-08-GVL	Fits on handle wheel dia from 165 to 254 mm (6½" - 10" inch)
ES-10-GVL	Fits on handle wheel dia from 254 to 355 mm (10" - 13" inch)

VALVE LOCKOUT

HINGED GATE VALVE LOCKOUT



Other Available Colours



YELLOW



GREEN



BLUE

* Minimum quantity 100 Nos.

- Once locked, they rotate freely around the hand wheel & prevent the valve wheel from being turned.
- The strong ABS plastics makes them resistant to cracking and abrasion.
- They are resistant to extreme weather and temperature conditions.
- Single padlock hole is available in each gate valve lockout device.
- Unique knockout center accommodates rising stem valves.
- Hasps and padlocks can be used to lock these lockouts.



Dimension

Model	ES-02-HGVL	ES-04-HGVL	ES-06-HGVL	ES-08-HGVL	ES-10-HGVL
Size	25 - 63.5 mm	63.5 - 127 mm	127 - 165 mm	165 - 254 mm	254 - 355 mm
Outside Dia (A)	80 mm	140 mm	185 mm	279 mm	362 mm
Neck Dia (B)	19 mm	44 mm	64 mm	92 mm	105 mm
Inside Dia (C)	71 mm	131 mm	175 mm	267 mm	350 mm
Inside Depth (D)	30 mm	37 mm	46 mm	60 mm	62 mm
Outside Depth (E)	35 mm	46 mm	55 mm	68 mm	68 mm


MODEL	HGVL : Hinged Gate Valve Lockout
ES-02-HGVL	Fits on handle wheel dia from 25 to 63.5 mm (1" - 2½" inch)
ES-04-HGVL	Fits on handle wheel dia from 63.5 to 127 mm (2½" - 5" inch)
ES-06-HGVL	Fits on handle wheel dia from 127 to 165 mm (5" - 6½" inch)
ES-08-HGVL	Fits on handle wheel dia from 165 to 254 mm (6½" - 10" inch)
ES-10-HGVL	Fits on handle wheel dia from 254 to 355 mm (10" - 13" inch)

VALVE LOCKOUT

CLEAR (POLYCARBONATE) HINGED GATE VALVE LOCKOUT



- Robust and transparent lockout device designed to secure gate valves in the closed position.
- Once locked, they rotate freely around the hand wheel & prevent the valve wheel from being turned.
- The polycarbonate makes them strong, durable and resistant to cracking and abrasion.
- They are resistant to extreme weather and temperature conditions.
- Single padlock hole is available in each gate valve lockout device.
- Unique knockout centre accommodates rising stem valves.
- Hasps and padlocks can be used to lock these lockouts.



*(POLYCARBONATE / Clear ABS)

Dimension

Model	ES-02-CGVL	ES-04-CGVL	ES-06-CGVL	ES-08-CGVL	ES-10-CGVL
Size	25 - 63.5 mm	63.5 - 127 mm	127 - 165 mm	165 - 254 mm	254 - 355 mm
Outside Dia (A)	20 mm	140 mm	185 mm	279 mm	355 mm
Neck Dia (B)	20 mm	44 mm	64 mm	92 mm	104 mm
Inside Dia (C)	71 mm	131 mm	175 mm	267 mm	343 mm
Inside Depth (D)	30 mm	37 mm	46 mm	60 mm	62 mm
Outside Depth (E)	35 mm	46 mm	55 mm	68 mm	68 mm



MODEL	CGVL : Clear Gate Valve Lockout
ES-02-CGVL	Fits on handle wheel dia from 25 to 63.5 mm (1" - 2½" inch)
ES-04-CGVL	Fits on handle wheel dia from 63.5 to 127 mm (2½" - 5" inch)
ES-06-CGVL	Fits on handle wheel dia from 127 to 165 mm (5" - 6½" inch)
ES-08-CGVL	Fits on handle wheel dia from 165 to 254 mm (6½" - 10" inch)
ES-10-CGVL	Fits on handle wheel dia from 254 to 355 mm (10" - 13" inch)

VALVE LOCKOUT

METALLIC GATE VALVE LOCKOUT



- The Metallic Gate Valve Lockout from **LTT Lock** sets new industry standards with its exceptional strength, versatility, advanced design, and superior performance.
- Crafted from virtually indestructible steel, these valve covers are built to withstand even the harshest environments and toughest conditions.
- The unique design of our lockout allows it to rotate freely around the hand wheel once locked, effectively preventing unauthorized access and operation of the valve.
- Available in five different sizes, in red colour.
- Padlock holes are available in each gate valve lockout device.
- Designed for quick and effortless installation.
- The unique knockout center of the lockout device is designed to accommodate rising stem valves.
- Hasps and padlocks can be used to lock these lockouts.



Spindle hole can be provided on request



Dimension

Model	ES-02-MGVL	ES-04-MGVL	ES-06-MGVL	ES-08-MGVL	ES-10-MGVL
Size	25 - 63.5 mm	63.5 - 127 mm	127 - 165 mm	165 - 254 mm	254 - 355 mm
Outside Dia (A)	76 mm	143 mm	176 mm	266 mm	368 mm
Neck Dia (B)	20 mm	39 mm	63 mm	89 mm	103 mm
Inside Dia (C)	70 mm	134 mm	167 mm	254 mm	355 mm
Inside Depth (D)	31 mm	34 mm	38 mm	52 mm	64 mm
Outside Depth (E)	38 mm	41 mm	52 mm	63 mm	74 mm

MODEL	MGVL : Metallic Gate Valve Lockout
ES-02-MGVL	Fits on handle wheel dia from 25 to 63.5 mm (1" - 2½" inch)
ES-04-MGVL	Fits on handle wheel dia from 63.5 to 127 mm (2½" - 5" inch)
ES-06-MGVL	Fits on handle wheel dia from 127 to 165 mm (5" - 6½" inch)
ES-08-MGVL	Fits on handle wheel dia from 165 to 254 mm (6½" - 10" inch)
ES-10-MGVL	Fits on handle wheel dia from 254 to 355 mm (10" - 13" inch)

VALVE LOCKOUT

ADJUSTABLE GATE VALVE LOCKOUT

- Ultimate solution for securing gate valves of various sizes. To use, simply clip the two sections apart and fit around the valve, then attach up to four/five padlocks (sold separately).
- Can be easily adjusted to fit gate valves with hand wheel diameters ranging from 25 mm to 165 mm (1" to 6.5").
- Once secured, the lockout covers the valve's wheel and rotates freely around it, preventing unauthorised operation.
- Made from highly durable polypropylene and ABS materials, this lockout device is built to withstand tough industrial environments.
- Works in temperatures from -20°C to 90°C.
- Compact design for easy carrying and storage.
- A special cut-out section in the middle of the lockout is designed to let the rising stem of the valve through.



ES-AGV



ES-AGV-SC



Other Available Colours



YELLOW



GREEN



BLUE

* Minimum quantity 100 Nos.

MODEL	PRODUCT DESCRIPTION
ES-AGV	Adjustable Gate Valve Lockout - Conventional (25 mm - 165 mm)
ES-AGV-SC	Adjustable Gate Valve Lockout - Small with Cutout (25 mm - 165 mm)

VALVE LOCKOUT

BALL VALVE LOCKOUT



- Ideal solution for securing ball valves and preventing unauthorized operation.
- Designed for effortless installation and operation. Simply clamp them over the valve lever to prevent the valve from being operated. The BV-01 model can lock small-sized valves in both open and closed positions, while the BV-01-EX / BV-02-L models are used specifically for closed position lockout.
- Our two-piece moulded lockouts are designed to fit most ball valves available internationally. The inner slider provides a secure grip on the valve handle sleeves inside the cover, ensuring a tight and reliable lockout.
- Strong polyurethane plastic construction means they are virtually indestructible. This ensures excellent resistance to cracking, abrasion, and impacts, making them suitable for even the most demanding industrial environments.
- They are resistant to extreme weather & temperature conditions.
- Non-conductive. Available in 4 different colours.



ES-BV-01



ES-BV-01-EX



ES-BV-02-L

Other Available Colours



YELLOW



GREEN



BLUE




* Minimum quantity 200 Nos.

MODEL	PRODUCT DESCRIPTION
ES-BV-01	For Ball Valve - Pipe Dia 3/8" - 1 1/4" (Max Handle length 7 1/2")
ES-BV-01-EX	For Ball Valve - Pipe Dia 1 1/2" - 2 1/2" (Max Handle length 10")
ES-BV-02-L	For Ball Valve - Pipe Dia 2" - 8" (Large Size)




BALL VALVE LOCKOUT






ES-BV-01



ES-BV-01-EX



ES-BV-02-L



Other Available Colours



YELLOW



GREEN



BLUE

* Minimum quantity 200 Nos.

MODEL	PRODUCT DESCRIPTION
ES-BV-01	For Ball Valve - Pipe Dia 3/8" - 1 1/4" (Max Handle length 7 1/2")
ES-BV-01-EX	For Ball Valve - Pipe Dia 1 1/2" - 2 1/2" (Max Handle length 10")
ES-BV-02-L	For Ball Valve - Pipe Dia 2" - 8" (Large Size)

VALVE LOCKOUT


TOP RAIL BALL VALVE LOCKOUT



- Our lockout devices are designed to lock ball valves in either the open or closed position. The Small size can lock valves in both positions, while the Large size is specifically designed for locking valves in the closed position.
- The lockout device easily slides onto the valve's lever, providing a secure fit and allowing for efficient lockout procedures.
- Lockout devices have provisions for attaching up to six padlocks (padlocks not included).
- Can withstand harsh industrial environments.

This product is available in two sizes:

- **ES-TR-BVL-S:** Small Size - for ball valves with diameter from 0.5 inches to 1.25 inches, Max Handle Length 8 inches, Pipe Diameter from 12.5 to 31mm.
- **ES-TR-BVL-L:** Large Size - for ball valves with diameter from 2 inches to 8 inches, Max Handle Length 10 inches, Pipe Diameter from 50 to 200mm.



ES-TR-BVL-S



ES-TR-BVL-L

Other Available Colours



YELLOW



GREEN



BLUE

* Minimum quantity 200 Nos.

MODEL	TR-BVL : Top Rail Ball Valve Lockout
ES-TR-BVL-S	For Ball Valve Dia 1/2" - 1 1/4" (Max Handle Length 8")
ES-TR-BVL-L	For Ball Valve Dia 2" - 8" (Max Handle Length 10")

VALVE LOCKOUT


PLASTIC BALL VALVE LOCKOUT



ES-2PP-SBVL



- Designed to lock quarter-turn ball valves in the "OFF" position, ensuring that the valve lever cannot be turned and the valve remains securely closed. This prevents accidental activation and enhances safety during maintenance and repair work.
- The lockout is made from super tough PVC, providing excellent durability and resistance to harsh industrial environments.
- Standard colour is Red.
- Available in 3 other colours - Yellow, Blue, and Green (*Minimum Order Quantity - 200 units).
- Once the device is placed over the valve handle, complete the installation by tightening the device using a screwdriver.
- The devices feature eight holes that enable multiple authorized personnel to secure the lockout with their individual padlocks. The maximum shackle diameter is 7mm, ensuring compatibility with a wide range of padlocks.



Specification

Model	ES-2PP-SBVL
Max Shackle Dia	9/32"
Pipe Dia	1/4" to 1"
Max Handle Width	1-1/2"
Max Handle Thickness	3/4"

MODEL	PRODUCT DESCRIPTION
ES-2PP-SBVL	Two Piece PVC - Small Ball Valve Lockout

Other Available Colours



YELLOW



GREEN




BLUE


* Minimum quantity 200 Nos.

VALVE LOCKOUT


PLASTIC BALL VALVE LOCKOUT - CIRCULAR



- The lockout securely locks quarter-turn ball valves in the "OFF" position, preventing accidental activation.
- Made from tough PVC material, offering excellent durability and resistance to harsh industrial conditions.
- With twelve holes for padlock placement, multiple authorized personnel can secure the lockout with their individual padlocks.
- The one-piece design allows for quick and convenient installation by sliding the lockout over the valve lever and tightening with the knob. No additional tools required.



ES-2PP-SBVL-C



Step 1

Insert the ball valve handle



Step 2

Tighten the clamp to grip the ball valve handle



Step 3

Apply lock

Other Available Colours



YELLOW



GREEN




BLUE

* Minimum quantity 200 Nos.

MODEL	PRODUCT DESCRIPTION
ES-2PP-SBVL-C	Two Piece PVC - Small Ball Valve Lockout - Circular

VALVE LOCKOUT

METALLIC BALL VALVE LOCKOUT



Step 1

Slide on



Step 2

Squeeze Together




Step 3

Apply lock

- Constructed from high-quality steel with red powder coat finish for superior rust resistance and durability for demanding industrial environments.
- With their single-piece design, these lockouts are simple to slide onto the valve handles, providing a secure lock in the off position.
- Choose from our small or large lockout, designed to accommodate valves of different diameters.
 - **Small (ES-1PS-S-BVL):** Suitable for valves with diameters ranging from 6.35mm to 25mm.
 - **Large (ES-1PS-L-BVL):** Suitable for valves with diameters ranging from 31mm to 76mm.
- Both sizes of our lockout can accept padlocks with a shackle diameter of up to 9mm, allowing for secure locking and preventing unauthorized operation.
- **ES-1PS-S-BVL is available in 2 variants - 6 holes and 8 holes.**



ES-1PS-S-BVL



ES-1PS-S-BVL-8H



ES-1PS-L-BVL

Specification

Model	ES-1PS-S-BVL	ES-1PS-S-BVL-8H	ES-1PS-L-BVL
Max Shackle Dia	3/8"	3/8"	9/32"
Pipe Dia	1/4" to 1"	1/4" to 1"	1-1/4" to 3"
Max Handle Width	1-1/2"	1-1/2"	2 1/10"
Max Handle Thickness	3/4"	3/4"	1 1/4"

MODEL	PRODUCT DESCRIPTION
ES-1PS-S-BVL	One Piece Steel - Small Ball Valve Lockout with 6 Lock Provision
ES-1PS-S-BVL-8H	One Piece Steel - Small Ball Valve Lockout with 8 Lock Provision
ES-1PS-L-BVL	One Piece Steel - Large Ball Valve Lockout


METALLIC BALL VALVE LOCKOUT



ES-1PS-S-BVL



ES-1PS-S-BVL-8H



ES-1PS-L-BVL



Other Available Colours



YELLOW



GREEN



BLUE

* Minimum quantity 200 Nos.

MODEL	PRODUCT DESCRIPTION
ES-1PS-S-BVL	One Piece Steel - Small Ball Valve Lockout with 6 Lock Provision
ES-1PS-S-BVL-8H	One Piece Steel - Small Ball Valve Lockout with 8 Lock Provision
ES-1PS-L-BVL	One Piece Steel - Large Ball Valve Lockout

VALVE LOCKOUT

CLAMP TYPE BALL VALVE LOCKOUT



- Clamp Type Ball Valve Lockout is made of special grade metal - duly powder coated.
- These portable devices are installed with the stainless steel clamp near the valves.
- One-time installation is easy to complete in just a few minutes.
- Permanently mounts on pipes on which valves are installed.
- Simple installation with jubilee clips/hose clamps.
- Securely retains handle in fully closed position.
- Adaptable to suit higher cranked arms.
- Will accept thicker moulded plastic arms.
- Durable, easy-to-use lockout device.
- Accommodates one lockout padlock.



ES-CTBVL

Specification

Model	ES-CTBVL
Valve Size Range	13 - 51mm
Pipe Diameter Range	13 to 51mm
Maximum Shackle Diameter	7mm
Maximum Handle Thickness	19mm
Minimum Pipe Diameter	51mm
Maximum Pipe Diameter	13mm
Maximum Outside Pipe Diameter	63mm
Minimum Outside Pipe Diameter	20mm

MODEL	PRODUCT DESCRIPTION
ES-CTBVL	Clamp Type Ball Valve Lockout Device

VALVE LOCKOUT



SETTABLE BALL VALVE LOCKOUT



Reference : SSBVL with 2 Arms

- Used for precise locking & closing / opening of the ball valves of various sizes and makes.
- Constructed from super tough nylon and stainless steel to avoid corrosion. Designed to lock out quarter-turn valves of varying sizes and geometric handle dimensions (round, square or flat) up to 1 - 1/4" thick x 1-5/8" wide and various lengths. Valves can also be locked in the ON or fixed positions for non lockout applications. To freeze the valve handle at an exact location attach the second arm (sold separately) to lock handle of 2 / 3 / 4 or 5 way valves.
- Ideal for all kinds of usage areas / pipelines like gaseous, oils, liquids, air pressure pipes & valves etc.



ES-SSBVL-SET (Small)



ES-LSBVL-SET (Large)



ES-SMALL-ARM




ES-LARGE-ARM



ES-SMALL-ARM-EX



ES-LARGE-ARM-EX



ES - 2 - FA



ES - FA

Designed to fit valves of different sizes and styles, the flexible arms allow for widespread applications, making the lockout device versatile for use on various valves in your facility.

MODEL	PRODUCT DESCRIPTION
ES-SSBVL-SET (Small)	Small Size Settable Ball Valve Lockout - with Small Arm
ES-LSBVL-SET (Large)	Large Size Settable Ball Valve Lockout - with Large Arm
ES-SMALL-ARM	Additional Arm - Small (with 4.5" SS Rod)
ES-LARGE-ARM	Additional Arm - Large (with 5.75" SS Rod)
ES-SMALL-ARM-EX	Additional Arm - Small - Extended (with 10.25" SS Rod)
ES-LARGE-ARM-EX	Additional Arm - Large - Extended (with 10.25" SS Rod)
ES-FA	Flexible Arm for UVL / SSBVL / LSBVL
ES-2-FA	Set of 2 Flexible Arms for UVL / SSBVL / LSBVL

VALVE LOCKOUT

UNIVERSAL VALVE CABLE LOCKOUT

Use as a Butterfly Valve Lockout



ES-UVL

The clamp fastens tightly to the butterfly valve lever, blocking the trigger handle from being engaged and halting valve repositioning. This guarantees the valve stays locked during maintenance or repairs.

- This lockout device is versatile, rugged, and user-friendly, suitable for securing a broad array of mechanical devices.
- Features an open-ended clamp that can accommodate closed rings, wide handles, large levers, T-handles, and other challenging mechanical devices.
- Constructed using special PVC grade with stainless-steel components, ensuring durability, chemical resistance, and corrosion resistance.
- Designed with modular construction, allowing for the addition of various accessories to adapt to different valve types and sizes.
- Multi-functional, capable of use with two blocking arms for locking out 3, 4, or 5-way valves, effectively preventing unauthorized operation.



ES-UVL



ES-UVL+C

Add a cable attachment to lock gate valves in on / off or set position.

Use as a Gate Valve Lockout



ES-UVL+C

By adding a cable attachment, this lockout device can reliably secure gate valves in the on/off or a specific set position. The arms and vinyl-coated steel cable offer a robust and secure lockout method for gate valves.



ES-UVL-L



* Extended Small & Extended Large Arms are also available.

MODEL	PRODUCT DESCRIPTION
ES-UVL	Universal Valve Lockout
ES-UVL-L	Universal Valve Lockout - Large
ES-UVL+C	Universal Valve Lockout + Looped Cable of 1 Meter

VALVE LOCKOUT

UNIVERSAL VALVE CABLE LOCKOUT



ES-UVL+SA



ES-UVL+2SA



ES-UVL+LA



ES-UVL+2LA

Use as a Ball Valve Lockout



ES-UVL+2SA



ES-UVL+C+SA



ES-UVL+C+LA

Utilize two locking arms to effectively lock out 3, 4, or 5-way valves. The locking arms can also be used to lock valves in a throttled position, providing operational control.

MODEL	PRODUCT DESCRIPTION
ES-UVL+SA	UVL with Small Arm
ES-UVL+2SA	UVL with 2 Small Arms
ES-UVL+LA	UVL with Large Arm
ES-UVL+2LA	UVL with 2 Large Arms
ES-UVL+C+SA	UVL with 2 Mtrs. Galvanized Steel Cable and Small Arm
ES-UVL+C+LA	UVL with 2 Mtrs. Galvanized Steel Cable and Large Arm
ES-UVL-L+LA	UVL - Large with Large Arm
ES-UVL-L+2LA	UVL - Large with 2 Large Arms
ES-UVL-L+C+SA	UVL - Large with 2 Mtrs. Galvanized Steel Cable and Small Arm
ES-UVL-L+C+LA	UVL - Large with 2 Mtrs. Galvanized Steel Cable and Large Arm







* Extended Small & Extended Large Arms also available.

VALVE LOCKOUT

BUTTERFLY VALVE LOCKOUT

When slid into position, the wedge on the slider section prevents the compression handle from being squeezed, preventing operation of the valve. Padlock is placed through the holes to ensure proper lockout. Hasps maybe used when multiple locking is required.

- Designed to lock most kinds of butterfly valves in the industries.
- Resistant to cracking and abrasion. Highly resistant to solvent and other chemical products.
- Standard colour is Red. Other colours are available on request (*MOQ Applicable).
- Made of strong polypropylene plastic; Fully de - electric (non - conductive).
- They are resistant to extreme weather and temperature conditions making them suitable for outdoors.



ES-BFV-04



 **Customization Accepted**

Other Available Colours

		
YELLOW	GREEN	BLUE

* Minimum quantity 200 Nos.

MODEL	PRODUCT DESCRIPTION
ES-BFV-04	Butterfly Valve Lockout

VALVE LOCKOUT

UNIVERSAL BUTTERFLY VALVE LOCKOUT



ES-UBFVL-COMBO



ES-UBFVL-COMBO-2



ES-UBFVL-COMBO-3

- This lockout device jams the valve lever release trigger. (Place **UBFVL** between the valve lever and release trigger & hinge open until the two parts jack the valve lever and release trigger to a frizzed position).
- Use a **ES-GTMCL+2C** cable lockout to secure the device in place by passing the cable around the valve body and through the matching hole of **UBFVL**. Place the padlocks on **GTMCL** and secure the device.
- This product is also known as butterfly valve handle jammer. Available in Red & Yellow colours.
- The complete set is **ES-UBFVL-COMBO** which comprises of the lockout device with cable lockout. Three different combos are available for this product.

Best for >>



ES-UBFVL-R



ES-UBFVL-COMBO



ES-UBFVL-COMBO-2



ES-UBFVL-COMBO-3



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-UBFVL	Universal Butterfly Valve Lockout (Red or Yellow)
ES-UBFVL-COMBO	UBFVL with ES-GTMCL+2C
ES-UBFVL-COMBO-2	UBFVL with ES-PSMCL+2C
ES-UBFVL-COMBO-3	UBFVL with ES-EML+2C-One Side Loop

VALVE LOCKOUT

PREMIER BUTTERFLY VALVE LOCKOUT



- A high-quality lockout device designed to effectively lock most types of butterfly valves commonly found in industrial settings.
- The lockout device features a slider section with a wedge that, when slid into position, prevents the compression handle from being squeezed, effectively preventing the operation of the valve. This mechanism ensures that the valve remains securely locked in the desired position, providing a reliable lockout solution.
- Made with a combination of ABS, Nylon, Stainless Steel, and Brass inner components, this lockout device offers durability and strength.
- Lockout device is highly resistant to cracking and abrasion. It can withstand the rigors of industrial environments, ensuring long-lasting performance and reliability.
- The lockout device is highly resistant to a wide range of solvents and chemical products commonly found in industrial settings.
- The Premier Butterfly Valve Lockout is available in two colours – Red and Yellow.

Best for >>



ES-BVLP-R



ES-BVLP-Y



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-BVLP-R	Butterfly Valve Lockout Premier - Red
ES-BVLP-Y	Butterfly Valve Lockout Premier - Yellow

VALVE LOCKOUT

PLUG VALVE / GLOBE VALVE LOCKOUT



- The Plug Valve Lockout is designed to secure manually operated plug valves, providing a safe and reliable lockout solution for valves with stem diameters ranging from 9.5 mm to 63.5 mm.
- Each Plug Valve Lockout is constructed from durable polypropylene, ensuring its longevity and resistance to environmental conditions.
- They are compact in size, highly visible and easy to use.
- The lockouts can be easily attached to plug valves and will remain securely in place without interfering with valve activation.
- These lockouts are available in multiple sizes optimized for different stem diameters.



ES-PVL-922



ES-PVL-2334



ES-PVL-4454




ES-PVL-5563

MODEL	PRODUCT DESCRIPTION
ES-PVL-922	Plug Valve Lockout (9.50 - 22.20 mm)
ES-PVL-2334	Plug Valve Lockout (23.80 - 34.90 mm)
ES-PVL-4454	Plug Valve Lockout (44.50 - 54.00 mm)
ES-PVL-5563	Plug Valve Lockout (55.55 - 63.50 mm)

ENERGY SECURE CABLE LOCKOUT



Before



After

- A ground breaking innovation from **LTTLock** revolutionizing global energy isolation safety practices.
- Designed for electrical or mechanical energy isolating points, particularly those with protruding sections, it is a versatile and robust lockout device.
- It features a seamless one-piece design that allows for quick and effective installation, demanding no additional tools. Simply place the lockout over the valve stem or electrical point, route the cable, secure with the ergonomic twister cap, and apply lockout padlock(s).
- Additionally comes with a separate storage bag for safekeeping of essential machine components, preventing any misplacement and unauthorized access. (*Additional Charges Apply)
- Equipped with an **additional bottom rubber grip** for smaller lockout points to ensure a secure fit.
- Features eight holes to accommodate multiple authorized personnel to secure the lockout with their individual padlocks, with a maximum shackle diameter of 9mm.
- Once secured with a lockout padlock, the device prevents accidental or unauthorised reactivation, enhancing your workspace's safety.
- Constructed with durable PP and stainless-steel to resist cracking and abrasion, ensuring longevity.
- Built to endure extreme weather conditions and temperature variations, perfect for outdoor applications.
- Available in a standard red colour with a contrasting black cap.
- Versatile usage, capable of securing manually operated plug valves with stem diameters ranging from 23mm to 63mm.



ES-ESCL+2C

MODEL	PRODUCT DESCRIPTION
ES-ESCL+1C	Energy Secure Cable Lockout with 1 Meter Cable
ES-ESCL+2C	Energy Secure Cable Lockout with 2 Meter Cable

ENERGY SECURE CABLE LOCKOUT



Before



After



With Pouch

Pouches For Storing Small Components



....and more!

Best for >>



MODEL	PRODUCT DESCRIPTION
ES-ESCL+1C	Energy Secure Cable Lockout with 1 Meter Cable
ES-ESCL+2C	Energy Secure Cable Lockout with 2 Meter Cable
ES-ESCL-SP	Energy Secure Cable Lockout Small Pouch (2.5" x 6")
ES-ESCL-BP	Energy Secure Cable Lockout Big Pouch (4" x 10")



STAINLESS STEEL BUTTERFLY VALVE LOCKOUT



Streamline safety procedures with our **LTT Lock** Pull Handle Butterfly Valve Lockout, a testament to innovation and industrial security. This durable device, constructed to withstand rigorous use, is versatile for diverse applications across pharmaceuticals, food, and beverage sectors, or any system employing butterfly valves.

With an easy-to-operate design, this lockout clamps swiftly and securely onto valve handles, ensuring they remain fixed in the desired position, thereby preventing unintended operation.

Recognizing that industrial needs vary, our lockout devices are available for butterfly valves of different sizes and handle dimensions. They allow for a perfect fit, ensuring maximum safety and compliance with industry regulations.

Adhere to OSHA lockout/tagout protocols with confidence by integrating our robust, stainless steel lockout solutions into your safety regimen.



VALVE LOCKOUT

STAINLESS STEEL BUTTERFLY VALVE WITH PULL HANDLE LOCKOUT

- Designed to effectively secure pull handle butterfly valves commonly used in industries such as food and beverage, water utilities, chemical, and pharmaceutical.
- The lockout device allows you to secure the valve handle in any desired position, whether fully closed, partially open, or fully open, providing flexibility and control over the valve's operation.
- The lockout device consists of a circular spacer, cylindrical part, and end cap. These three pieces are easily installed on the valve handle rod, jamming the lever in the desired position and preventing any movement.
- The lockout device features holes that allow the installation of up to 3 padlocks.
- Constructed from strong polypropylene plastic; resistant to cracking, abrasion, and various chemicals, ensuring its durability and longevity in demanding industrial environments.
- Can withstand extreme weather conditions and temperature fluctuations, making it suitable for both indoor and outdoor use.



ES-SS-BFVL-45



ES-SS-BFVL-50

MODEL	PRODUCT DESCRIPTION
ES-SS-BFVL-45	Stainless Steel Butterfly Valve Lockout - 45 mm Dia
ES-SS-BFVL-50	Stainless Steel Butterfly Valve Lockout - 50 mm Dia

STAINLESS STEEL BUTTERFLY VALVE WITH PULL HANDLE LOCKOUT



Place the **Circular Spacer** on handle rod



Place the **Cylindrical Part** on handle rod



Place the **End Cap** from the other side




Install the **Lockout Padlock & Tag**



CONTACT US !

Please contact us for expert lockout solutions for all kinds of Stainless-Steel Butterfly Valves.



Reliable Valve Isolation for Comprehensive Safety

Across Industries



BLIND FLANGE LOCKOUT



The Blind Flange Lockout devices are best practice physical solution for pipeline maintenance. The adjustable cup allows for a secure fit that conceals and locks out access to nuts holding the blind flange in place.

Workers can perform maintenance with confidence because they know that the blind they have placed on a pipeline can not be removed until all the workers have removed their padlocks.

BLIND FLANGE LOCKOUT


METALLIC BLIND FLANGE LOCKOUT




- The Blind Flange Metallic Lockout is a robust and versatile device designed to securely lockout blind flanges during maintenance or repair work.
- Fully conceals flange bolts preventing access to the blind until all work has been completed
- Adjustable device provides a tight fit, adapting to multiple flanged pipe applications.
- Durable red powder coated aluminium die cast construction of the caps and hardened steel customised rod withstand all kind of site conditions - indoors and outdoors.
- Versatile safety lockout devices secure the flange bolts of 0.5" to 24" diameter pipes.
- Available in Small, Medium & Large models, to suit different pipe diameters.
- Eight lockout holes of the hasp, allow multiple workers to lockout the device at one time.



ES-BFL-S



ES-BFL-M



ES-BFL-L



ES-HDH-84-C



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-BFL-S	Blind Flange Lockout - Small
ES-BFL-M	Blind Flange Lockout - Medium
ES-BFL-L	Blind Flange Lockout - Large
ES-HDH-84-C	Heavy Duty Hasp - 8 Hole 4 mm Shackle Circular

BLIND FLANGE LOCKOUT

STEP - 1



Start by placing the fixed side of the lockout device over the nut on one side of the blind flange.

STEP - 2



Slide the movable cap onto the nut on the other side of the blind flange.

STEP - 3A




For single locking, you can install a padlock either in the rod provided with the lockout device or through the movable cap by penetrating the rod.

STEP - 3B



For multiple locking, insert the hasp (ES-HDH-84-C) through the movable cap. Close the hasp and install multiple padlocks on it.



MODEL	ES-BFL-S	ES-BFL-M	ES-BFL-L
Material	Powder Coated Aluminium Die-Casted and Hardened Steel Rod		
Withstand Temperature	-40°C - 93.3°C (-40°F - 200°F)		
Nut Dia in mm (A)	19 - 28.7	33.3 - 47.8	52.3 - 69.9
Nut Dia in Inch (A)	3/4" - 1-1/8"	1-1/4" - 1-7/8"	2" - 2-3/4"
Pipe Dia Range in mm (B)	12.7 - 76.2	88.9 - 304.8	335.6 - 609.6
Pipe Dia Range in Inch (B)	1/2" - 3"	3-1/2" - 12"	14" - 24"
Pipe Flange Width Range in mm	12.7 - 76.2	95.3 - 274.6	197 - 448
Pipe Flange Width Range in Inch	1-1/2" - 5-5/8"	3-3/4" - 10-3/4"	7-3/4" - 17-7/8"

BLIND FLANGE LOCKOUT

NON-METALLIC BLIND FLANGE LOCKOUT


- The lockout is specifically designed to prevent unintentional removal of pipe blinds.
- Adjustable device provides a tight fit that conceals and locks out access to nuts holding the blind flange in place.
- The lockout is made of durable, high-impact plastic, ensuring its ability to withstand harsh environments and provide long-lasting performance.
- It is suitable for use in temperatures ranging from -20°C to 60°C.
- Accommodates padlocks with a maximum shackle diameter of 9 mm.



ES-P-BFL-XS



ES-P-BFL-S



Blind Flange Lockout – Extra Small (Pipe Size 1-1/2" - 5-5/8")

Class 150

- Fits Nut Diameter - 0.75" to 0.88" (19.05mm – 22.35mm)
- 2.0", 2.50", 3", 3.5", 4.0", 5.0", 6.0", and 8.0" (50.8, 63.5, 76.2, 88.9, 101.6, 127, 152.4, and 203.2mm)

Class 300

- Fits Nut Diameter - 0.75" to 1.00" (19.05mm – 25.4mm)
- 2.0", 2.50", 3", 3.5", 4.0", 5.0", and 6.0" (50.8, 63.5, 76.2, 88.9, 101.6, 127 and 152.4mm)

Pipe Flange Width Range

- 1-1/2" - 5-5/8" (38.13mm - 142.88mm)

Blind Flange Lockout - Small (Pipe Size 3-3/4" - 10-3/4")

Class 150

- Fits Nut Diameter - 0.75" to 0.88" (19.05mm – 22.35mm)
- 2.0", 2.50", 3", 3.5", 4.0", 5.0", 6.0", and 8.0" (50.8, 63.5, 76.2, 88.9, 101.6, 127, 152.4, and 203.2mm)

Class 300

- Fits Nut Diameter - 0.75" to 1.00" (19.05mm – 25.4mm)
- 2.0", 2.50", 3", 3.5", 4.0", 5.0", and 6.0" (50.8, 63.5, 76.2, 88.9, 101.6, 127 and 152.4mm)

Pipe Flange Width Range

- 3-3/4" - 10-3/4" (95.3mm - 274.6mm)



**Customization
Accepted**

MODEL	PRODUCT DESCRIPTION
ES-P-BFL-XS	Non-Metallic (PVC) Blind Flange Lockout - Extra Small (Pipe Size 1-1/2" - 5-5/8")
ES-P-BFL-S	Non-Metallic (PVC) Blind Flange Lockout - Small (Pipe Size 3-3/4" - 10-3/4")

CYLINDER LOCKOUT



A cylinder lockout is a safety device specifically designed to prevent unauthorized access to and use of cylinders. These are crucial in environments where hazardous gases are stored or used, such as laboratories, industrial plants, and manufacturing facilities. They work by enclosing the valves or controls of a cylinder, rendering it impossible to open or operate the cylinder without unlocking the lockout device.

In our range you'll find a variety of gas cylinder lockouts, designed to fit different sizes and shapes of cylinders and their associated valves.

CYLINDER LOCKOUT

CYLINDER LOCKOUT



- The Cylinder Lockout is a device designed to prevent unauthorized access to the valve handle of a cylinder.
- The lockout is made of polystyrene and is designed for easy and quick application. It can be installed in seconds, providing immediate protection.
- The lockout is secured in place with two interlocking plates, enhancing its effectiveness and preventing tampering or removal.
- The device can accommodate up to 3 padlocks.
- The inner size of the lockout is 85 mm in diameter and 150 mm in depth, providing sufficient space to accommodate most standard cylinder valves. The stem hole has a diameter of 35 mm, allowing for proper fit and functionality.
- The lockout provides quick and easy identification of whether the cylinder is full or empty.



3 Hole **Interlocking**
Cylinder Lockout Cover



ES-CLO-Y



ES-CLO-R



ES-CLO-F




ES-CLO-E



MODEL	PRODUCT DESCRIPTION
ES-CLO-Y	Cylinder Lockout (Yellow Lid)
ES-CLO-R	Cylinder Lockout (Red Lid)
ES-CLO-F	Cylinder Lockout (Green Lid - Full)
ES-CLO-E	Cylinder Lockout (Red Lid - Empty)

CYLINDER LOCKOUT

ADDITIONAL USE OF CYLINDER LOCKOUT



ES-VCLO+EML

Used For Plug / Globe Valve Lockout Also

In addition to locking out cylinders, the Cylinder Lockout can also be used for locking out Plug/Globe valves. To secure the device in place on a valve, use an ES-EML (Cable Lockout) with a 2.5-meter cable.

Here's how to apply the lockout:

1. Pass the cable of the ES-EML around the valve body and through the hole of the Cylinder Lockout (VCLO).
2. Tighten the cable to ensure a secure fit around the valve.
3. Place the padlocks on the ES - EML to secure the lockout device in place.



CUSTOMISED CYLINDER LOCKOUT

The Customised Cylinder Lockout (ES-CLO-CUS) is a versatile lockout device that can be customized and adapted to lock out various types of energy isolating devices. Its design allows for flexibility in application, making it suitable for also locking out electrical points, valves, and other energy isolating devices.



Customization Accepted



ES-CLO-CUS

MODEL	PRODUCT DESCRIPTION
ES-VCLO+EML	Valve Cylinder Lockout + ES-EML with 2.5 Mtrs. Cable
ES-CLO-CUS	Customised Cylinder Lockout

CYLINDER LOCKOUT

GATE VALVE CYLINDER LOCKOUT

- Constructed from durable polypropylene plastic, offering resistance to environmental factors.
- Features a 29mm stem hole diameter for a secure fit over cylinder valve stems.
- Prevents unauthorized access to valve handles.
- Ideal for forklift truck propane cylinders; designed to fit tight spaces.
- User-friendly design ensures effortless application. Accepts a single padlock.
- Includes a padlock cap for added protection against tampering and damage.
- Available in 3 models - Standard (Red), Milky and Clear.



ES-GVCL

ES-GVCL-M



ES-GVCL-C



MODEL	PRODUCT DESCRIPTION
ES-GVCL	Gate Valve Cylinder Lockout
ES-GVCL-M	Gate Valve Cylinder Lockout - Milky
ES-GVCL-C	Gate Valve Cylinder Lockout - Clear

PNEUMATIC LOCKOUT



Pneumatic systems, which use compressed air or gas to perform work, are commonly found in many industrial settings. These systems, like other mechanical and electrical systems, can pose serious risks if not properly controlled.


The pneumatic lockout device typically works by blocking the line or connection that supplies compressed air to the system. It does this by fitting over or plugging into the male pneumatic fitting. Pneumatic lockout devices come in various shapes and sizes to accommodate different types of pneumatic fittings and connections.

3 WAY PNEUMATIC LOCKOUT



ES-PL-3W

- 3 Way Pneumatic Lockout is designed to isolate pneumatic energy and prevent re-attachment of male fittings.
- Applied directly to the male fitting to isolate equipment from compressed air sources.
- Compatible with 6.35mm, 9.52mm, and 12.7mm male fittings.
- Features multiple holes for attaching padlocks, ensuring secure installation.
- Eliminates the need for in-line lockout valves, saving time and cost.
- Center hole allows for convenient storage on an air hose.
- Accommodates padlocks with up to 6mm shackle diameter.



MODEL	PRODUCT DESCRIPTION
ES-PL-3W	Pneumatic Lockout - 3 Way

PNEUMATIC LOCKOUT

BOX TYPE PNEUMATIC LOCKOUT



- Box Type Pneumatic Lockout is designed to accommodate a wide range of electrical plugs and male air hose connectors.
- Effectively prevents the use of male air hose connectors and plugs until the lock is removed.
- Compatible with plugs up to 89mm in diameter and 127mm in length.
- Suitable for use with 110V, 220V, and 550V plugs.
- Made of durable Polystyrene / ABS material.
- Standard Colour is Red.
- Accepts up to 4 padlocks with a maximum shackle diameter of 7mm.
- **Dimensions:** The small lockout box has dimensions of 50 H x 86 L x 50 W mm, with a 13mm diameter hole for the cable. The large lockout box measures 94 H x 162 L x 94 W mm and has six holes with 9mm, 11mm, 11mm, 12mm, 13mm and 20mm diameter respectively for the cable.





ES-SPLO





Hole Sizes (Dia. in mm)

FRONT



BACK



Hole Sizes (Dia. in mm)



ES-LPLO



Customization Accepted


MODEL	PRODUCT DESCRIPTION
ES-SPLO	Small Pneumatic Lockout
ES-LPLO	Large Pneumatic Lockout

PNEUMATIC LOCKOUT


STAINLESS STEEL PNEUMATIC LOCKOUT




- The Stainless-Steel Pneumatic Lockout is uniquely designed to fit on all pneumatic fittings commonly used in manufacturing facilities.
- It effectively prevents pneumatic fittings from being reconnected to a pressurized air source.
- Made from strong and durable stainless steel solid sheets, providing excellent corrosion resistance.
- Easy to use - place it over the male fitting and secure it with a padlock.
- Device can lockout multiple pneumatic devices simultaneously.
- Designed for use with male fittings with a diameter ranging from 7mm to 20mm.
- Compact dimensions of 35mm wide x 196mm tall x 3mm thick.
- Accepts padlocks with up to 8mm shackle diameter for secure locking.



Hole Sizes (Dia. in mm)



MODEL	PRODUCT DESCRIPTION
ES-PL-9-H	Pneumatic Lockout - Straight with 9 Holes



PNEUMATIC LOCKOUT


ROUND PNEUMATIC LOCKOUT WITH 5 HOLES



- Easily and quickly lockout pneumatic energy devices without inconvenient in-line valves or costly tool modifications.
- When installed on the male pneumatic fitting, it prevents the ability to engage into the female fitting.
- Universal compact design makes the pneumatic lockout device easy to transport and install on almost any fitting, even in tight spaces.
- Rugged stainless-steel construction offers superior strength, durability, added security and corrosion resistance.
- Overall dimensions are 3.5" (88.9mm) diameter x 0.10" (2.54mm) thick.
- Features two padlock holes of diameter 0.33" (8.38 mm), in order to work with a broad range of padlocks.




ES-RPL-5H




MODEL	PRODUCT DESCRIPTION
ES-RPL-5-H	Round Pneumatic Lockout with 5 Holes

PNEUMATIC LOCKOUT



PLUG LOCKOUT



A plug lockout is a safety device that is designed to prevent electrical plugs from being inserted into a wall outlet, power strip, or any other power source. These are highly important in situations where electrical equipment needs to be serviced, repaired, or maintained, or when the person doing the work does not have exclusive control over the plug. These lockouts function by enclosing the plug in a box or pouch and then applying a padlock to secure it.

Plug lockouts are available in different shapes and sizes to accommodate a wide range of plug types and sizes.

PLUG LOCKOUT

BOX TYPE ELECTRICAL PLUG LOCKOUT




- The Box Type Electrical Plug Lockout is designed to provide a secure enclosure for electrical plugs, preventing accidental reconnection and unauthorized use.
- The lockout boxes are manufactured from durable ABS material.
- The lockout box features a hole(s) through which the cable can be fed, allowing the plug to remain safely enclosed.
- The small unit is suitable for 110V plugs and electrical connections up to 40 mm in diameter.
- The large unit is designed to accommodate standard and larger electrical plugs, 220V/500V plugs, and 3 phase connectors.
- Can accommodate up to 4 safety padlocks.
- **Dimensions:** The small lockout box has dimensions of 50 H x 86 L x 50 W mm, with a 13mm diameter hole for the cable. The large lockout box measures 94 H x 162 L x 94 W mm and has six holes with 9mm, 11mm, 11mm, 12mm, 13mm and 20mm diameter respectively for the cables.



ES-LPLO



ES-SPLO



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (L x W x H)
ES-SPLO	Small Plug Lockout	86 x 50 x 50
ES-LPLO	Large Plug Lockout	162 x 94 x 94

PLUG LOCKOUT

PREMIER ELECTRICAL PLUG LOCKOUT



- The Premier Electrical Plug Lockout is a robust device designed to completely enclose electrical plugs, ensuring that machines or equipment cannot be energized.
- The lockout units are made from durable polystyrene/ABS, providing strength and longevity.
- The lockout device features an access hole through which the cable can be fed, allowing for the secure placement of the plug inside the unit.
- The lockout is available in both small and large sizes to accommodate different plug diameters.
- The small unit is suitable for plugs up to 40 mm in diameter, while the large unit is designed for standard and larger plugs, including 3-phase connectors.
- The lockout units are equipped with a locking mechanism that can accommodate up to 2 safety padlocks for the small unit and up to 4 safety padlocks for the large unit.



MODEL	PRODUCT DESCRIPTION
ES-SPLO-P	Small Plug Lockout - Premier
ES-LPLO-P	Large Plug Lockout - Premier

PLUG LOCKOUT

MOLDED PLUG LOCKOUT DEVICE



The Molded Plug Lockout Devices, both in small and large sizes, are crucial safety tools designed to prevent molded electrical plugs from being inserted into outlets, protecting workers from accidental start-ups during maintenance or servicing work. They're particularly crucial when the plug isn't under the exclusive control of the technician or the maintenance personnel.

- They can lockout almost all standard plugs and connectors, ensuring a broad range of industrial applications.
- Made of bright red polypropylene for visibility and durability.
- Both sizes are designed to house up to 4 padlocks (not included), and can accept padlocks with shackles up to 9mm in diameter, ensuring multiple personnel can collaborate in the safety procedure.
- The sliding lock feature offers a two-step locking process for enhanced safety.
- Operating temperature ranges from 60°C down to -19°C.
- Designed to meet OSHA Lockout/Tagout regulations.

Compatibility:

- **Small:** Fits plugs up to 70mm dia. x 120mm length (cable dia. up to 28mm).
- **Large:** Suitable for plugs up to 115mm dia. x 257mm length (cable dia. up to 35mm).

ES-MPLD-S-Y



ES-MPLD-L-Y



ES-MPLD-S-R



ES-MPLD-L-R



Customization Accepted

Available Colours



RED



YELLOW


MODEL	PRODUCT DESCRIPTION	Size in mm (L x W x H)
ES-MPLD-S-R	Molded Plug Lockout Device - Small - Red	184 x 108 x 79
ES-MPLD-S-Y	Molded Plug Lockout Device - Small - Yellow	184 x 108 x 79
ES-MPLD-L-R	Molded Plug Lockout Device - Large - Red	317 x 160 x 127
ES-MPLD-L-Y	Molded Plug Lockout Device - Large - Yellow	317 x 160 x 127

PLUG LOCKOUT


CYLINDER ELECTRICAL PLUG LOCKOUT




- Unique device prevents plugs from being 'plugged in' until intentionally removed.
- Slip plug into the chemical-resistant plastic cylinder; close one or both cover plates for a snug fit and secure with padlock.
- Once the cover plates are closed, apply a padlock to prevent unauthorized removal.
- Can accommodate up to 3 lockout padlocks.
- Suitable for use with any plug up to 600 volts.
- Its dimensions are approximately 136 mm in height and 76 mm in diameter, allowing it to accommodate various plug sizes.
- Each lockout device is supplied with instructions, providing guidance on proper usage and installation.




For Plug Insertion




For 125 V Plug



For 250 V Plug



For 600 V Plug



3 Hole Interlocking Plug Lockout Cover



ES-CLO-EL



MODEL	PRODUCT DESCRIPTION
ES-CLO-EL	Cylinder Electrical Plug Lockout

PLUG LOCKOUT

PLUG COVER LOCKOUT



ES-LPCL+P

- An effective solution for locking out hanging control panels, plug sockets, and pendants.
- The cover is made of special-grade non-tearable fabric, ensuring durability and longevity.
- Features a black leather belt that is riveted onto the fabric cover. This belt can be used to tighten the cover around the device being locked out.
- The cover has provisions for attaching padlocks, providing additional security and preventing unauthorized access to the locked-out device.
- Large Plug Cover Lockout is designed for larger plugs, pendants, and crane operation devices.
- **PVC Pipe Insert (Optional):** Upon request, the lockout can be supplied with a solid PVC pipe insert of suitable diameter. **This insert helps prevent unintended operation of control buttons, such as those on hoists or cranes, by covering them and adding an extra layer of protection.**



ES-SPCL

ES-LPCL



Specification

Model	ES-SPCL	ES-LPCL	ES-SPCL+P	ES-LPCL+P
Width	9 inch	9 inch	9 inch	9 inch
Length	18 inch	25 inch	18 inch	25 inch
Pipe Dia			5 inch	5 inch
Pipe Length			12 inch	20 inch

MODEL	PRODUCT DESCRIPTION
ES-SPCL	Small Plug Cover Lockout - Red
ES-SPCL+P	Small Plug Cover Lockout - with Pipe
ES-LPCL	Large Plug Cover Lockout - Red
ES-LPCL+P	Large Plug Cover Lockout - with Pipe



Available With & Without
PVC Pipe Insert



Customization Accepted
(Size, Text, etc.)

PLUG LOCKOUT

ELECTRICAL PLUG LOCKOUT




ES-EPL

- The Electrical Plug Lockout is designed to slide over the prongs of the plug, securely locking in place and preventing the plug from being plugged into an outlet.
- Once locked, the lockout device cannot be removed without a key.
- The lockout is designed to work with any 2- or 3-prong plug, providing versatility and compatibility with a wide range of electrical equipment.
- It can be used on standard 125-V, 15-A plugs, whether polarized or non-polarized, as long as they have a hole on both blades.


Type A Plugs





Polarized Plug



Non-Polarized Plug



Type B Plugs



MODEL	PRODUCT DESCRIPTION
ES-EPL	Electrical Plug Lock




PLUG LOCKOUT

ELECTRICAL MULTI PLUG LOCKOUT



ES-EMPL

- The Electrical Multi Plug Lockout is a compact and versatile device designed to prevent the accidental and unauthorised energisation of corded plugs.
- It is compatible with most 220-240 volt plugs.
- Simple and straightforward installation process: Attach the lockout over the prongs of the plug, tighten the screw using a small screwdriver, and secure with a padlock (padlocks sold separately) to prevent unauthorized removal of the lockout device.
- The lockout device is constructed from nylon, which provides excellent strength and durability.



Example pin positions are marked in Red.
Always ensure that one pin of the plug is located in hole "A".

MODEL	PRODUCT DESCRIPTION
ES-EMPL	Electrical Multi Plug Lockout


PLUG LOCKOUT

RED PLUG LOCKOUT



ES-RPL-UK

- The Universal Red Plug Lockout is a simple and compact device designed to prevent appliances and electrical equipment from being plugged in during maintenance or when they are deemed hazardous or faulty.
- Suitable for locking out Type G plugs aka 'The commonwealth plug'. They are widely used in the UK, Ireland, Hong Kong, Singapore, Cyprus, and Malta.
- The lockout device is designed to fit most UK, 13A plugs.
- Durable plastic construction.
- The lockout device is easy to install. Simply place it over the plug and ensure it covers the prongs, preventing the plug from being inserted into a socket.
- To ensure complete lockout a padlock must be installed on the lockout device (padlock sold separately).



Step 1: Position the lockout device open, aligning it with the plug's prong orientation.



Step 2: Insert the plug fully into the lockout device.



Step 3: Close the lockout device, ensuring it aligns into the locking space.



Step 4: Secure the device with a padlock through the hole provided to prevent access.



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-RPL-UK	Red Plug Lockout - For Type G Plug

PLUG LOCKOUT

COMPUTER / POWER CORD LOCKOUT

- The Computer/Power Cord Lockout is a handy device designed for securing power cords on various equipment, such as computers, test instruments, power supplies, monitors, and lab equipment.
- The lockout is constructed with rugged materials such as stainless steel, PVC, and nylon, providing durability and resistance to corrosion.
- It is specifically designed to fit the IC 60320 type input power connector, which is commonly used in many electronic devices with removable power cords.
- Rotate the knob to tighten the grip of the device. Once put in place, apply a personal padlock, allowing for individual lockout.



ES-CPCL-R




ES-CPCL-Y



Step 1: Identify and unplug the power cord from the equipment.



Step 2: Insert the Computer/Power Cord Lockout device into the power socket.



Step 3: Rotate the knob on the lockout device to secure the plug within.



Step 4: Once the plug is secured and the knob is tightened, lock the device with a personal padlock through the designated hole to ensure individual lockout.

MODEL	PRODUCT DESCRIPTION
ES-CPCL-R	Computer Power Cord Lockout - RED
ES-CPCL-Y	Computer Power Cord Lockout - YELLOW

PLUG LOCKOUT

BATTERY TERMINAL LOCKOUT

Battery Cable Lockout Helps in prevention of an accidental battery connection during service projects on commercial vehicles.

- This non-conductive device holds inside the terminal end of the battery cable to prevent it from slipping or being pulled out of the device.
- Slim design that easily fits into tight working areas.
- It can secure up to four cables and locks out both inline and end line connectors.
- Two safety padlocks can be installed for lockout procedure.
- Operating Temperature ranges from -40° C to 100° C.
- Made of durable ABS material.



ES-BTL



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (L x W x H)
ES-BTL	Battery Terminal Lockout	146 x 105 x 45

Preventing Unintentional Plug Connections with our Secure Plug Lockout Devices !



PIN & SLEEVE PLUG / SOCKET LOCKOUT



Pin and sleeve plug/socket lockouts are safety devices used in electrical systems to prevent unauthorized access or accidental usage of electrical plugs or sockets. These devices work by enclosing or blocking access to the plug's prongs or the socket's openings, rendering them inoperable until the lockout device is removed.


PIN & SLEEVE PLUG / SOCKET LOCKOUT

PIN & SLEEVE SOCKET LOCKOUT

The Pin & Sleeve Socket Lockout is a device designed to effectively lockout electrical sockets to prevent unexpected start-up of equipment during maintenance and repair work.


FEATURES :

- Simply insert the locking device into the female socket, bring over the socket flap to hold it in place, and lock it with a suitable lockout hasp and padlock.
- OSHA Lockout / Tagout regulation 29CFR 1910.147 Compliant.
- The **ES - P&S - SL** is available in four sizes to accommodate a range of electrical plug designs and ratings, from 110V, 16 Amp to 400V, 63 Amp.
- Discourages unauthorized use of tools and equipment.
- Made in high-visibility red colour for easy identification.
- Made from polypropylene, the lockout device is reusable and durable, ensuring long-lasting performance and reliability.
- Supports good practice in the control of hazardous energy and Lockout Tagout procedures.




CEEtyp Clockface Positions in Accordance with IEC 309-2 and UL 1686

North American Rating Voltage AC (Except Where Noted)



International Rating Voltage AC (Except Where Noted)




PIN & SLEEVE PLUG / SOCKET LOCKOUT

PIN & SLEEVE SOCKET LOCKOUT


Effectively locks out all kinds of electrical sockets - 3 pin, 4 pin and 5 pin.




2P+E



3P+E



3P+N+E



Ø - Outer Dia

PIN & SLEEVE SOCKET LOCKOUT	POLES	A	TENSION	H
-----------------------------	-------	---	---------	---

 Ø 44 mm	ES-P&S-SL-S		<i>Small</i>	
	2P+T	16	110+130 V	4
	3P+T	16	110+130 V	4
	2P+T	32	110+130 V	4
	3P+T	32	110+130 V	4
	2P+T	63	110+130 V	4
	3P+T	63	110+130 V	4

 Ø 55 mm	ES-P&S-SL-M		<i>Medium</i>	
	2P+T	16	220+240 V	6
	3P+T	16	220+240 V	9
	3P+N+T	16	220+240 V	9
	2P+T	32	220+240 V	6
	3P+T	32	220+240 V	9
	2P+T	63	220+240 V	6
3P+T	63	220+240 V	9	

 Ø 62 mm	ES-P&S-SL-L		<i>Large</i>	
	3P+T	16	380+415 V	6
	3P+N+T	16	380+415 V	6
	3P+T	32	380+415 V	6
	3P+N+T	32	380+415 V	6
	3P+T	63	380+415 V	6
	3P+N+T	63	380+415 V	6
3P+T	32	380+415 V	3	

 Ø 69 mm	ES-P&S-SL-XL		<i>Extra Large</i>	
	3P+T	16	500 V	7
	3P+N+T	16	500 V	7
	3P+T	32	500 V	7
	3P+N+T	32	500 V	7
	3P+T	63	500 V	7
3P+N+T	63	500 V	7	

MODEL	PRODUCT DESCRIPTION	Outer Dia in mm (Ø)
ES-P&S-SL-S	Pin & Sleeve Socket Lockout - Small	44
ES-P&S-SL-M	Pin & Sleeve Socket Lockout - Medium	55
ES-P&S-SL-L	Pin & Sleeve Socket Lockout - Large	62
ES-P&S-SL-XL	Pin & Sleeve Socket Lockout - Extra Large	69

PIN & SLEEVE PLUG / SOCKET LOCKOUT

PIN & SLEEVE PLUG LOCKOUT

- The Pin & Sleeve Plug Lockout is designed to prevent the insertion of plugs into energy sources for effective energy isolation.
- The device is attached to the outer circular wall of the male plug, securing the protruded portion of the plug wall. This prevents the plug from being inserted into the socket.
- **Suitable for all plug sizes, making it a versatile solution for various applications.**



ES-P&S-PL



Lockout Point



3 Pin

4 Pin


5 Pin



Customised Lables
Can Be Made.

MODEL	PRODUCT DESCRIPTION
ES-P&S-PL	Pin & Sleeve Plug Lockout

CIRCUIT BREAKER LOCKOUT



Circuit breaker lockouts are safety devices that help prevent accidental or unauthorized operation of a circuit breaker. They work by physically blocking the circuit breaker's switch from being turned on, essentially locking it in its OFF position. The objective is to ensure the safety of personnel who might be working on the circuit or equipment powered by it. In particular, it helps to prevent electrical shocks, electrocution, or even explosions that could occur if the circuit is unexpectedly energized.

There are several types of circuit breaker lockouts, each designed to fit different types and models of breakers. The type of lockout device to be used is typically determined by the design and size of the circuit breaker and the specific requirements of the Lockout Tagout procedure.

CIRCUIT BREAKER LOCKOUT

CONVENTIONAL


MINIATURE CIRCUIT BREAKER LOCKOUT



- Simple to use: Simply switch off the MCB, push the button on the device to extend the pin prongs, and attach to the MCB before releasing the button and attaching a padlock to fully secure the lockout.
- No tools required for installation; the device fully secures the MCB, preventing it from being energized until the lockout is removed.
- The Tie Bar & MCBL offers a degree of universality and serves as a safe and effective method for locking out Miniature Circuit Breakers.
- The Tie Bar style lockout features a convenient thumb wheel for quick application on multiple breakers.
- Lockouts can be used on single and multi-pole breakers that are operated with a tie-bar.



ES-PIN-IN-CBL



ES-TIE-BAR-CBL



ES-PIN-OUT-CBL



ES-PIN-OUT-WIDE-CBL




MODEL	PRODUCT DESCRIPTION
ES-PIN-IN-CBL	PIN IN Conventional Circuit Breaker Lockout
ES-PIN-OUT-CBL	PIN OUT Conventional Circuit Breaker Lockout
ES-PIN-OUT-WIDE-CBL	PIN OUT WIDE Conventional Circuit Breaker Lockout
ES-TIE-BAR-CBL	TIE BAR Conventional Circuit Breaker Lockout
ES-COMBO-CBL	1 Piece each of PI / PO / POW Conventional CBL
ES-COMBO-CBL-4	1 Piece each of all Conventional CBL

CIRCUIT BREAKER LOCKOUT

CONVENTIONAL

MINIATURE CIRCUIT BREAKER LOCKOUT

- All These MCB Lockout can be supplied with or without labels.
- They can be supplied in different colour combinations as per order.



CIRCUIT BREAKER LOCKOUT

PREMIER MINIATURE CIRCUIT BREAKER LOCKOUT

- Specifically designed for use on miniature circuit breakers, effectively preventing accidental reactivation and ensuring the switch remains locked in place.
- Easy installation process: Slide down the toggle to pull apart the pins, insert the lockout inside/around the desired small holes located on either side of the MCB switch toggle, release the pins to secure in place, and then attach a padlock (padlocks sold separately) for additional security.
- No tools required for installation; the device fully secures the MCB, preventing it from being energized until the lockout is removed.
- Suitable for application on both single and multiple breakers, offering versatility in lockout scenarios.



ES-PIN-IN-PCBL



ES-PIN-OUT-PCBL



ES-PIN-OUT-WIDE-PCBL



MODEL	PRODUCT DESCRIPTION
ES-PIN-IN-PCBL	PIN IN Premier Circuit Breaker Lockout
ES-PIN-OUT-PCBL	PIN OUT Premier Circuit Breaker Lockout
ES-PIN-OUT-WIDE-PCBL	PIN OUT WIDE Premier Circuit Breaker Lockout

CIRCUIT BREAKER LOCKOUT

MINIATURE CIRCUIT BREAKER LOCKOUT



- Designed to securely clip around a miniature circuit switch, effectively preventing operation.
- Enhanced strength and grip provided by the instrument's brass pherol and internal screw.
- Installation requires a small screwdriver for tightening.
- Simple and straightforward installation process: Attach the lockout, tighten the screw, and secure with a padlock (padlocks sold separately).
- Suitable for securing both single-pole and multi-pole miniature circuit breakers.



ES-MCBL-Y



ES-MCBL-R



Brass threaded insert is used for smooth operation of screw.



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-MCBL-Y	Miniature Circuit Breaker Lockout - Yellow
ES-MCBL-R	Miniature Circuit Breaker Lockout - Red
ES-COMBO-PCBL-4	1 Piece each of all the Premier CBL & MCBL-R

CIRCUIT BREAKER LOCKOUT

TWISTER SCREW MINIATURE CIRCUIT BREAKER LOCKOUT

- Provides a safe and effective method for locking out Miniature Circuit Breakers without the need for a screwdriver.
- Easy installation with the help of the twister screw mechanism.
- Enhanced strength and grip due to the brass pherol, ensuring durability and reliability.
- Suitable for application on both single-pole and multi-pole breakers.
- Padlock should be applied to fully secure the lockout and prevent operation of the MCB (padlocks sold separately).
- The ES-MCBL-YS-TS lockout is specifically designed for use on Siemens miniature circuit breakers.




ES-MCBL-Y-TS



ES-MCBL-YU-TS



ES-MCBL-YS-TS



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-MCBL-Y-TS	Miniature Circuit Breaker Lockout - Yellow with Twister Screw
ES-MCBL-YU-TS	Miniature Circuit Breaker Lockout - Yellow Universal with Twister Screw
ES-MCBL-YS-TS	Miniature Circuit Breaker Lockout - Yellow Siemens with Twister Screw

CIRCUIT BREAKER LOCKOUT

EUROPA MINIATURE CIRCUIT BREAKER LOCKOUT



- The Europa MCB lockout device is constructed of durable nylon material and is designed to fit most modern breakers.
- Capable of locking MCBs, RCBOs, RCCBs, and main switch isolator, including the Merlin Gerin MG 26970 for C60 miniature circuit breaker, in both the 'ON' and 'OFF' positions.
- The device features wire clips that engage behind the toggle of the circuit breaker, securely holding it in place.
- Once fitted, the lockout device can be secured with a safety padlock (sold separately) to prevent unauthorized operation.
- Can accommodate 1 lockout padlock with up to 8 mm shackle dia.



ES-EU-MCBL-Y



ES-EU-MCBL-R



MODEL	PRODUCT DESCRIPTION
ES-EU-MCBL-Y	Europa Miniature Circuit Breaker Lockout - Yellow
ES-EU-MCBL-R	Europa Miniature Circuit Breaker Lockout - Red

CIRCUIT BREAKER LOCKOUT

FLAT MINI MCB MINIATURE CIRCUIT BREAKER LOCKOUT



Pin Out Wide MCB Lockout

- The Yellow Flat **Pin Out Wide MCB Lockout** is designed for use on domestic and industrial distribution boards to enable isolation in restricted access areas.
- Features a unique pushpin design with dimensions of 20 mm x 15 mm and 12 mm spacing.
- The pins are specifically designed to fit into the small holes on both sides of the circuit breaker toggle, providing a secure lockout.



ES-YFM-MCBL

- The Red Flat **Pin Out MCB Lockout** is designed for use on domestic and industrial distribution boards to enable isolation in restricted access areas.
- The unique pushpin design with dimensions of 20 mm x 15 mm and 10 mm spacing ensures effective lockout.
- The pins are specifically designed to fit into the small holes on both sides of the circuit breaker toggle, providing a secure lockout.



Pin Out MCB Lockout



ES-RFM-MCBL

MODEL	PRODUCT DESCRIPTION
ES-YFM-MCBL	Yellow Flat Mini MCB Isolation Pin Out Wide Lockout
ES-RFM-MCBL	Red Flat Mini MCB Isolation Pin Out Lockout

CIRCUIT BREAKER LOCKOUT

SCHNEIDER CIRCUIT BREAKER LOCKOUT



- Designed to be applicable to a variety of miniature circuit breakers, commonly used for locking Schneider miniature circuit breakers.
- Easy locking mechanism: Slide your fingers lightly to clamp the stainless-steel pin onto the small holes on both sides of the circuit breaker toggle, allowing for easy lockout without the need for tools.
- Constructed from durable nylon material, ensuring long-lasting endurance and strength.
- Suitable for installation on both single-pole and multi-pole breakers.
- Accommodates padlocks with a shackle diameter of up to 6.5mm.
- Padlock must be installed to fully secure the lockout (padlocks sold separately).




ES-SCBL-Y




Install device in OFF position

1. Switch off the MCB
2. Pull the sliding lever out
3. Place the device on the MCB's slot
4. Push the sliding lever towards MCB
5. Place the padlock on the installed device



Install device in ON position

1. Switch on the MCB
2. Pull the sliding lever out by changing the side upside down
3. Place the device on the MCB's slot
4. Push the sliding lever towards MCB
5. Place the padlock on the installed device



MODEL	PRODUCT DESCRIPTION
ES-SCBL-Y	Schneider Circuit Breaker Lockout - Yellow

CIRCUIT BREAKER LOCKOUT

COMBO 5 CIRCUIT BREAKER LOCKOUT



- A safe and effective method for locking out Miniature Circuit Breakers.
- These lockouts can be easily installed with the aid of a screwdriver.
- The brass pherol provides extra durability and strength to all the PVC lockouts, enhancing the grip of the internal screw.
- Suitable for use on both single and multi-pole breakers.
- Padlock should be applied to fully secure the lockout.
- Circuit breaker lockouts can be ordered individually or as a kit.
- The kit includes a selection of useful lockout devices for complete isolation of various types of circuit breakers.



ES-ULCBL



ES-MCBL-Y



ES-MCBL-GS



ES-UMCBL-B



ES-UMCBL-GT



All of our circuit breaker lockouts are designed with a brass threaded inner component, ensuring smooth operation of the screw for an extended period of time.

MODEL	PRODUCT DESCRIPTION
ES-MCBL-Y	Miniature Circuit Breaker Lockout - Yellow
ES-MCBL-GS	Miniature Circuit Breaker Lockout - Green Siemens
ES-UMCBL-B	Universal Miniature Circuit Breaker Lockout - Blue
ES-UMCBL-GT	Universal Miniature Circuit Breaker Lockout - Grip Type
ES-ULCBL	Universal Large Circuit Breaker Lockout - Big Size
ES-COMBO-5	Combo Miniature Circuit Breaker Lockout (Set of 5)

CIRCUIT BREAKER LOCKOUT

UNIVERSAL LARGE CIRCUIT BREAKER LOCKOUT



- Designed to completely secure access to large circuit breakers, preventing them from being activated.
- Easy installation using a screwdriver, suitable for single and multi-pole breakers.
- Securely lock in place using lockout safety padlocks.
- The brass pherol provides extra durability and strength to the lockout device, enhancing the grip of the internal screw.



ES-ULCBL

Brass threaded insert is used for smooth operation of screw.



MODEL	PRODUCT DESCRIPTION
ES-ULCBL	Universal Large Circuit Breaker Lockout - Big Size



ES-TS-ULCBL



ES-TS-ULCBL-TT

- The **Twister Screw** Universal Large Circuit Breaker Lockout is constructed with nylon and stainless-steel parts.
- It effectively locks out most types of large circuit breakers with a toggle.
- Can be secured with a padlock with a shackle diameter of up to 8mm.
- Provides a safe and efficient method for locking out large circuit breakers without the need for a screwdriver.

MODEL	PRODUCT DESCRIPTION
ES-TS-ULCBL	Twister Screw - Universal Large Circuit Breaker Lockout
ES-TS-ULCBL-TT	Twister Screw - Universal Large Circuit Breaker Lockout - Tail Type

CIRCUIT BREAKER LOCKOUT

UNIVERSAL GOLDEN TOGGLE MCB LOCKOUT



- The simplest yet most versatile MCB lockout in our range.
- It easily fits over most MCB switch toggles and can be secured in place using a small flat blade screwdriver to turn the grub screw.
- Once tightened and secure, a padlock or hasp can be inserted to block access to the grub screw, ensuring that the device cannot be removed until the lock is removed.
- This lockout works effectively even in situations where other types of circuit breaker lockouts may not be suitable, such as PIN IN/PIN OUT/PINOUT WIDE configurations.



MODEL	PRODUCT DESCRIPTION
ES-UGT-MCBL	Universal Golden Toggle - Miniature Circuit Breaker Lockout

MULTI POLE CIRCUIT BREAKER JAMMER LOCKOUT



ES-MPCB-JL

- This jammer lockout device designed for multi-pole circuit breakers.
- It is made of a special mix of aluminium, ensuring durability and strength.
- The lockout device is supplied with stainless steel screws for secure installation.



MODEL	PRODUCT DESCRIPTION
ES-MPCB-JL	Multi Pole Circuit Breaker Jammer Lockout

CIRCUIT BREAKER LOCKOUT

SLIM LINE MINIATURE CIRCUIT BREAKER LOCKOUT



- Specifically designed for MCBs where access is limited by breaker test buttons or limited clearance around the device.
- Padlock should be applied to fully secure the lockout and prevent operation of the MCB (padlocks sold separately).
- This lockout device is designed to fit a wide range of MCBs, RCBOs, fuse carriers, and main switches, ensuring versatility and compatibility.
- The slim line design is less than half the width of a standard MCB lockout and around 30% shorter, making it perfect for situations where clearance around the breaker is limited.



ES-SL-MCB-IL-RED



ES-SL-MCB-IL-GREY


MODEL	PRODUCT DESCRIPTION
ES-SL-MCB-IL-RED	Slim Line MCB Isolation Lockout - Red
ES-SL-MCB-IL-GREY	Slim Line MCB Isolation Lockout - Grey

UNIVERSAL MULTI-FUNCTIONAL CIRCUIT BREAKER LOCKOUT



ES-UMF-CBL

- Designed to fit most MCBs and main switches. Our UMF CBL is ideal for use on domestic and industrial applications.
- The lockout device features extra length clearance on the toggle side, allowing it to be used on breakers with both standard and extra-long toggles.
- Thicker main switches can also be accommodated on the opposite side of the device, making it truly multi-functional and versatile in today's market.



One Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-UMF-CBL	Universal Multi Functional - Circuit Breaker Lockout

CIRCUIT BREAKER LOCKOUT

UNIVERSAL CIRCUIT BREAKER LOCKOUT

- This lockout is specifically designed for locking out access to circuit breakers, specifically MCBs and MCBBs.
- Universally suitable for use with most small circuit breakers, the lockout fits snugly around the toggle switch.
- These lockout devices can easily be installed with the help of a screw driver.
- To fully secure in place, tighten the screw against the switch, then thread a lockout padlock (sold separately) through the lockout's hole to prevent access to the screw.




ES-UBL-A



ES-UBL-A



ES-UBL-B



ES-UBL-C



ES-UBL-C



ES-UBL-D



Pointed & Flat Screws are available for these Circuit Breaker Lockouts. Kindly mention at the time of ordering.

Brass threaded insert is used for smooth operation of screw.



MODEL	PRODUCT DESCRIPTION
ES-UBL-A	Universal Circuit Breaker Lockout A
ES-UBL-B	Universal Circuit Breaker Lockout B
ES-UBL-C	Universal Circuit Breaker Lockout C
ES-UBL-D	Universal Circuit Breaker Lockout D
ES-UBL-COMBO	UBL Combo - 1 each of UBL A, B, C and D

CIRCUIT BREAKER LOCKOUT

UNIVERSAL CIRCUIT BREAKER LOCKOUT


- This lockout is specifically designed for locking out access to circuit breakers, specifically MCBs and MCBBs.
- Universally suitable for use with most small circuit breakers, the lockout fits snugly around the toggle switch.
- These lockout devices can easily be installed with the help of Twister Screw.
- To fully secure in place, tighten the screw against the switch, then thread a lockout padlock (sold separately) through the lockout's hole to prevent access to the screw.



ES-UBL-A-TS



ES-UBL-B-TS



ES-MPL



 **Pointed & Flat Screws** are available for these Circuit Breaker Lockouts. Kindly mention at the time of ordering.

 **Brass threaded insert** is used for smooth operation of screw.

ES - MPL is specifically designed for multi - pole circuit breakers

MODEL	PRODUCT DESCRIPTION
ES-UBL-A-TS	UBL : A Tail Type with Twister Screw
ES-UBL-B-TS	UBL : B Type with Twister Screw
ES-MPL	Multi-Pole Circuit Breaker Lockout

CIRCUIT BREAKER LOCKOUT

TOOL-FREE CIRCUIT BREAKER LOCKOUT

- The Tool-Free Circuit Breaker Lockout is specially designed for use on electrical MCBs & MCCBs.
- It features a thumb twister screw for fast and easy installation, eliminating the need for additional tools.
- Constructed with a thermoplastic material that is resistant to chemicals.
- This lockout device is compatible with most miniature ISO/DIN circuit breakers, ensuring versatile application.
- The hidden twister screw under the cover prevents unauthorized removal of the lockout device.
- It accommodates safety padlocks or lockout hasps with a shackle diameter of up to 6mm, which can be applied horizontally or vertically.
- Each piece is supplied with both pointed and flat screws for flexible installation options.



Both the screws are supplied with each piece.



ES-TF-CBL



ES-TF-UCBL



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-TF-CBL	Tool Free C ircuit B reaker L ockout
ES-TF-UCBL	Tool Free U niversal C ircuit B reaker L ockout
ES-TF-COMBO	C ombo - Tool Free Circuit Breaker Lockout (Set of 2 - one each)

CIRCUIT BREAKER LOCKOUT

TWIN LOCK UNIVERSAL CIRCUIT BREAKER LOCKOUT



- A safe and effective method for locking out circuit breakers (MCBs & MCCBs).
- These devices can be easily installed with the aid of a screwdriver or twister screw.
- The lockout device is made with a brass pherol, providing extra durability and strength to enhance the grip of the internal screw.
- It is suitable for use on both single and multi-pole breakers.
- This lockout allows for the application of two padlocks to securely lock out the MCBs.
- The set includes four universal circuit breaker lockouts with a double hole design.



ES-UBL-ADH



ES-UBL-BDH



ES-UBL-ATS-DH




ES-UBL-BTS-DH

ES-UBLCOMBO-DH



Pointed & Flat Screws are available for these Circuit Breaker Lockouts. Kindly mention at the time of ordering.



Brass threaded insert is used for smooth operation of screw.



MODEL	PRODUCT DESCRIPTION
ES-UBL-ADH	Universal Circuit Breaker Lockout - A Tail Type - Double Hole
ES-UBL-ATS-DH	Universal Circuit Breaker Lockout - A Tail Type with Twister Screw - Double Hole
ES-UBL-BDH	Universal Circuit Breaker Lockout - B Type - Double Hole
ES-UBL-BTS-DH	Universal Circuit Breaker Lockout - B Type Twister Screw - Double Hole
ES-UBLCOMBO-DH	Universal Circuit Breaker Lockout Combo - Double Hole

CIRCUIT BREAKER LOCKOUT

BREAKER LOCKOUT



ES-TS-SPBL
Rounded Version



ES-MPBL



ES-SPL



ES-DPL-L



ES-UMP-BL


ES-TS-SPBL: This lockout is designed to fit directly onto the switch of a circuit breaker. It is mounted over the "off" position switch and secured with a padlock. It is compatible with most major brand single-pole breakers.

ES-MPBL: This circuit breaker lockout is designed for voltage levels of 120/277V and requires the breakers to be connected with a crossbar.

ES-SPL: This is a single-pole lockout that does not require a circuit breaker with a recessed hole. "No Hole" Circuit Breaker Lockout is made of durable polycarbonate material and is designed to fit circuit breaker toggles up to 1/2" wide without a recess hole in the toggle.

ES-DPL-L: This is a double-pole lockout, similar to the MPBL but slightly larger to accommodate larger breakers. It is available for both single and double pole circuit breaker lockout applications.

ES-UMP-BL: This clamp-on type circuit breaker lockout is designed to be used with most major multi-pole breakers that employ a tie bar. It is made of durable glass-filled nylon with a stainless-steel screw. It is compatible with most branded manufacturers such as GE, ITE, Sylvania, Cutler-Hammer, Challenger, Bryant, Siemens, Square D, and General Switch Company. It is suitable for 120/277V circuits. To use, simply secure the clamp lockout over the tie bar by tightening the thumbscrew and insert a padlock to prevent the clamp from being loosened.



MODEL	PRODUCT DESCRIPTION
ES-TS-SPBL	Top Slide - Single Pole Breaker Lockout
ES-MPBL	Multi Pole Breaker Lockout
ES-SPL	Single Pole Lockout
ES-DPL-L	Double Pole Lockout for Larger Breakers
ES-UMP-BL	Universal Multi Pole Breaker Lockout

CIRCUIT BREAKER LOCKOUT

SNAP-ON CIRCUIT BREAKER LOCKOUT


- Lockout device specifically designed for 120V breakers that have holes in the switch tongue.
- Quick and easy installation: Simply snap the lockout device in place over the switch tongue of the breaker. Once installed, the lockout holds the switch tongue in the off position, preventing the breaker from being turned on. Apply padlock to secure the lockout.
- The lockout has dual cavities, which can accommodate different sizes of switch tongues, providing versatility in its application.



ES-SOCBL



ES-SOCBL-P



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-SOCBL	Snap-On Circuit Breaker Lockout
ES-SOCBL-P	Snap-On Circuit Breaker Lockout - Premier

HANGER FOR CIRCUIT BREAKER LOCKOUT

- Made from clear flexible LD granules, which provide durability and long-lasting operation.
- Designed to be self-stick, allowing for easy installation on various surfaces, such as panel doors.
- By using the hanger, you can keep your lockout devices easily accessible and visible, ensuring that they are readily available for use during lockout procedures.
- This hanger is specifically designed for small lockout devices.



ES-HCBL



MODEL	PRODUCT DESCRIPTION
ES-HCBL	Hanger for Circuit Breaker Lockout

CLAMP ON BREAKER LOCKOUT



- Extremely versatile - works on wide range of single-pole and internal-trip multi-pole breakers.
- Three sizes available, for 120 / 277 V breakers & for 480 / 600 V. The large lockout fits on breaker switches up to 21 / 4" wide and 7 / 8" thick.
- Made of rugged polypropylene and impact modified nylon.
- Use twister screw to clamp lockout securely onto switch tongue, then pull the flexible flap cover over thumbscrew and lock in place to prevent clamp from being loosened.
- Accepts locks shackles up to 9 mm in diameter.
- The flexible flap allows for easy and quick lockout application and removal.



ES-COBL-S
&
ES-C/COBL-S

ES-COBL-M
&
ES-C/COBL-M

ES-COBL-L



ES-C/COBL-S



ES-C/COBL-M



Detachable Cleats
(sold separately) expand the range
of applicable breakers.




Brass threaded insert
is used for smooth
operation of screw.

MODEL	PRODUCT DESCRIPTION (FLEXIBLE FLAP)
ES-COBL-S	Clamp On Breaker Lockout - Small for 120 / 277 V Breakers
ES-C/COBL-S	Cleat for Small Clamp On Breaker Lockout
ES-COBL-M	COBL - Medium for 480 / 600 V Breakers
ES-C/COBL-M	Cleat for Medium Clamp On Breaker Lockout
ES-COBL-L	COBL - Large fits on breaker switches up to 21 / 4" wide and 7 / 8" thick

CLAMP ON BREAKER LOCKOUT



- Extremely versatile - works on wide range of single-pole and internal-trip multi-pole breakers.
- Three sizes available, for 120 / 277 V breakers & for 480 / 600 V. The large lockout fits on breaker switches up to 21 / 4" wide and 7 / 8" thick.
- Made of rugged polypropylene and impact modified nylon.
- Use twister screw to clamp lockout securely onto switch tongue, then pull the hinged flap cover over thumbscrew and lock in place to prevent clamp from being loosened.
- Accepts locks shackles up to 9 mm in diameter.
- The hinged flap ensures a secure lockout with added tamper resistance.



ES-COBL-SH

ES-COBL-MH

ES-COBL-LH



ES-C/COBL-SH



ES-C/COBL-MH



Detachable Cleats
(sold separately) expand the range of applicable breakers.



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION (HINGED FLAP)
ES-COBL-SH	Clamp On Breaker Lockout - Small for 120 / 277 V Breakers
ES-C/COBL-SH	Cleat for Small Clamp On Breaker Lockout
ES-COBL-MH	COBL - Medium for 480 / 600 V Breakers
ES-C/COBL-MH	Cleat for Medium Clamp On Breaker Lockout
ES-COBL-LH	COBL - Large fits on breaker switches up to 21 / 4" wide and 7 / 8" thick

CIRCUIT BREAKER LOCKOUT

CLAMP ON BREAKER LOCKOUT LARGE - ROUND



- Made from high-quality engineering-grade nylon/ABS plastic.
- Features a self-contained stainless-steel screw attached to a round twister handle, allowing for easy tightening of the lever of circuit breakers.
- Can be easily operated without the need for any tools.
- Equipped with a 12-hole design that enables multiple workers to place their individual padlocks on the lockout device simultaneously.
- Works effectively on a wide range of single-pole and internal-trip multi-pole breakers.
- Accommodates locks with shackles up to 8mm in diameter.
- Can fit on breaker switch levers with a width of up to 60mm and a thickness of up to 20mm.



ES-RCOBL



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-RCOBL	Round Clamp on Breaker Lockout - Large

CIRCUIT BREAKER LOCKOUT

GRIP TIGHT CIRCUIT BREAKER LOCKOUT



Brass threaded insert is used for smooth operation of screw.

- Available in two sizes: the small one fits standard height and tie-bar toggles typically found on 120 and 240 volt breakers, while the bigger one fits wide/tall breaker toggles typically found on high-voltage/high-amperage breakers.
- The universal fit exclusive design accommodates many styles of breaker toggles.
- Adjust to breaker with simple thumb turn and then close clamping handle for a tight grip on the toggle, allowing for a secure mounting for a solid lockout.
- Compact design allows for side-by-side breaker lockout, making efficient use of space. These compact devices are also easy to carry and store.
- Made of durable reinforced polymer construction, ensuring reliability and performance even in harsh conditions.



ES-GT-CBL-S



ES-GT-CBL-L

MODEL	PRODUCT DESCRIPTION
ES-GT-CBL-S	Grip Tight Circuit Breaker Lockout - Small
ES-GT-CBL-L	Grip Tight Circuit Breaker Lockout - Large
ES-COMBO-GT-CBL	1 Piece each of GT-CBL - S & L

CIRCUIT BREAKER LOCKOUT


LARGE CIRCUIT BREAKER LOCKOUT



- The Large Circuit Breaker Lockout is specifically designed to lock out a wide range of three-phase circuit breakers with a voltage rating of 227V and above.
- It fits on the lever of a circuit breaker up to 3" wide and 0.9" thick, providing a secure locking mechanism.
- The lockout effectively prevents the circuit breaker from being turned on or operated while maintenance work is being performed.
- The lockout is made of rugged stainless steel and PVC constructions, providing durability and resistance to corrosion.
- Installation is straightforward; simply turn the screw into the circuit breaker handle and add your own LOTO padlock and tag.



ES-LCB



ES-LCB-TS



ES-LCB-R



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-LCB	Large Circuit Breaker Lockout
ES-LCB-TS	LCB - with Twister Screw
ES-LCB-R	LCB - Round Handle


CIRCUIT BREAKER LOCKOUT

SIDE SCREW CIRCUIT BREAKER LOCKOUTS

- Designed to provide a safe and effective method for locking out a variety of critically made circuit breakers.
- Made of a special grade alloy and ABS material, ensuring durability and reliability.
- Easily install using the stainless-steel twister screw, providing a secure and tight fit.
- The brass pherol provides extra durability and strength to the lockout device, enhancing the grip of the internal screw.
- Can be installed on a variety of circuit breakers from different companies, making them versatile and compatible with various types of breakers.
- To secure the lockout, a padlock should be applied, preventing unauthorized operation of the circuit breaker.



ES-MSP-CBL



ES-LSP-CBL



Brass threaded insert is used for smooth operation of screw.

MODEL	PRODUCT DESCRIPTION
ES-MSP-CBL	Mini Side Pattern - Circuit Breaker Lockout
ES-LSP-CBL	Large Side Pattern - Circuit Breaker Lockout

MOTOR PROTECTION CIRCUIT BREAKER LOCKOUT



Safeguard your operations with the ES-UMPCBL Universal Motor Protection Circuit Breaker Lockout. This meticulously engineered safety device is crafted to provide a universal solution for a wide variety of motor protection circuit breakers (MPCBs), offering unparalleled compatibility across numerous models and manufacturers.

- **Dual-Grip Technology:**

Incorporates a robust two-part mechanism that clamps onto the MPCB's external surfaces, delivering a firm and non-slip lockout.

- **Resolute Lockout:**

Once fastened and padlocked, the device encases critical switch components, effectively preventing inadvertent or unauthorized actuation of the MPCB.

- **Tailored Design:**

Precisely calibrated to accommodate all MPCB switches with a switch panel height of up to 45 mm, ensuring a consistent and controlled lockout process.



- **Compliance:**

Meets rigorous industry safety standards, assisting in compliance with OSHA lockout/tagout regulations.



MOTOR PROTECTION CIRCUIT BREAKER LOCKOUT

- The lockout is designed to universally fit most motor protection circuit breakers, ensuring compatibility with various models and brands.
- A two-part riveted model that securely grips the outer surface of the motor protection circuit breaker or switch.
- To lockout the device, simply turn the black handle 90 degrees, allowing the device to clamp onto the circuit breaker or switch.
- Once the lockout is clamped and secured with a padlock, it prevents access to the motor protection rotatory, push-button, and other design switches on the MPCB.
- The lockout is specifically designed to accommodate all motor protection switches with a switch panel height of 45 mm



STAINLESS STEEL GRIPPER



ES-U-MPCBL



MODEL	PRODUCT DESCRIPTION
ES-U-MPCBL	UNIVERSAL Motor Protection Circuit Breaker Lockout

TWISTER MOTOR PROTECTION CIRCUIT BREAKER LOCKOUT

- A reliable device designed to lock out motor protection circuit breakers (MPCBs) effectively.
- Made of a special grade alloy and ABS, ensuring durability and reliability in various industrial environments.
- Can be easily installed using the black twister located at the bottom of the device. Simply twist the twister to fasten the lockout to the MPCB.
- Features a brass pherol, which enhances the strength and longevity of the stainless-steel screw that holds the solid metallic component, ensuring a secure and robust connection to the MPCB.
- It is designed to be compatible with a variety of motor protection circuit breakers from different companies, offering versatility and convenience.
- Padlock should be applied to fully secure the lockout and prevent operation of the MPCB (padlocks sold separately).



ES-MPCBL



MODEL	PRODUCT DESCRIPTION
ES-MPCBL	Twister Motor Protection Circuit Breaker Lockout

MOTOR PROTECTION CIRCUIT BREAKER LOCKOUT



- Designed to secure and lockout a full range of ABB Series 200-290 miniature circuit breakers, providing versatility and compatibility.
- A simple and easy-to-use lockout device that does not require any tools for installation.
- The lockout is designed to easily position on the breaker with the aid of the spring-loaded push button, allowing for one-handed installation.
- Padlock should be applied to fully secure the lockout and prevent operation of the MPCB (padlocks sold separately).
- It is constructed of non-conductive glass-filled nylon, ensuring safe and easy breaker lockout without the risk of electrical conductivity.



ES-PO-ABB-MPCBL



MODEL	PRODUCT DESCRIPTION
ES-PO-ABB-MPCBL	PIN OUT ABB Motor Protection Circuit Breaker Lockout

PUSH BUTTON MOTOR PROTECTION CIRCUIT BREAKER LOCKOUT



- It is made of durable ABS material, providing strength and reliability.
- Designed to fit and lock push button motor protection circuit breakers, ensuring they cannot be operated or tampered with.
- The lockout is equipped with a twister screw, allowing for tool-free and easy operation during installation and removal.
- It can accommodate padlocks with a shackle diameter of up to 8mm.
- Padlock should be applied to fully secure the lockout and prevent operation of the MPCB (padlocks sold separately).



ES-PB-MPCBL

MODEL	PRODUCT DESCRIPTION
ES-PB-MPCBL	Push Button Motor Protection Circuit Breaker Lockout Device

WALL SWITCH LOCKOUT

WALL SWITCH LOCKOUT

- The Wall Switch Lockout is a device used to lockout wall-mounted switches.
- Designed to be easily installed using the existing screws of the wall-mounted switch, eliminating the need for additional installation hardware.
- It can lock the switch in either the "on" or "off" position.
- Available in high visibility red colour, making it easily noticeable and identifiable.
- Clear poly carbonate lockout uses existing wall plate screws to mount.
- Available in both hinge and non-hinge patterns, offering options to suit different types of wall-mounted switches.



ES-WSL-SH




ES-WSL-TH



ES-WSL-C



ES-UWSL-Z



WALL SWITCH LOCKOUT

WALL SWITCH LOCKOUT



ES-UWSL



MODEL	PRODUCT DESCRIPTION
ES-WSL-SH	Wall Switch Lockout - Side Hinge
ES-WSL-TH	Wall Switch Lockout - Top Hinge
ES-WSL-C	Wall Switch Lockout - Clear
ES-UWSL-Z	Universal Wall Switch Lockout - Z Type
ES-UWSL	Universal Wall Switch Lockout



Customization Accepted

WALL SWITCH LOCKOUT



ES-UK-UFSL



- It is compatible with a wide range of fused spurs/switches, allowing for versatile use across various applications.
- The installation process is simple and straightforward. Loosen the screws of the fused spur/switch, slip on the lockout device, and fasten it securely.
- Designed to fit industry standard fixing centres, ensuring compatibility with commonly used fused spurs/switches.
- To ensure effective lockout, a padlock must be installed on the lockout device.



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-UK-UFSL	UK Universal Fused Spur Lockout

CIRCUIT BREAKER LOCKOUT

TWO WAY BLACK MG TOGGLE HASP




- Two way Merlin Gerin Padlocking Hasp.
- Merlin Gerin Powerpact 4c Toggle Padlocking Attachment.
- This device engages in the slot behind the switch toggle, blocking its operation. Adding a padlock prevents unauthorised operation and secures the device in place when the breaker is in the OFF position.



ES-TW-TH

Installed easily in 3 - steps



Switch of the MCCB & Insert the "TOGGLE HASP".


MODEL	PRODUCT DESCRIPTION
ES-TW-TH	Two Way Black MG Toggle Hasp

MOLDED CASE CIRCUIT BREAKER LOCKOUT HASP

- This is applied to the T1 - T2 - T3 / FUJI molded case circuit breaker cover to prevent the lever closing or opening operation. It allows installation up to a maximum of three padlocks of around 7 mm shackle dia.
- Plug-in locking device only for the closing operation.



ES-MCCBL-A



MODEL	PRODUCT DESCRIPTION
ES-MCCBL-A	Molded Case Circuit Breaker Lockout for ABB

CIRCUIT BREAKER LOCKOUT

ABB CIRCUIT BREAKER LOCKOUT

- Optimised for locking out single or multi-pole RCCBs
- Can lock the RCCB in either the 'on' or 'off' position
- Secure using a non-conductive padlock with a shackle diameter between 3-6mm.



ES-ABB-CBL



MODEL	PRODUCT DESCRIPTION
ES-ABB-CBL	ABB - Circuit Breaker Lockout

CIRCUIT BREAKER LOCKOUT

COMPUTER / POWER CORD LOCKOUT

- The Computer/Power Cord Lockout is a handy device designed for securing power cords on various equipment, such as computers, test instruments, power supplies, monitors, and lab equipment.
- The lockout is constructed with rugged materials such as stainless steel, PVC, and nylon, providing durability and resistance to corrosion.
- It is specifically designed to fit the IC 60320 type input power connector, which is commonly used in many electronic devices with removable power cords.
- Rotate the knob to tighten the grip of the device. Once put in place, apply a personal padlock, allowing for individual lockout.



ES-CPCL-R




ES-CPCL-Y



Step 1: Identify and unplug the power cord from the equipment.



Step 2: Insert the unplugged end into the Computer/Power Cord Lockout device.



Step 3: Rotate the knob on the lockout device to secure the plug within.



Step 4: Once the plug is secured and the knob is tightened, lock the device with a personal padlock through the designated hole to ensure individual lockout.

MODEL	PRODUCT DESCRIPTION
ES-CPCL-R	Computer Power Cord Lockout - RED
ES-CPCL-Y	Computer Power Cord Lockout - YELLOW

BLOCKING BAR LOCKOUT




A blocking bar lockout is a specialized type of safety device designed to restrict access to the oversized and irregularly shaped switches. They are also effective in locking out buttons, or touch screens on the digital panels of machines. The blocking bar lockout is typically mounted on an electrical panel or switch using a self-adhesive base, creating a physical barrier that prevents the operation of the switch or the underlying controls. The mechanism of a blocking bar lockout is simple yet remarkably efficient.


BLOCKING BAR LOCKOUT

BLOCKING BAR LOCKOUT


- A specialized safety device designed to restrict access to buttons, switches, or touch screens on digital panels.
- The self-adhesive base are permanently attached to the electrical panel or switch. The base creates a track for the blocking bar, which can be easily slid across the controls to prevent operation.
- Easy installation: Just clean the surface and adhere; no drilling required.
- Fits a wide range of switches, including oversized or irregularly shaped ones.
- The locking bars are typically color-coded, with a red bar indicating a locked-off or inactive state, and a green bar indicating a locked-on or active state. This provides clear visual indication of the status of the controls.
- An effective, budget-friendly way to increase safety around computerized digital panels.



ES-BBL-5-FT



ES-BBL-5-TK




ES-BBL-5-7BTK

MODEL	PRODUCT DESCRIPTION
ES-BBL-5-FT	Blocking Bar Lockout Kit - Flat
ES-BBL-5-TK	Blocking Bar Lockout Kit - Thick
ES-BBL-5-7BTK	Blocking Bar Lockout Kit - 7B Thick

BLOCKING BAR LOCKOUT

BLOCKING BAR LOCKOUT KIT



ES-BBL-C-38




ES-BBL-C-75



ES-BBL-S-22




ES-BBL-R-34



ES-BBL-KT-9



ES-BBL-KT-14



ES-BBL-COMBO-4

MODEL	PRODUCT DESCRIPTION
ES-BBL-C-38	Blocking Bar Lockout Kit - C 38
ES-BBL-C-75	Blocking Bar Lockout Kit - C 75
ES-BBL-S-22	Blocking Bar Lockout Kit - S 22
ES-BBL-R-34	Blocking Bar Lockout Kit - R 34
ES-BBL-KT-9	Blocking Bar Lockout Kit 9
ES-BBL-KT-14	Blocking Bar Lockout Kit 14
ES-BBL-COMBO-4	Blocking Bar Lockout Kit - Combo 4

BLOCKING BAR LOCKOUT

You can now safeguard your control panel from unwanted interference using the simple yet effective Blocking Bar Lockout kits.



ES-2B-FB



ES-2B-TKB



ES-7B-TKB



ES-4-BG



ES-4-BR



ES-BLH



ES-8-BG



ES-8-BR



ES-SB-2x2



ES-CB-38



ES-RB-3x4



ES-CB-75

MODEL	PRODUCT DESCRIPTION
ES-2B-FB	2B Flat Base
ES-2B-TKB	2B Thick Base
ES-7B-TKB	7B Thick Base
ES-4-BG	4 - Inch Bar Green
ES-8-BG	8 - Inch Bar Green
ES-4-BR	4 - Inch Bar Red
ES-8-BR	8 - Inch Bar Red
ES-BLH	Blocker Hanger
ES-CB-38	Circular Blocker 38 mm Dia
ES-CB-75	Circular Blocker 75 mm Dia
ES-SB-2x2	Square Blocker 2 x 2 - Inch
ES-RB-3x4	Rectangular Blocker 3 x 4 - Inch

FUSE LOCKOUT



A fuse lockout is a safety device that's designed to prevent unauthorized or accidental placement of fuses in electrical systems. These devices are critical in environments where electrical systems require servicing or maintenance, or where specific fuses need to be isolated to prevent accidental operation of equipment.

There are many types of fuse lockouts available, each designed to fit different styles and sizes of fuses.

FUSE LOCKOUT

ROUND / BOTTLE FUSE HOLDER LOCKOUT

- The Round/Bottle Fuse Holder Lockouts are specifically designed to prevent unauthorized or accidental re-activation of power in fuse bases.
- They are placed into compatible fuse bases using a specially designed Operating Tool (Included).
- These non-conductive, red color lockouts withstand temperature range: -4°C to +121°C.
- They are being made of ABS, PC & Steel/Brass components.
- The lockouts include space for the addition of a padlock, enhancing their security by preventing unauthorized removal.



Black Operating Tool for Fuse Holder Lockout

ES-OT



ES-RFHD-2

ES-RFHD-3

Round / Bottle Fuse Holder Dummies



ES-OT-RFHL/RFHD



MODEL	Diased Typ	Dim.	Amperage (A)	Voltage (V)
ES-RFHL-2 & ES-RFHD-2	DII, KII	E27	2, 4, 6, 10, 16, 20, 25, 30, 35	500 V
ES-RFHL-3 & ES-RFHD-3	DIII, KIII	E33	35, 40, 50, 63	500 V

MODEL	PRODUCT DESCRIPTION
ES-RFHL-2	Round Fuse Holder Lockout - DII
ES-RFHL-3	Round Fuse Holder Lockout - DIII
ES-OT	Black Operating Tool for Fuse Holder
ES-RFHL-KIT	Set of RFHL 2, 3 & ES-OT
ES-RFHD-2	Round Fuse Holder Dummy - DII
ES-RFHD-3	Round Fuse Holder Dummy - DIII
ES-RFHD-KIT	Set of RFHD 2, 3 & ES-OT
ES-OT-RFHL/RFHD	Operating Tool for RFHL and RFHD

FUSE LOCKOUT

ROUND / BOTTLE FUSE HOLDER LOCKOUT



- The Round/Bottle Fuse Holder Lockouts are specifically designed to prevent unauthorized or accidental re-activation of power in fuse bases.
- They are placed into compatible fuse bases using a specially designed Operating Tool (Included).
- These Non Conductive, Chemical resistant lockout device covers two common threads of DIAZED / NEOZED fuses:
Suitable for :
 - ES-RFHLC-1 - E14 or E18 (NEOZED D01+D02)
 - ES-RFHLC-2 - E27 or E33 (DIAZED DII+DIII)
- For performing lockout, these red and yellow devices have a hole on top that allows for positioning a padlock with up to 6.5mm shackle diameter to secure the lockout.
- Includes a special black key provided at no extra charge, facilitating the easy application and removal of the lockout device.
- To prevent loss or misplaced keys, it is advised to store the keys with the padlock shackle (Check reference image).
- Optional cable padlocks are available for securing multiple fuses simultaneously.
- The device features a prominent "Danger - Do not operate" warning label to alert personnel and enhance visual compliance.



ES-RFHLC-1

ES-RFHLC-2

MODEL	PRODUCT DESCRIPTION		
ES-RFHLC-1	Round Fuse Holder Lockout Combo - 1		
Neozed Type	Dim.	Amperage (A)	Voltage (V)
D01	E14	2, 4, 6, 10, 16	400 V
D02	E18	20, 25, 30, 35, 40, 50, 63	400 V
MODEL	PRODUCT DESCRIPTION		
ES-RFHLC-2	Round Fuse Holder Lockout Combo - 2		
Diazed Type	Dim.	Amperage (A)	Voltage (V)
DII, KII	E27	2, 4, 6, 10, 16, 20, 25, 30, 35	500 V
DIII, KIII	E33	35, 40, 50, 63	500 V



FUSE LOCKOUT

UNIVERSAL FUSE HOLDER LOCKOUT



- The Universal Fuse Holder Lockouts are versatile devices designed to prevent unauthorized reactivation of a fuse.
- The lockout devices are adjustable to fit various types and sizes of fuse holders, ranging from 20A to 400A.
- The lockout devices clamp directly onto the fuse holder and can be secured in place by using a screwdriver.
- A built-in hole allows for the attachment of a safety padlock for Lockout Tagout procedure.
- Nylon construction with a ZP metal set screw.



ES-UFHL



ES-UFHL-S



ES-FHL-TGT



ES-FHL-WGT



Brass threaded insert is used for smooth operation of screws.

MODEL	PRODUCT DESCRIPTION
ES-UFHL	Universal Fuse Holder Lockout - Red
ES-UFHL-S	Universal Fuse Holder Lockout - Slim
ES-FHL-TGT	Fuse Holder Lockout - Thin Grip Type
ES-FHL-WGT	Fuse Holder Lockout - Wide Grip Type


FUSE LOCKOUT

UNIVERSAL FUSE CARRIER ISOLATION LOCKOUT




ES-UFCIL

- These yellow Universal Fuse Carrier Isolation Lockouts are easily identifiable and are quick to install without the need for any tools.
- They are designed to restrict finger access to live contacts and prevent the reinsertion of a fuse whilst maintenance is in progress.
- Suitable for use with Red Spot and other similar style fuse holders.
- The extendable design makes them suitable for fuse holders rated from 20A to 100A.
- Constructed from a blend of Polycarbonate and ABS for high-impact strength and long-term durability.
- Manufactured without any metal parts - to reduce the risk of use in live working environments.
- It can accommodate padlocks with shackle diameter up to 7mm.




1 Open toggle and unscrew to open inner jaw.



2 Place jaws centrally over and wall of fuse holder base.



3 Adjust sliding cover to suit overall length of fuse holder base.



4 Tighten the toggle, using fingers only. **Do not over-tighten**



5 Close toggle. Check that the lockout device is secure. Apply a padlock and tag.



MODEL	PRODUCT DESCRIPTION
ES-UFCIL	Universal Fuse Carrier Isolation Lock

FUSE LOCKOUT

FUSE BLOCKER LOCKOUT

- The Fuse Blocker Lockout is intended to block spaces from where fuses have been removed, to prevent the re-insertion of fuses.
- Can accommodate a safety tag giving clear identification and/ or instruction.
- The 4-Way Fuse Blocker fits fuses of sizes - 1/4", 9/32", 13/32" and 9/16".
- The 2-Way Fuse Blocker fits fuses of sizes - 13/16", 11/16" and Blade Type Fuses.



Install a Safety Tag using a Cable Tie
(*Safety Tag Sold Separately)



ES-FB-4W



ES-FB-2W

MODEL	PRODUCT DESCRIPTION
ES-FB-4W	Fuse Blocker - 4 Way
ES-FB-2W	Fuse Blocker - 2 Way

FUSE PULLER

- A handy, specialised 7.5" long tool designed for safely removing or replacing cartridge-type fuses.
- Fully insulated, providing protection against electrical shock.
- Suitable for use with fuses rated from 0-100A and 250V/600V, with a diameter ranging from 1/2" to 1".
- Fully insulated, glass filled polypropylene construction.
- Notched handles are designed to provide a safe and no-slip grip.



ES-SGFP

MODEL	PRODUCT DESCRIPTION
ES-SGFP	Safe Grip Fuse Puller

ELECTRICAL PANEL LOCKOUT



Electrical Panel Lockouts are critical safety devices utilized across various industrial and commercial environments. They are designed to provide safe and secure isolation of electrical energy during maintenance or repair of high-tension (HT) and low-tension (LT) electrical panels. The range of electrical panel lockout devices caters to a wide variety of electrical controls, including switches, Miniature Circuit Breakers (MCBs), Moulded Case Circuit Breakers (MCCBs), breakers, isolators, push buttons, emergency stops, levers, panel door knobs or locks, handles, and fuses.

If a suitable lockout device is not already available in the extensive range, custom solutions can be created. The user only needs to send the switch or relevant article to us and we will then design and produce a lockout device tailored to meet the specific requirements of that control point without obligation.

ELECTRICAL PANEL KNOB LOCKOUT

The Twisting top cap lockout is designed to restrict access to the electrical panel door locks, knobs, or screws.

- ES-EPKL-EL model is installed to prevent the removal of the panel door lock.
- ES-EPKL-BTL model is installed by removing the lock from the panel door and placing the base of LBTL before inserting the lock in the hole and tightening it from the back.
- ES-EP-BSL base is used when tightening the Bakelite screw to the panel door, with the twisting top cap placed for lockout purposes.
- ES-EP-SL base is used when tightening the slotted washer head screw to the panel door, with the twisting top cap placed for lockout purposes.



ES-EPKL-EL



ES-EPKL-BTL



ES-EP-BSL



ES-EP-SL



MODEL	PRODUCT DESCRIPTION
ES-EPKL-EL	Electrical Panel Key Type Lock - Exposed Lockout
ES-EPKL-BTL	Electrical Panel Key Type Lock - Base Tight Lockout
ES-EP-BSL	Electrical Panel - Bakelite Screw Type Lockout
ES-EP-SL	Electrical Panel - Screw Type Lockout

ELECTRICAL PANEL LOCKOUT

ELECTRICAL PANEL LOCKOUT



The Electrical Panel Lockout is designed to address the need for locking out electrical panel buttons and switches that do not have built-in lockout provisions. These lockout units come in various designs, each with a 2-stage operation. The first stage involves attaching the base plate directly onto the electrical panel using strong adhesive backing, riveting, or bolting, ensuring it covers the relevant switch. Once the base plate is in place, the house unit can be placed over it, effectively isolating the electrical plugs, switches, or buttons. To secure the lockout, a lockout padlock can be applied.

The circular units are specifically designed to fit over universal-type push or mushroom panel buttons, while the square units are intended for switches with levers. For switches with extended handles, special patented lockout solutions are available to immobilize the switch at a specific angle for proper locking. These lockout units are adaptable to different panels with varying wiring, switch attachments, protruding levers, or unique shapes. They can be cut from any side or direction to accommodate the specific installation requirements.

Constructed from sturdy and transparent special-grade material, each unit fully encloses the electrical plug, preventing machines from being energized. The plug sits completely inside the unit, ensuring effective isolation. In cases where multiple units on a single panel need to be locked out, the use of the De Electric Squeezer lockout (ES-SMCL-YB) is recommended. This lockout features a yellow cable that can be fed through the access holes of the electrical lockouts and secured at one location by multiple users.



**Customization
Accepted**

ELECTRICAL PANEL LOCKOUT

ELECTRICAL PANEL LOCKOUT LOCKOUT (CONVENTIONAL CAP TYPE)



ES-CIR-45




ES-CIR-S-45



ES-CIR-55



ES-CIR-S-55



ES-SQ-S



ES-SQ-B



ES-SQ-B-45E





ES-SQ-B-90E



ES-SQ-B-L

ES-SQ-B-L is also available with 45 & 90 Degree Cutouts.



MODEL	PRODUCT DESCRIPTION
ES-CIR-45	Electrical Panel Lockout - Circular 45
ES-CIR-S-45	Electrical Panel Lockout - Circular 45 Slim
ES-CIR-55	Electrical Panel Lockout - Circular 55
ES-CIR-S-55	Electrical Panel Lockout - Circular 55 Slim
ES-SQ-S	Electrical Panel Lockout - Square Box - Small
ES-SQ-B	Electrical Panel Lockout - Square Box - Big
ES-SQ-B-45E	Electrical Panel Lockout - Square Box - Big 45°
ES-SQ-B-90E	Electrical Panel Lockout - Square Box - Big 90°
ES-SQ-B-L	Electrical Panel Lockout - Square Box - Large

Dimension in mm

Model	ES-CIR-45	ES-CIR-S-45	ES-CIR-55	ES-CIR-S-55	ES-SQ-S	ES-SQ-B	ES-SQ-B-45E	ES-SQ-B-90E	ES-SQ-B-L
Inside Size - L x B (A)	36 - Dia	36 - Dia	45 - Dia	45 - Dia	46.5 x 50	66 x 74	66 x 74	66 x 74	92 x 100
Base Size - L x B (B)	50 x 50	50 x 50	61 x 61	61 x 61	72 x 72	95 x 95	95 x 95	95 x 95	129 x 129
Cover Size - L x B x H (C)	47 x 45 x 45	47 x 45 x 25	56 x 54 x 46	56 x 54 x 31	62 x 62 x 62	85 x 85 x 62	85 x 85 x 62	85 x 85 x 62	111 x 111 x 95
No. of Padlock Holes	1	1	1	1	2	2	2	2	2

ELECTRICAL PANEL LOCKOUT

ELECTRICAL PANEL LOCKOUT (HINGED TYPE)



- An **LTTLock** innovative lockout device with a hinged design.
- Features a hinged housing unit that remains attached to the base.
- Virtually transparent, allowing for visibility.
- Designed to lock out electrical panel buttons and switches that lack inbuilt lockout capabilities, safeguarding against accidental activation.
- Attach the base plate firmly to the panel over the switch with adhesive backing, rivets, or bolts. The square housing with a hinge then covers the base, effectively isolating the switch. Attach a padlock and tag to complete the lockout.
- Customizable - Can be cut from any side/direction for diverse panel configurations.





ES-CIR-45H



ES-CIR-55H



ES-SQ-SH





ES-SQ-BH



ES-SQ-B-45H



ES-SQ-B-90H



MODEL	PRODUCT DESCRIPTION
ES-CIR-45H	Electrical Panel Lockout - Circular 45 Hinge type
ES-CIR-55H	Electrical Panel Lockout - Circular 55 Hinge type
ES-SQ-SH	Electrical Panel Lockout - Square Box - Small Hinge type
ES-SQ-BH	Electrical Panel Lockout - Square Box - Big Hinge type
ES-SQ-B-45H	Electrical Panel Lockout - Square Box - Big 45° Hinge type
ES-SQ-B-90H	Electrical Panel Lockout - Square Box - Big 90° Hinge type

Dimension in mm

Model	ES-CIR-45H	ES-CIR-55H	ES-SQ-SH	ES-SQ-BH	ES-SQ-B-45H	ES-SQ-B-90H
Inside Size - L x B (A)	35 - Dia	45 - Dia	51 x 51	74 x 74	74 x 74	74 x 74
Base Size - L x B (B)	50 x 52	60 x 62	70 x 72	94 x 91	94 x 91	94 x 91
Cover Size - L x B x H (C)	46 x 46 x 46	47 x 55 x 55	63 x 61 x 61	63 x 83 x 83	63 x 83 x 83	63 x 83 x 83
No. of Padlock Holes	1	1	1	1	1	1

ELECTRICAL PANEL LOCKOUT

FLEXI COCOON : ROTARY SWITCH COVER LOCKOUT



- Designed to prohibit access to a switch or control.
- Compatible with both **30.5 mm** and **22.5 mm** diameter switches.
- The clear bases and cover allow for visibility of nameplates and labels.
- The horse-shoe shaped retrofit base enables the use of raised nameplates and allows for off-centre installation to accommodate rotary switch knobs.
- Accommodates buttons up to **50 mm** in diameter and **45 mm** in height, providing compatibility with various switch sizes.
- Each Kit includes one cover, one new install base, and one retrofit base with double-sided adhesive tape for easy installation.



MODEL	PRODUCT DESCRIPTION
ES-F-COCOON	Flexible Cocoon
ES-FC-BASE	Flexible Cocoon Base (Set of 10 nos.)
ES-FC-R-BASE	Flexible Cocoon Retrofit Base (Set of 10 nos.)
ES-FC-KIT	1 Piece each of F COCOON, FC BASE & FC R BASE

COCOON : OVERSIZE PUSH BUTTON LOCKOUT




- The Cocoon is a highly regarded lockout solution tailored for oversized electrical push buttons on electrical panels, control stations, and specific cranes and heavy machinery.
- Designed for quick and easy installation, it is placed over the push button to form a protective barrier against accidental energization.
- Composed of two parts, these are plugged together and then securely locked with a lockout padlock.
- The inner dimensions of the Cocoon are 70 mm in width and 85 mm in height, featuring a 30 mm diameter central hole to accommodate the push button.



ES-COCOON

MODEL	PRODUCT DESCRIPTION
ES-COCOON	Oversize Push Button Lockout



ELECTRICAL PANEL LOCKOUT

ELLIPSE : ELECTRICAL PANEL LOCKOUT



ES-ELLIPSE

- Safe and effective lockout solution designed specifically for close twin round switches commonly found on electrical panels.
- It allows for the placement of a padlock to securely lock and isolate the switches.
- The lockout is easily installed by removing the back strip from the double-sided super strong backing.
- The Ellipse is virtually transparent, allowing for visibility of the switches.
- It provides an inner space of **42 x 70 mm** to accommodate the switches.



MODEL	PRODUCT DESCRIPTION
ES-ELLIPSE	Electrical Panel Lockout - Ellipse

SWITCH COVER LOCKOUT



- Prohibits access to a switch or control.
- Clear bases and cover allow visibility of nameplates and labels.
- Accommodates buttons up to **50 mm diameter and 40 mm tall**.



ES-SCL-23

ES-SCL-30



ES-SCLP-9



ES-SCLP-23




ES-SCLP-30

Dimension in mm

Model	ES-SCL-23	ES-SCL-30	ES-SCLP-9	ES-SCLP-23	ES-SCLP-30
Height (A)	32	32	42	42	42
Width (B)	70	70	78	78	78
Base Size (C)	49	49	54	54	54
Hole Dia (D)	23	30	9	23	30

MODEL	PRODUCT DESCRIPTION
ES-SCL-23	Switch Cover Lockout - 23 mm Hole Dia
ES-SCL-30	Switch Cover Lockout - 30 mm Hole Dia
ES-SCLP-9	Switch Cover Lockout Premier - 9 mm Hole Dia
ES-SCLP-23	Switch Cover Lockout Premier - 23 mm Hole Dia
ES-SCLP-30	Switch Cover Lockout Premier - 30 mm Hole Dia



ELECTRICAL PANEL LOCKOUT

GRIPPER LOCKOUT



- A safe and effective solution designed for locking out L & T breakers and other similar switches.
- It can be easily installed using the super strong adhesive backing.
- The lockout is suitable for both on and off positions of the switch.
- To lockout the switch, a padlock should be applied on the gripper.
- Has 26 x 31 mm space for locking the lever of the switch.



ES-GRIPPER

MODEL	PRODUCT DESCRIPTION
ES-GRIPPER	Gripper Lockout

SLIDER TOGGLE LOCKOUT



- The Slider Toggle Lockout is a multi-functional device designed to prevent accidental activation of large circuit breakers and flip lever style handle switches.
- Constructed from red de-electric ABS plastic, it comprises two components: a mounting base and a slider bar.
- Installation is straightforward, requiring either rivets or screws. The process involves drilling a hole in the panel body and securing the mounting base.
- The mounting base has a diameter of 2 inches. In contrast, the slider bar is 5 inches long and 1 inch wide, featuring a provision for attaching a lockout padlock to ensure the device is securely locked.



ES-STL

MODEL	PRODUCT DESCRIPTION
ES-STL	Slider Toggle Lockout

ELECTRICAL PANEL LOCKOUT

MUSHROOM : NORMAL PUSH BUTTON LOCKOUT



- A safe and effective solution for locking out emergency stop mushroom-type buttons of normal sizes.
- It is made from clear polycarbonate, allowing for visibility of the button.
- Supplied with a red beak padlock installer for secure padlock attachment.
- Lockout labels are provided to clearly indicate the locked-out state.
- Inner Dia : 33 x 68 mm, Hole Dia : 29 mm



ES-MUSHROOM



ES-MUSHROOM-R



ES-MUSHROOM-M

MODEL	PRODUCT DESCRIPTION
ES-MUSHROOM	Normal Push Button Lockout for Electrical Panels
ES-MUSHROOM-R	Normal Push Button Lockout for Electrical Panels - Red
ES-MUSHROOM-M	Normal Push Button Lockout for Electrical Panels - Milky

ELECTRICAL PANEL HANDLE LOCKOUT



- The Electrical Panel Handle Lockout (EPHL) features a patented design specifically for immobilizing larger handles or levers on electrical panels. It features a yellow base and a 25mm x 300mm flexible, powder-coated stainless steel strip, equipped with 20 holes to provide a range of locking options.
- Once in place, the EPHL locks the handles using two yellow clamps and a lockout padlock, effectively preventing any movement or operation. This device is particularly valuable for handles and levers lacking an integrated lockout feature.
- Its robust construction guarantees long-term durability, significantly enhancing safety during maintenance or repair activities on electrical panels.



ES-EPHL



ES-EPHL-DE



EPHL also available
with De - Electric Strip

MODEL	PRODUCT DESCRIPTION
ES-EPHL	Electrical Panel Handle Lockout
ES-EPHL-DE	EPHL with De - Electric Strip

ELECTRICAL PANEL LOCKOUT

STAINLESS STEEL ELECTRICAL PANEL HOLE LOCKOUT



Before



After

- This die cut piece is made of stainless-steel sheet and is installed to the panel surface by using soft washer and rivet.
- Depending on the height of the panel door or installation pattern, a small or large sized right-angled padlock eye is used for lockout purposes.
- The device comes with a rubber washer, nut, screw, and a right-angled padlock eye.



ES-EPHOL-SS



ES-EPHOL-SS-KIT

MODEL	PRODUCT DESCRIPTION
ES-EPHOL-SS	Electrical Panel Hole Lockout - Stainless Steel
ES-EPHOL-SS-KIT	EPHOL-SS - Kit

TWIN LEG ELECTRICAL PANEL HOLE LOCKOUT



Before



After

- A three-piece lockout device designed for holes in electrical panels where Rack in/out rods are inserted.
- It effectively blocks access to the hole and prevents the insertion of the rod for operating devices inside the panel.
- It is recommended to use the E-Hasp 33 with this device for installing locks.
- The lockout is suitable for holes with a diameter of 20 mm and a depth ranging from 29 mm to 39 mm.



ES-EPHOL-TL



ES-E-HASP-33

MODEL	PRODUCT DESCRIPTION
ES-EPHOL-TL	Electrical Panel Hole Lockout - Twin Leg

ELECTRICAL PANEL LOCKOUT

CIRCULAR ELECTRICAL PANEL HOLE LOCKOUT




ES-EPHOL-CR



ES-EPHOL-CY

- The lockout device is constructed from ABS material and securely attached using a rivet.
- Its round shape is specifically designed to lock the racking in-out point of air circuit breakers, vacuum circuit breakers, and similar devices, thus preventing unauthorized use.
- Also suitable for locking switches recessed within a plane surface.
- The lockout can rotate in any direction and features three holes on the bottom base for attachment with screws or rivets.
- An alternative installation option includes the use of strong double-sided tapes.
- **Dimension:** The device measures an outer diameter of 48 mm, inner diameter of 32 mm, with a lower cover circle side wall thickness of 7 mm. It has an overall thickness of 10 mm, divided into an upper part thickness of 3 mm, and a locking hole diameter of 8.5 mm.




MODEL	PRODUCT DESCRIPTION
ES-EPHOL-CR	Electrical Panel Hole Lockout - Circular Red
ES-EPHOL-CY	Electrical Panel Hole Lockout - Circular Yellow

ELECTRICAL PANEL HOLE LOCKOUT : ELLIPSE



ES-EPHOL-EL

- Safe & effective virtually transparent method for locking out electrical panel holes.
- Padlock can be placed for locking / isolating.
- This lockout can be easily installed by just removing the back strip from the double sided super strong backings.
- Preferred over standard ES-ELLIPSE when there are objects around the isolation point obstructing the oval base.



MODEL	PRODUCT DESCRIPTION	Inner Space (Size in mm)
ES-EPHOL-EL	Electrical Panel Hole Lockout - Ellipse	42 x 70

ELECTRICAL PANEL LOCKOUT

YELLOW - BLACK ELECTRICAL PANEL LOCKOUT

- Made from strong yet lightweight insulated engineering plastic / nylon material.
- Incorporates a black powder-coated metallic insert to block the operation of switches, handles, levers, or the insertion of handles into rack-in/rack-out holes.
- The black powder-coated insert enhances wear & rust resistance, improves performance, and maintains a cleaner appearance by minimizing fingerprints.
- Designed for direct rivetting onto electrical panel doors.
- Alternatively, it can be attached using screws or double-sided tapes after cleaning the panel surface.
- A padlock and tag are required to execute proper LOTO procedure.
- For scenarios where multiple individuals need to lock and manage the same control point, a lockout hasp lock can be utilized.



ES-EPL-40



ES-EPL-41



ES-EPL-42



ES-EPL-43



ES-EPL-44

Available in 5 different models:

- **ES-EPL-40:** Controls cabinet door / electric handle hole / low-voltage drawer cabinet, etc.
- **ES-EPL-41:** Controls push button switch / power distribution cabinet lock hole.
- **ES-EPL-42:** Controls rotary switch/ transfer switch.
- **ES-EPL-43:** Controls switch handle / drawer cabinet transfer switch.
- **ES-EPL-44:** Controls knife switch /handle switch, etc.



If these models do not meet your locking needs, please contact us, and we can customize a new locking solution for you.

MODEL	PRODUCT DESCRIPTION
ES-EPL-40	Electrical Panel Lockout Device - Flat Button / Hole Blocker
ES-EPL-41	Electrical Panel Lockout Device - Raised Button Blocker
ES-EPL-42	Electrical Panel Lockout Device - Round Rotating Knob Blocker
ES-EPL-43	Electrical Panel Lockout Device - Switch Lever Blocker
ES-EPL-44	Electrical Panel Lockout Device - Big handle Blocker

ELECTRICAL PANEL LOCKOUT

YELLOW - BLACK ELECTRICAL PANEL LOCKOUT

- Made from strong yet lightweight insulated engineering plastic / nylon material.
- Incorporates a black powder-coated metallic insert to block the operation of switches, handles, levers, or the insertion of handles into rack-in/rack-out holes.
- The black powder-coated insert enhances wear & rust resistance, improves performance, and maintains a cleaner appearance by minimizing fingerprints.
- Designed for direct rivetting onto electrical panel doors.
- Alternatively, it can be attached using screws or double-sided tapes after cleaning the panel surface.
- A padlock and tag are required to execute proper LOTO procedure.
- For scenarios where multiple individuals need to lock and manage the same control point, a lockout hasp lock can be utilized.

Available in 5 different models:

- **ES-EPL-40:** Controls cabinet door / electric handle hole / low-voltage drawer cabinet, etc.
- **ES-EPL-41:** Controls push button switch / power distribution cabinet lock hole.
- **ES-EPL-42:** Controls rotary switch/ transfer switch.
- **ES-EPL-43:** Controls switch handle / drawer cabinet transfer switch.
- **ES-EPL-44:** Controls knife switch /handle switch, etc.


If these models do not meet your locking needs, please contact us, and we can customize a new locking solution for you.




ES-EPL-40



ES-EPL-41



ES-EPL-42



ES-EPL-43



ES-EPL-44



ELECTRICAL PANEL LOCKOUT

ELECTRICAL SELECTOR SWITCH LOCKOUT



- Provides a safe and effective method for locking out electric round push button switches of normal sizes.
- Allows for the placement of a padlock to secure and isolate the panel.
- Easy installation by removing the back strip from the double-sided super strong backing.



MODEL	PRODUCT DESCRIPTION
ES-SSL-22	Selector Switch Lockout – 22 mm Dia
ES-SSL-30	Selector Switch Lockout – 30 mm Dia

ELECTRICAL ROCKER SWITCH LOCKOUT



- The Electrical Switch Lockout Provides a safe and effective method for locking out electrical rocker switches.
- It is made from clear polycarbonate, allowing for visibility of the button.
- Easy installation by removing the back strip from the double-sided super strong backing.
- It can lock the switch in either the "on" or "off" position.
- Allows for the placement of a padlock to secure and isolate the switch.



MODEL	PRODUCT DESCRIPTION
ES-ESL	Electrical Switch Lockout

ELECTRICAL PANEL LOCKOUT

ELECTRICAL PANEL BIG SWITCH HANDLE LOCKOUT



- Provides a safe and effective method for locking out electrical panel knife switches.
- Constructed from durable and lightweight nylon material.
- Supplied in a pair of green and red coloured lockout. Green device is used to lock the handle in 'ON' position and Red device is used to lock the handle in 'OFF' position.
- Installation of the lockout is quick and easy, requiring either rivets or screws. It is installed by drilling a hole in the panel body and attaching the mounting base.
- Ideal for handles with diameter less than 30 mm.
- Allows for the placement of a padlock to secure and isolate the handle.



ES-HANDLE-LOCK-GR

MODEL	PRODUCT DESCRIPTION
ES-HANDLE-LOCK-GR	Electrical Panel Bigger Switch Handle Freezer

SPECIAL METALLIC LOCKOUT BOX



- These specially designed Lockable / Reopenable, Self-stick / Rivetable metallic boxes are made from special solid steel sheets and are powder coated to withstand harsh industrial environments.
- Generally installed on the electrical panels for locking the electrical switches, buttons, MCBs etc. & are customised as per the requirements of the customers/panels of different sizes.
- Clear fascia variant is also available. It allows users to see the status of the equipment or switches without opening the box.



ES-SPMLB



ES-SPMLB-C

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-SPMLB	Special Metallic Lockout Box	4.75 x 7.25 x 1
ES-SPMLB-C	Special Metallic Lockout Box - Clear	4.75 x 7.25 x 1



ELECTRICAL PANEL LOCKOUT

BOX TYPE ELECTRICAL PANEL LOCKOUT



- Provides a safe and effective method for locking out panel buttons, rotary switches, and wall switches.
- **Available in two sizes: Small and Large.**
- Designed to be permanently mounted on the panel either using screws or double-sided tape.
- Base is constructed from ABS and clear top is made of polycarbonate material.
- The clear cover allows for visibility of nameplates and labels.
- The base has holes for screwing and mounting the device to the panel.
- It allows for the placement of 2 padlocks to securely lock and isolate the switches.



ES-WSL-S



ES-WSL-L


MODEL	PRODUCT DESCRIPTION
ES-WSL-S	Wall Switch Lockout Device - Small
ES-WSL-L	Wall Switch Lockout Device - Large

HEAVY DUTY PLASTIC PUSH BUTTON LOCKOUT COVER

- Provides a safe and effective method for locking out rotary and push buttons.
- Designed to be permanently installed on the buttons.
- Base is constructed from ABS and clear top is made of polycarbonate material.
- The clear cover allows for visibility of nameplates and labels.
- Prohibits access to a switch or control.
- Accommodates buttons up to 50 mm diameter and 40 mm tall.



ES-SCL-SQ



MODEL	PRODUCT DESCRIPTION
ES-SCL-SQ	Switch Cover Lockout Device - Square

LOCKOUT SAFETY PADLOCK




Lockout padlocks are essential for safety lockout programs, preventing accidents and protecting employees by enforcing LOTO procedures and energy control programs. These padlocks provide a means to securely fasten lockout devices in place, ensuring machinery or equipment remains inactive during maintenance, thus reducing the risk of unexpected energisation.

Available in a range of colours, shapes, sizes, and types to cater to diverse application needs. Additional customisations such as padlock numbering, metal tagging, etching on shackles, logo and department labels, and even employee photographs or codes can be requested for personalised padlocks.


If there's uncertainty about which padlocks best suit your needs, our team of experts is always available to provide guidance.

LOCKOUT SAFETY PADLOCK


KEYING OPTIONS :



Key Different means that every lock has its individual key and the key for one lock can not open another lock in any case.



Master Key can be used to open multiple locks that are keyed differently.



Key Alike means all locks in a set can be opened with the same key.

OSHA LOCKOUT / TAGOUT REGULATION

1910.147(c)(5) OSHA Lockout Device requirements state that lockout devices must:

- Be provided by the employer.
- Be standardized by size, shape or color.
- Be distinguishable from locks used for other purposes. Lockout locks should only be used for lockout.
- Identify the individual who applied the lock (both tags and lock labels are acceptable for this purpose).
- Be capable of withstanding the usage environment and must be strong enough to prevent removal except by using excessive force with special tools, such as bolt cutters.
- Most importantly, whenever lockout devices are applied, they must remain under the exclusive control of the individual who attached them. No employee should be able to open a lock attached by someone else.

Kindly select the padlocks carefully as per your requirements:

- Shackle Type / Shackle Size / Padlock Body Color
- **Key Alike** (means all the supplied locks have one common key)
- **Key Different** (means that all the supplied locks can be opened with their respective keys only)
- **Key Different + Master Keys** (means that all the supplied locks can be opened with their respective keys + with one master key)

ONE PERSON, ONE LOCK, ONE KEY

OSHA's "one person, one lock, one key" rule is fundamental to Lockout Tagout (LOTO) safety practices. This principle requires each authorised employee to have a unique lock and key while performing maintenance or service work. This guarantees that the lock can only be removed by the individual who applied it, preventing accidental reactivation of the machinery or system.

This rule fosters accountability during maintenance tasks as every lock corresponds to a specific worker. It helps others know who is working on the machinery. To follow this rule, employers provide distinctive locks to employees, often differentiated by colour, shape, or size. Each worker should be the only one with their lock's key, eliminating the possibility of duplicate keys. This strategy is part of a comprehensive safety system to shield workers from hazardous energy during equipment servicing or maintenance.

If extra keys required.

They can be supplied against the confirmed order and at an extra cost.

Choose the padlock that suits your requirement

Model	Compact, Lightweight	Nonconductive body	Corrosion Resistant	Spark Resistant	Keyed Different	Keyed Alike	Keyed Alike available on Locks	Master Keyed	Master Keyed available on Locks
ES-PRS					✓				
ES-PLS					✓	✓	100		
ES-JPRS		✓			✓				
ES-JPLS		✓			✓	✓	500	✓	25
ES-PLSP		✓			✓	✓	1000	✓	500
ES-DEL	✓	✓	✓	✓	✓	✓	1000	✓	500
ES-HLSP		✓			✓	✓	500	✓	500
ES-HDEL	✓	✓	✓	✓	✓	✓	500	✓	500

Attention!

LOCKOUT SAFETY PADLOCK

CABLE LOCKOUT SAFETY PADLOCKS

- Features vinyl-coated steel cable for maximum strength and flexibility.
- Elongated, flexible cable for versatility in tight spaces and simultaneous lockout of multiple energy isolation points.
- Allows effective lockout in breaker cabinets and other confined application areas.
- Available in cable lengths from 1 foot to 4 feet.
- Customized length orders are also accepted.
- The padlock has the standard PLSP lock body.
- Lock body is available in all 12 colours, with the standard colour being RED.
- Each lock is supplied with 1 key.

All CLSP Locks are available in :

- **Key Different**
- **Key Alike**
- **Key Different + Master Key**




MODEL	PRODUCT DESCRIPTION
ES-CLSP-01	Cable Lockout Safety Padlock with 1 feet cable
ES-CLSP-02	Cable Lockout Safety Padlock with 2 feet cable
ES-CLSP-03	Cable Lockout Safety Padlock with 3 feet cable
ES-CLSP-04	Cable Lockout Safety Padlock with 4 feet cable

LOCKOUT SAFETY PADLOCK

STEEL PADLOCKS REGULAR & LONG SHACKLE



- Top-quality padlocks with enhanced security features.
- Double locking padlock with innovative laminated construction for exceptional impact resistance.
- Designed for tough lockout situations, providing maximum security.
- Shackle made of special metal alloy for increased durability against cutting, prying, and twisting.
- Equipped with 5-pin tumbler cylinders for additional keying options.
- Available in Green, Blue, Red, Yellow, Black & Orange colours.
- Other colours available on request (*MOQ Applicable).
- Each lock is supplied with 2 keys.



MODEL	PRODUCT DESCRIPTION
ES-PRS-3	Padlock with Regular Shackle - Set of 3 Nos.
ES-PRS-KD	Padlock with Regular Shackle - Key Different 2 Keys
ES-PLS-3	Padlock with Long Shackle - Set of 3 Nos.
ES-PLS-KD	Padlock with Long Shackle - Key Different 2 Keys
ES-PLS-KA	Padlock with Long Shackle - Key Alike

Dimension in mm

Model	ES-PRS	ES-PLS
Shackle Height (A)	30	54
Shackle Dia (B)	6	6
Body Height (C)	37	37
Body Width (D)	43	43
Body Depth (E)	25	25

Other Available Colours



**Customization
Accepted**

Model	Keyed Different	Keyed Alike	Keyed Alike available on Locks	Body Type	Shackle Type
ES-PRS	✓			Steel	Steel
ES-PLS	✓	✓	100	Steel	Steel

LOCKOUT SAFETY PADLOCK

JACKET PADLOCKS REGULAR & LONG SHACKLE



ES-JPRS-3



ES-JPLS-3

- Each padlock is secure, durable, and includes coloured jackets for easy identification.
- Ensure employee safety and prevent accidents during LOTO procedures.
- Made from high-quality injection-moulded ABS plastic.
- Each lock comes with 3 keys.
- Includes a specifically drafted instruction label for each lock.
- Available in 12 colours for easy and clear identification.
- Available in a Key Alike, Key Different and Key Different + Master Key Variant for added convenience and key management.



ES-JBP




ES-JPSMB



ES-JPRS

ES-JPLS

OSHA
Compliant



MODEL	PRODUCT DESCRIPTION
ES-JBP-KD	Junior Brass Padlock - Key Different 3 Keys
ES-JPSMB-KD	Jacket Padlock Slim Medium Brass - Key Different
ES-JPRS-3	Jacket Padlock with Regular Shackle - Set of 3 Nos. 3 Keys
ES-JPRS-KD	Jacket Padlock with Regular Shackle - Key Different
ES-JPLS-3	Jacket Padlock with Long Shackle - Set of 3 Nos.
ES-JPLS-KD	Jacket Padlock with Long Shackle - Key Different 3 Keys
ES-JPLS-KA	Jacket Padlock with Long Shackle - Key Alike
ES-JPLS-KD+M	Jacket Padlock with Long Shackle - Key Different + Master Key

Dimension in mm

Model	ES-JPRS	ES-JPLS	ES-JBP	ES-JPSMB
Shackle Height (A)	17	66	18	22
Shackle Dia (B)	6	6	3.5	4.5
Body Height (C)	46	46	17	24
Body Width (D)	43	43	24.5	33.5
Body Depth (E)	22	22	8	12

Model	Keyed Different	Keyed Alike	Keyed Alike available on Locks	Master Keyed	Master Keyed available on Locks	Body Type	Shackle Type
ES-JPRS	✓					ABS	Steel
ES-JPLS	✓	✓	500	✓	25	ABS	Steel
ES-JBP	✓					BRASS	Steel
ES-JPSMB	✓			✓		BRASS	Steel

LOCKOUT SAFETY PADLOCK


JACKET PADLOCKS LONG SHACKLE WITH KEY RETAINING FEATURE



ES-JPLS-011



- Designed for durability, security, and clear identification.
- Padlocks feature a brass cylinder & pins with a numbered single brass key.
- Equipped with a standard hardened long steel shackle, featuring two-way locking.
- The lock's key mechanism prevents key release until the shackle is closed and the padlock is locked (Key retaining feature as per OSHA).
- Each lock set is supplied with 1 key as per OSHA standard.
- Available in 12 distinct colours for easy identification.
- Extra keys can be supplied on request for an additional charge.
- Customized key rings are available upon request at an extra cost.
- Includes a specifically drafted instruction label for each lock, providing clear usage guidelines.



Shackle : Double Locking



Cylinder & Pins : Made of Brass
for long lasting operations



Brass Key : Numbered

Dimension in mm

Model	ES-JPLS-011
Shackle Height	66
Shackle Dia	6
Body Height	46
Body Width	43
Body Depth	22




MODEL	PRODUCT DESCRIPTION
ES-JPLS-011	Jacket Padlock with Long Shackle - Key Retaining - Key Different
ES-JPLS-011-KD+M	Jacket Padlock with Long Shackle - Key Retaining - Key Different + Master Key

Model	Keyed Different	Keyed Alike	Master Keyed	Body Type	Shackle Type
ES-JPLS-011	✓	✓	✓	ABS	Steel

LOCKOUT SAFETY PADLOCK

PREMIER OSHA LOCKOUT PADLOCK WITH LONG SHACKLE



Dimension in mm	
Model	ES-PPLS-KR
Shackle Height (A)	73
Shackle Dia (B)	6
Body Height (C)	46
Body Width (D)	48
Body Depth (E)	22



- Designed for durability, security, and clear identification.
- Padlocks feature a brass cylinder & pins with a numbered single brass key.
- Equipped with a standard hardened long steel shackle, featuring two-way locking.
- The lock's key mechanism prevents key release until the shackle is closed and the padlock is locked (Key retaining feature as per OSHA).
- Each lock set is supplied with 1 key as per OSHA standard.
- Available in 12 distinct colours for easy identification.
- Extra keys can be supplied on request for an additional charge.
- Customized key rings available on request at an extra cost.
- Includes a specifically drafted instruction label for each lock, providing clear usage guidelines.



MODEL	PRODUCT DESCRIPTION
ES-PPLS-KR-KD	Premier Padlock with Long Shackle - Key Retaining - Key Different
ES-PPLS-KR-KD+M	Premier Padlock with Long Shackle - Key Retaining - Key Different + Master Key

Model	Keyed Different	Keyed Alike	Master Keyed	Body Type	Shackle Type
ES-PPLS-KR	✓		✓	ABS	Steel

LOCKOUT SAFETY PADLOCK

PREMIER LOCKOUT SAFETY PADLOCKS: METALLIC SHACKLE



ES-PLSP-KD-3C

- Compact and highly secure padlocks designed based on feedback from over 2,000 users.
- Nylon body features carved ribs for easy gripping and handling.
- Supplied with a unique coded brass key and 6-pin cylinder for increased security with different locking combinations.
- Jack locking key mechanism prevents key release until the shackle is closed and the padlock is locked.
- Reinforced nylon body is non-conductive, non-sparking, and resistant to chemicals and corrosion.
- Colour-coded for easy identification, optional photo luminescent labels are available for glow-in-the-dark visibility.
- Supplied with individually coded keys for maximum security.
- Each padlock comes in a box with 1 key. Extra keys can be supplied on request for an additional charge.
- Available with Hardened Steel shackle or Stainless-Steel Shackle (in 25 / 46 / 85 mm shackle sizes) for corrosive industrial / offshore environments.
- Locks of any size, combination, colour, or shackle type can be custom-made and supplied upon request, including locks with longer-sized bodies and extra-large shackles in all combinations and colours.

OSHA
Compliant



ES-PLSP-25



ES-PLSP-KD



ES-PLSP-85



ES-PLSP-LB-46




ES-PLSP-LB-85

Normal Body

Long Body

LOCKOUT SAFETY PADLOCK

PREMIER LOCKOUT SAFETY PADLOCKS: METALLIC SHACKLE



MODEL	PLSP : Premier Lockout Safety Padlocks
ES-PLSP-25-KD	PLSP - 25 - Key Different
ES-PLSP-25-KA	PLSP - 25 - Key Alike 1 Key
ES-PLSP-25-KD+M	PLSP - 25 - Key Different + Master Key
ES-PLSP-KD-3C	PLSP - 46 - Key Different - Set of 3 Colours
ES-PLSP-KD	PLSP - 46 - Key Different 1 Key
ES-PLSP-KA	PLSP - 46 - Key Alike
ES-PLSP-KD+M	PLSP - 46 - Key Different + Master Key
ES-PLSP-85-KD	PLSP - 85 - Key Different
ES-PLSP-85-KA	PLSP - 85 - Key Alike 1 Key
ES-PLSP-85-KD+M	PLSP - 85 - Key Different + Master Key
ES-PLSP-LB-46-KD	PLSP - LB - 46 - Key Different
ES-PLSP-LB-46-KA	PLSP - LB - 46 - Key Alike 1 Key
ES-PLSP-LB-46-KD+M	PLSP - LB - 46 - Key Different + Master Key
ES-PLSP-LB-85-KD	PLSP - LB - 85 - Key Different
ES-PLSP-LB-85-KA	PLSP - LB - 85 - Key Alike 1 Key
ES-PLSP-LB-85-KD+M	PLSP - LB - 85 - Key Different + Master Key

Dimension in mm

Model	ES-PLSP-25	ES-PLSP-KD	ES-PLSP-85	ES-PLSP-LB-46	ES-PLSP-LB-85
Shackle Height (A)	25	46	85	46	85
Shackle Dia (B)	6	6	6	6	6
Body Height (C)	45	45	45	80	80
Body Width (D)	43	43	43	43	43
Body Depth (E)	20	20	20	20	20



All PLSP locks

(ES-PLSP-25, ES-PLSP-KD, ES-PLSP-85, ES-PLSP-LB-46, ES-PLSP-LB-85) are available in : Key Different / Key Alike / Key Different + Master Key mechanism.

Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES-PLSP	✓	✓	1000	✓	500	ABS	Steel / SS / Nylon

LOCKOUT SAFETY PADLOCK

PREMIER LOCKOUT SAFETY PADLOCKS: DE - ELECTRIC SHACKLE

Our De - Electric version of PLSP Lock features a hardened reinforced nylon shackle that is completely non-conductive, making them ideal for use on electrical panels. These locks provide enhanced safety and security when working with electrical equipment, ensuring protection against electrical hazards and accidents.

- Each padlock comes in a box with 1 key.
- Extra keys can be supplied on request for an additional charge.

All DEL Locks are available in :

- Key Different
- Key Alike
- Key Different + Master Key



ES-DEL-KD-3C



ES-DEL-KD

ES-DEL-85

ES-DEL-LB-42

ES-DEL-LB-85

Normal Body


Long Body

MODEL	PLSP De - ELECTRIC Padlock with Nylon Shackle
ES-DEL-KD-3C	DEL - 42 - Key Different - Set of 3 Colours
ES-DEL-KD	DEL - 42 - Key Different
ES-DEL-KA	DEL - 42 - Key Alike
ES-DEL-KD+M	DEL - 42 - Key Different + Master Key
ES-DEL-85-KD	DEL - 85 - Key Different
ES-DEL-85-KA	DEL - 85 - Key Alike
ES-DEL-85-KD+M	DEL - 85 - Key Different + Master Key
ES-DEL-LB-42-KD	DEL - LB - 42 - Key Different
ES-DEL-LB-42-KA	DEL - LB - 42 - Key Alike
ES-DEL-LB-42-KD+M	DEL - LB - 42 - Key Different + Master Key
ES-DEL-LB-85-KD	DEL - LB - 85 - Key Different
ES-DEL-LB-85-KA	DEL - LB - 85 - Key Alike
ES-DEL-LB-85-KD+M	DEL - LB - 85 - Key Different + Master Key



Dimension in mm

Model	ES-DEL-KD	ES-DEL-85	ES-DEL-LB-42	ES-DEL-LB-85
Shackle Height (A)	42	85	42	85
Shackle Dia (B)	6	6	6	6
Body Height (C)	45	45	80	80
Body Width (D)	43	43	43	43
Body Depth (E)	20	20	20	20




Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES-DEL	✓	✓	1000	✓	500	Polyamide Nylon	Nylon

LOCKOUT SAFETY PADLOCK

MINI LOCKOUT PADLOCK



OSHA
Compliant



Dimension in mm

Model	ES-DEL-KD
Shackle Height (A)	30
Shackle Dia (B)	4.5
Body Height (C)	34
Body Width (D)	32
Body Depth (E)	17



Customization Accepted

Other Available Colours



- Reinforced ABS body is carved / designed with ribs for easy gripping and handling.
- Reinforced ABS body is non-conductive, non-sparking and resistant to chemicals and corrosion.
- Available with Hardened Steel Shackle or Nylon Shackle. Black Nylon Shackle padlocks are ideal for their use on Electrical Panels / Switches etc
- One Lock, One Key concept - Each lock is supplied with 1 key.
- Supplied with an individual unique coded key & 6 pin brass cylinder.
- Key Retention Feature - The jack locking key mechanism does not allow the release of key, until the shackle is closed and the padlock is locked.
- Each padlock comes in a box with 1 key. Extra keys can be supplied on request for an additional charge.
- Can be ordered in different colours to suit department identification.
- Available in Key Different / Key Alike / Key Different with Master Key combinations.



ES-M-PLSP

MODEL	Mini PLSP Padlock with Steel Shackle
ES-M-PLSP-KD	Mini PLSP - Key Different
ES-M-PLSP-KA	Mini PLSP - Key Alike
ES-M-PLSP-KD+M	Mini PLSP - Key Different + Master Key

1 Key



ES-M-DEL

MODEL	Mini De - Electric Padlock with Nylon Shackle
ES-M-DEL-KD	Mini De - Electric Padlock - Key Different
ES-M-DEL-KA	Mini De - Electric Padlock - Key Alike
ES-M-DEL-KD+M	Mini De - Electric Padlock - Key Different + Master Key

1 Key

Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES - Mini	✓	✓	100	✓	Set of 5	ABS	Steel / Nylon

LOCKOUT SAFETY PADLOCK

PADLOCK CUSTOMISATION

Customisation of Lockout Tagout Padlocks is not just a choice; it's a necessity in today's diverse industrial environment. The uniformity of standard locks can create confusion, heighten risks, and make safety management more complex. Customisation, on the other hand, brings clarity, control, and improved safety to your lockout tagout program.

These services are available at an extra cost depending on the work and the time involved.

Customisation Options:

- Company Name
- Logo
- Plant Location
- Lock No.
- Department Name
- EmployeeName
- Employee Photo
- Employee Code No. etc.



Metal Tagging + Numbering on Shackle



Company Logo, Department Name, Lock Number on Label.



Personalized Locks



Laser Engraving



Lock Numbers on Labels for Different Department - Coloured Locks.



Lock No. Laser Engraving at the Bottom



Lock Number Laser Engraving on Key



Key Chains with Company Logo, Department Name, Lock No. etc.



Colour Coded Key Caps for easy identification and sorting of keys.




Extra Keys

LOCKOUT SAFETY PADLOCK

HANDY LOCKOUT SAFETY PADLOCKS

Padlock available in :



Steel Shackle

Stainless Steel Shackle

Nylon Shackle

- The nylon body is carefully crafted with ribs for easy gripping and handling.
- Supplied with an individual unique coded brass key and cylinder to provide 6-pin locking combinations for enhanced security.
- The jack locking key mechanism ensures that the key cannot be released until the shackle is closed and the padlock is locked securely.
- The reinforced nylon body is non-conductive, non-sparking, and resistant to chemicals and corrosion, making it suitable for various work environments.
- Colour-coded for easy identification, and optional photo luminescent labels are available for added visibility in the dark.
- Each padlock is supplied in a box with 1 key.
- Available in 3 options: Hardened Steel Shackle, Stainless Steel Shackle and De-Electric Nylon Shackle. The Stainless-Steel option is recommended for corrosive industrial or offshore environments. The De-Electric Nylon Shackle is recommended for locking out electrical isolation points.



ES-HLSP-46

ES-HLSP-85

ES-HDEL-42

ES-HDEL-85




ES-HLSP-46-KD-3C

ES-HDEL-42-KD-3C

LOCKOUT SAFETY PADLOCK

HANDY LOCKOUT SAFETY PADLOCKS


Padlock available in :



Steel Shackle

Stainless Steel Shackle

Nylon Shackle



MODEL	HLSPadlock with Steel Shackle
ES-HLSP-46-KD-3C	HLSP - 46 - Key Different - Set of 3 Colours
ES-HLSP-46-KD	HLSP - 46 - Key Different
ES-HLSP-46-KA	HLSP - 46 - Key Alike
ES-HLSP-46-KD+M	HLSP - 46 - Key Different + Master Key
ES-HLSP-85-KD	HLSP - 85 - Key Different
ES-HLSP-85-KA	HLSP - 85 - Key Alike
ES-HLSP-85-KD+M	HLSP - 85 - Key Different + Master Key

MODEL	HLSP De - Electric Padlock with Nylon Shackle
ES-HDEL-42-KD-3C	HDEL - 42 - Key Different - Set of 3 Colours
ES-HDEL-42-KD	HDEL - 42 - Key Different
ES-HDEL-42-KA	HDEL - 42 - Key Alike
ES-HDEL-42-KD+M	HDEL - 42 - Key Different + Master Key
ES-HDEL-85-KD	HDEL - 85 - Key Different
ES-HDEL-85-KA	HDEL - 85 - Key Alike
ES-HDEL-85-KD+M	HDEL - 85 - Key Different + Master Key

Dimension in mm

Model	ES-HLSP-46	ES-HLSP-85	ES-HDEL-42	ES-HDEL-85
Shackle Height (A)	46	85	42	85
Shackle Dia (B)	6	6	6	6
Body Height (C)	73	73	73	73
Body Width (D)	43	43	43	43
Body Depth (E)	20	20	20	20



All HLSP locks

(ES-HLSP-46, ES-HLSP-85, ES-HDEL-42, ES-HDEL-85) are available in: Key Different / Key Alike / Key Different + Master Key mechanism.

Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES-HLSP	✓	✓	500	✓	500	ABS	Steel / SS
ES-HDEL	✓	✓	500	✓	500	ABS	Nylon

SERIES 3 PREMIER LOCKOUT SAFETY PADLOCKS

Padlock available in :



Steel
Shackle

Stainless
Steel
Shackle

Nylon
Shackle



- Compact high security Premier Lockout Safety Padlocks were designed on the basis of the feed back received from more than 2,000 users.
- The nylon body is carved / designed with ribs for easy gripping and handling.
- The jack locking key mechanism does not allow the release of key, until the shackle is closed and the padlock is locked.
- 6-pin precision-machined cylinder for extra security.
- Re-inforced Nylon body is non-conductive, non-sparking and resistant to chemicals and corrosion.
- Colour coded for easy identification , they can also be supplied with photo luminescent labels that glows in the dark.
- Supplied with individually coded keys for optimum security Each padlock is supplied in a box with 1 key.
- Available in Hardened Steel shackle or with Stainless Steel Shackle (in 25 / 46 / 85 mm shackle sizes) SS shackles are used for corrosive industrial / offshore environments.
- Available in De-Electric Nylon Shackle (in 42 and 85 mm shackle sizes).The De-Electric Nylon Shackle is recommended for locking out electrical isolation points.
- Locks of any size / combination / colour or shackle types can be made & supplied on request. Locks with longer size body and with extra large sized shackles are also available in all the combinations & colours.


OSHA
Compliant



ES-PLSP-3-25



ES-PLSP-3-KD



ES-PLSP-3-85



ES-DEL-3-KD




ES-DEL-3-85

SERIES 3 PREMIER LOCKOUT SAFETY PADLOCKS

Padlock available in :



- Follows 1 Lock - 1 Key Concept
- Extra key(s) can be supplied on request at an additional charge.



OSHA
Compliant



MODEL	Series 3 PLSPadlock with Steel Shackle
ES-PLSP-3-25-KD	PLSP 3 - 25 - Key Different
ES-PLSP-3-25-KA	PLSP 3 - 25 - Key Alike 1 Key
ES-PLSP-3-25-KD+M	PLSP 3 - 25 - Key Different + Master Key
ES-PLSP-3-46-KD	PLSP 3 - 46 - Key Different
ES-PLSP-3-46-KA	PLSP 3 - 46 - Key Alike 1 Key
ES-PLSP-3-46-KD+M	PLSP 3 - 46 - Key Different + Master Key
ES-PLSP-3-85-KD	PLSP 3 - 85 - Key Different
ES-PLSP-3-85-KA	PLSP 3 - 85 - Key Alike 1 Key
ES-PLSP-3-85-KD+M	PLSP 3 - 85 - Key Different + Master Key

MODEL	Series 3 PLSP De - Electric Padlock with Nylon Shackle
ES-DEL-3-42-KD	DEL 3 - 42 - Key Different
ES-DEL-3-42-KA	DEL 3 - 42 - Key Alike 1 Key
ES-DEL-3-42-KD+M	DEL 3 - 42 - Key Different + Master Key
ES-DEL-3-85-KD	DEL 3 - 85 - Key Different
ES-DEL-3-85-KA	DEL 3 - 85 - Key Alike 1 Key
ES-DEL-3-85-KD+M	DEL 3 - 85 - Key Different + Master Key

Dimension in mm

Model	ES-PLSP-3-25	ES-PLSP-3-46	ES-PLSP-3-85	ES-DEL-3-42	ES-DEL-3-85
Shackle Height (A)	25	46	85	42	85
Shackle Dia (B)	6	6	6	6	6
Body Height (C)	45	45	45	45	45
Body Width (D)	40	40	40	40	40
Body Depth (E)	19	19	19	19	19

Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES-PLSP-3	✓	✓	ask	✓	ask	Polyamide Nylon	Steel / SS
ES-DEL-3	✓	✓	ask	✓	ask	Polyamide Nylon	Nylon

Padlock Dust Cover for Series 3 Lockout Safety Padlocks

- Convenient flexible dust covers designed to prevent dust, dirt, oil, grease and insects from interfering with the padlock mechanism, thus extending its lifespan.
- Once the key is removed, the bottom seal snaps back into place effortlessly, covering the keyhole and maintaining the integrity of the lock.
- Durable construction withstands extreme weather conditions.
- Designed to keep labels visible.


MODEL	PRODUCT DESCRIPTION
ES-3-PDC	Series 3 Padlock Dust Cover



SERIES 4 PREMIER LOCKOUT SAFETY PADLOCKS



- Follows 1 Lock - 1 Key Concept
- Extra key(s) can be supplied on request at an additional charge.



- The ABS body is carved / designed with ribs for easy gripping and handling.
- Re-inforced ABS body is non-conductive, non-sparking and resistant to chemicals and corrosion.
- This padlock features a slender 4 mm steel shackle, recommended for use in tight spaces, ensuring effective lockout even in confined areas.
- Follows the one lock, one key concept for straightforward lockout procedures. Each padlock is supplied with 1 key.
- Supplied with an individual unique coded key & 6 pin brass cylinder.
- Key Retention Feature - The jack locking key mechanism does not allow the release of key, until the shackle is closed and the padlock is locked.
- Can be ordered in different colours to suit your department identification.
- Available in Key Different / Key Alike / Key Different with Master Key combinations.



ES-PLSP-4

Dimension in mm

Model	ES-PLSP-4
Shackle Height (A)	47
Shackle Dia (B)	4
Body Height (C)	45
Body Width (D)	43
Body Depth (E)	21



MODEL	Series 4 PLSPadlock with Steel Shackle
ES-PLSP-4-KD	PLSP 4 - Key Different
ES-PLSP-4-KA	PLSP 4 - Key Alike
ES-PLSP-4-KD+M	PLSP 4 - Key Different + Master Key

Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES-PLSP-4	✓	✓	1000	✓	500	ABS	Steel

SERIES 5 PREMIER LOCKOUT SAFETY PADLOCKS WITH COMPUTERISED KEY

Padlock available in :




Steel Shackle

Stainless Steel Shackle

Nylon Shackle

- Reinforced Nylon body is non-conductive, non-sparking, and resistant to chemicals and corrosion.
- Compact and lightweight design.
- Supplied with 2 computerized brass keys with color-coded KEY CAP and etched details.
- Key Retention Feature - The key cannot be released until the shackle is closed and the padlock is locked.
- Can be ordered in different colours for department identification.
- Available in Key Different / Key Alike / Key Different with Master Key combinations.



ES-CKLP



ES-D-CKLP

MODEL	CKLP : Computer Key Lockout Padlock
ES-CKLP-KD	CKLP - Key Different
ES-CKLP-KA	CKLP - Key Alike 2 Keys
ES-CKLP-KD+M	CKLP - Key Different + Master Key

MODEL	De - Electric Computer Key Lockout Padlock
ES-D-CKLP-KD	D - CKLP - Key Different
ES-D-CKLP-KA	D - CKLP - Key Alike 2 Keys
ES-D-CKLP-KD+M	D - CKLP - Key Different + Master Key



Dimension in mm		
Model	ES-CKLP	ES-D-CKLP
Shackle Height (A)	47	47
Shackle Dia (B)	5	5
Body Height (C)	44	44
Body Width (D)	39	39
Body Depth (E)	20	20



Computerised Key

Model	Keyed Different	Keyed Alike	Keyed Alike Available on Locks	Master Keyed	Master Keyed Available on Locks	Body Type	Shackle Type
ES-CKLP	✓	✓	Ask	✓	Ask	ABS	Steel / SS
ES-D-CKLP	✓	✓	Ask	✓	Ask	ABS	Nylon

SERIES 6 PREMIER LOCKOUT SAFETY PADLOCKS

Padlock available in :



Steel Shackle

Steel Shackle With PVC Sleeve

Nylon Shackle

- 6-pin precision-machined cylinder for enhanced security and a high number of key differs.
- Press shackle (Automatic) locking for user convenience.
- The jack-locking key mechanism (key retaining feature) prevents key release until the shackle is closed and the padlock is locked.
- Supplied with an individual, unique coded brass key in a box.
- Compact and lightweight design.
- Solid aluminium body encased by a coloured plastic cover for easy identification.
- Completely insulated against electric shock, non-magnetic, and non-sparking.
- Available in 5 mm Hardened Steel Shackle, 6 mm (Steel Shackle with Black PVC Sleeve), and 5 mm Black De-Electric Nylon shackle.
- Locks with any key combination (KD, KA, KD+M), colour, or shackle types can be made and supplied on order.
- Available in 12 different colours or their combinations.
- Supplied with "Do not operate" labels for perfect visibility and identification (labels can be customized in any language, text, graphic, logo, etc.).
- Each padlock is supplied in a box with 1 key.



- Follows 1 Lock - 1 Key Concept
- Extra key(s) can be supplied on request at an additional charge.



ES-PLSP-6-S

ES-PLSP-6-L

ES-PLSP-6-PS

ES-PLSP-6-PL

Steel Shackle

Steel with PVC Sleeve Shackle

Model	Key Different	Key Alike	Key Different + Master Key	Body Type	Shackle Type
ES-PLSP-6	✓	✓	✓	ABS	Steel / Steel with PVC / Nylon

SERIES 6 PREMIER LOCKOUT SAFETY PADLOCKS

Padlock available in :



ES-PLSP-6-D


— De-Electric Nylon Shackle —



MODEL	PRODUCT DESCRIPTION
ES-PLSP-6-S-KD	PLSP 6 - Steel Shackle - Small - Key Different
ES-PLSP-6-S-KA	PLSP 6 - Steel Shackle - Small - Key Alike 1 Key
ES-PLSP-6-S-KD+M	PLSP 6 - Steel Shackle - Small - Key Different + Master Key
ES-PLSP-6-L-KD	PLSP 6 - Steel Shackle - Large - Key Different
ES-PLSP-6-L-KA	PLSP 6 - Steel Shackle - Large - Key Alike 1 Key
ES-PLSP-6-L-KD+M	PLSP 6 - Steel Shackle - Large - Key Different + Master Key

MODEL	PRODUCT DESCRIPTION
ES-PLSP-6-PS-KD	PLSP 6 - Steel Shackle with PVC Sleeve - Small - Key Different
ES-PLSP-6-PS-KA	PLSP 6 - Steel Shackle with PVC Sleeve - Small - Key Alike 1 Key
ES-PLSP-6-PS-KD+M	PLSP 6 - Steel Shackle with PVC Sleeve - Small - KD + Master Key
ES-PLSP-6-PL-KD	PLSP 6 - Steel Shackle with PVC Sleeve - Large - Key Different
ES-PLSP-6-PL-KA	PLSP 6 - Steel Shackle with PVC Sleeve - Large - Key Alike 1 Key
ES-PLSP-6-PL-KD+M	PLSP 6 - Steel Shackle with PVC Sleeve - Large - KD + Master Key

MODEL	PRODUCT DESCRIPTION
ES-PLSP-6-D-KD	PLSP 6 - DE Electric - Key Different
ES-PLSP-6-D-KA	PLSP 6 - DE Electric - Key Alike 1 Key
ES-PLSP-6-D-KD+M	PLSP 6 - DE Electric - Key Different + Master Key



Dimension in mm

Model	ES-PLSP-6-S	ES-PLSP-6-L	ES-PLSP-6-PS	ES-PLSP-6-PL	ES-PLSP-6-D
Shackle Height (A)	46	73	48	75	46
Shackle Dia (B)	5	5	6	6	5
Body Height (C)	45	45	45	45	45
Body Width (D)	40	40	40	40	40
Body Depth (E)	20	20	20	20	20

SERIES 7 LONG BODY PREMIER LOCKOUT SAFETY PADLOCKS

Padlock available in :



Steel Shackle

Steel Shackle With PVC Sleeve



- Follows 1 Lock - 1 Key Concept
- Extra key(s) can be supplied on request at an additional charge.



- Designed and developed on the basis of feedback received from customers all over the world.
- 6-pin precision-machined cylinder for enhanced security and a high number of key differs.
- Press shackle (Automatic) locking for user convenience.
- The jack-locking key mechanism (key retaining feature) prevents key release until the shackle is closed and the padlock is locked.
- Supplied with an individual, unique coded brass key in a box.
- Compact and lightweight design.
- Solid aluminium body encased by a coloured plastic cover for easy identification.
- Completely insulated against electric shock, non-magnetic, and non-sparking.
- **Available in 5 mm Hardened Steel Shackle and 6 mm (Steel Shackle with Black PVC Sleeve).**
- Locks with any key combination (KD, KA, KD+M), colour, or shackle types can be made and supplied on order.
- Available in 12 different colours or their combinations.
- Supplied with "Do not operate" labels for perfect visibility and identification (labels can be customized in any language, text, graphic, logo, etc.).
- Each padlock is supplied in a box with 1 key.



ES-PLSP-7-S

ES-PLSP-7-L

ES-PLSP-7-PS

ES-PLSP-7-PL

SERIES 7 LONG BODY PREMIER LOCKOUT SAFETY PADLOCKS

Padlock available in :




Steel Shackle

Steel Shackle With PVC Sleeve



MODEL	PRODUCT DESCRIPTION
ES-PLSP-7-S-KD	PLSP 7 - Steel Shackle - Small - Key Different
ES-PLSP-7-S-KA	PLSP 7 - Steel Shackle - Small - Key Alike 1 Key
ES-PLSP-7-S-KD+M	PLSP 7 - Steel Shackle - Small - Key Different + Master Key
ES-PLSP-7-L-KD	PLSP 7 - Steel Shackle - Large - Key Different
ES-PLSP-7-L-KA	PLSP 7 - Steel Shackle - Large - Key Alike 1 Key
ES-PLSP-7-L-KD+M	PLSP 7 - Steel Shackle - Large - Key Different + Master Key

MODEL	PRODUCT DESCRIPTION
ES-PLSP-7-PS-KD	PLSP 7 - Steel Shackle with PVC Sleeve - Small - Key Different
ES-PLSP-7-PS-KA	PLSP 7 - Steel Shackle with PVC Sleeve - Small - Key Alike 1 Key
ES-PLSP-7-PS-KD+M	PLSP 7 - Steel Shackle with PVC Sleeve - Small - KD + Master Key
ES-PLSP-7-PL-KD	PLSP 7 - Steel Shackle with PVC Sleeve - Large - Key Different
ES-PLSP-7-PL-KA	PLSP 7 - Steel Shackle with PVC Sleeve - Large - Key Alike 1 Key
ES-PLSP-7-PL-KD+M	PLSP 7 - Steel Shackle with PVC Sleeve - Large - KD + Master Key



Dimension in mm

Model	ES-PLSP-7-S	ES-PLSP-7-L	ES-PLSP-7-PS	ES-PLSP-7-PL
Shackle Height (A)	41	60	43	62
Shackle Dia (B)	5	5	6	6
Body Height (C)	78	78	78	78
Body Width (D)	44	44	44	44
Body Depth (E)	20	20	20	20

Model	Key Different	Key Alike	Key Different + Master Key	Body Type	Shackle Type
ES-PLSP-7	✓	✓	✓	ABS	Steel / Steel with PVC

LOCKOUT SAFETY PADLOCK

STAINLESS STEEL LOCKOUT PADLOCKS

Stainless steel Lockout Padlocks of 40 mm size with stainless steel **6 mm** shackle.

- Corrosion resistant
- Mushroom pins
- Standard section key way
- Pin tumbler locking system
- Stainless steel springs
- **2 nickel plated brass keys**
- **Body Type** - Stainless Steel
- **Shackle Type** - Stainless Steel
- **Key Alike** - Upto set of 100 Nos.
- **Master Key** - Upto set of 5 Nos.



ES-SSLP-S

ES-SSLP-L

2 Keys

MODEL	PRODUCT DESCRIPTION
ES-SSLP-S	Stainless Steel Lockout Padlock - Small
ES-SSLP-L	Stainless Steel Lockout Padlock - Long

Customization Accepted

BRASS LOCKOUT PADLOCKS WITH STEEL SHACKLE

- The 40 mm Brass Padlock has solid brass body with a brass cylinder and a spring loaded chrome plated steel shackle.
- Each lock is **supplied with 2 keys** as standard.
- Hardened Steel Shackle of **6 mm** diameter has double locking.
- Hardened shackle resists sawing and filing.
- **Key Alike** - Upto set of 200 Nos.
- **Master Key** - Upto set of 5 Nos.
- **Body Type** - Brass
- **Shackle Type** - Steel



ES-BPSS-S

ES-BPSS-L

2 Keys

MODEL	PRODUCT DESCRIPTION
ES-BPSS-S	Brass Lockout Padlock with Steel Shackle - Small
ES-BPSS-L	Brass Lockout Padlock with Steel Shackle - Long

Customization Accepted



* Measurement can change without notice.

Dimension in mm

Model	ES-SSLP-S	ES-SSLP-L	ES-BPSS-S	ES-BPSS-L
Shackle Height (A)	27	74	30	77
Shackle Dia (B)	6	6	6	6
Body Height (C)	35	35	33	33
Body Width (D)	40	40	40	40
Body Depth (E)	15	15	15	15

LOCKOUT SAFETY PADLOCK

COMPLETE BRASS LOCKOUT PADLOCKS

- The 40 mm Brass Padlock features a solid brass body with a brass cylinder and a spring-loaded brass shackle. Each lock is supplied with 2 keys as standard.
- Comes with a Brass Shackle of 5mm/6mm diameter with double locking.
- The brass body, shackle and cylinder provide extra resistance to the elements, making it suitable for various environments.
- Comes with **key hole cover** and **shackle dust guard**.
- **Key Alike** - Upto set of 200 Nos.
- **Key Different + Master Key** - Upto set of 25 Nos.



ES-CBLP-5S

ES-CBLP-5L

MODEL	PRODUCT DESCRIPTION
ES-CBLP-5S	Complete Brass Lockout Padlock - Small with 5 mm Shackle
ES-CBLP-5L	Complete Brass Lockout Padlock - Long with 5 mm Shackle
ES-CBLP-6S	Complete Brass Lockout Padlock - Small with 6 mm Shackle
ES-CBLP-6L	Complete Brass Lockout Padlock - Long with 6 mm Shackle

2 Keys

2 Keys



BRASS COMBINATION LOCKOUT PADLOCKS

- Brass padlock with 3 and 4 side wheel combinations which are suitable for basic protection, barrier and deterrent applications such as locking the MCBs, special switches with small locking holes, small group lock boxes, etc.
- Resettable Combination Brass Padlock.
- Available in 2 different sizes to choose from with **3 mm** shackle.



ES-BCLP-3W

ES-BCLP-4W

MODEL	PRODUCT DESCRIPTION
ES-BCLP-3W	Brass Combination Lockout Padlock - 3 Wheels
ES-BCLP-4W	Brass Combination Lockout Padlock - 4 Wheels

Dimension in mm

Model	ES-CBLP-5S	ES-CBLP-5L	ES-CBLP-6S	ES-CBLP-6L	ES-BCLP-3W	ES-BCLP-4W
Shackle Height (A)	30	45	32	47	25	25
Shackle Dia (B)	5	5	6	6	3	3
Body Height (C)	36	36	36	36	29	55
Body Width (D)	40	40	40	40	23	23
Body Depth (E)	15	15	15	15	13	13

* Measurement can change without notice.

LOCKOUT SAFETY PADLOCK

WEATHER RESISTANT ENCASED LAMINATED STEEL BODY LOCKOUT PADLOCKS


- The 40 mm Laminated Steel Padlocks with weather resistant casing.
- Hardened steel shackle with molded thermoplastic cover.
- Hardened shackle resists sawing and filing.
- High-tech thermoplastic shell designed to withstand the elements.
- Shackle O-ring and key hole cover seals out moisture and dirt.
- Available in complete black and yellow-black colourways.



ES-WRLP-YB



ES-WRLP-B



Dimension in mm


Model	ES-WRLP-YB	ES-WRLP-B
Shackle Height (A)	58	58
Shackle Dia (B)	7.5	7.5
Body Height (C)	45	45
Body Width (D)	51	51
Body Depth (E)	32	32

MODEL	PRODUCT DESCRIPTION
ES-WRLP-YB	Weather Resistant - Encased Laminated Steel Body Lockout Padlock - Yellow Black
ES-WRLP-B	Weather Resistant - Encased Laminated Steel Body Lockout Padlock - Black

LOCKOUT SAFETY PADLOCK

ALUMINIUM LOCKOUT PADLOCKS

- Solid aluminium body with a brass cylinder, providing durability and resistance to corrosion.
- Features a spring-loaded chrome-plated hardened 6 mm steel shackle for added security.
- Each padlock is supplied with 2 keys as standard.
- Shackle has double locking for enhanced protection.
- The hardened shackle resists sawing and filing, ensuring maximum security against tampering.
- Additional key can be supplied upon request*.



ES-ALP-RED



ES-ALP-BLUE



ES-ALP-GOLDEN



ES-ALP-BLACK

Dimension in mm	
Model	ES-ALP
Shackle Height (A)	50
Shackle Dia (B)	6
Body Height (C)	41
Body Width (D)	39
Body Depth (E)	19



MODEL	PRODUCT DESCRIPTION
ES-ALP	Aluminium Lockout Padlock with Standard Steel Shackle

2 Keys

LOCKOUT PADLOCK ACCESSORIES

METAL I.D. TAGS & COLLARS



- Metal I.D. Tags and Collars designed for use on Locks and other lockout devices.
- Manual Indenter Marking Press used for punching numbers, ensuring clear identification.
- Heavy-duty zinc-plated or stainless-steel chain with mounting brackets available for hanging lockout gadgets or padlock shackles near pre-designated locations.
- Sold in packs of 6 Nos for convenience and practical use.
- Longer chain lengths available upon request to accommodate specific requirements.



ES-MT-L



ES-MT-C

MODEL	PRODUCT DESCRIPTION
ES-MT-L	Metal Padlock Tags - Long - Set of 6
ES-MT-C	Metal Padlock Tags - Circular - Set of 6
ES-MB+SSC	Metallic Mounting Bracket and 9" SS Chain
ES-SSC	SS Chain (Standard 9 inch) or Order any length



ES-MB+SSC



Customized
Lengths are Available




LOCKOUT PADLOCK ACCESSORIES

PADLOCK EYES

These Padlock Eyes are essential for retrofitting old panels to comply with Lockout Tagout requirements, ensuring equipment and electrical panels are securely locked during servicing and maintenance. They are surface-mounted, making it easy to install padlocks on electrical panels or hidden isolation points within cabinets.

- Made from durable stainless steel constant thickness sheet.
- Die-cut design accommodates most internationally available padlocks.
- Easy installation options: screwing, bolting, or riveting.
- Each set includes 10 Nos. of padlock eyes for various applications.
- Combo pack contains 2 Nos. of each type (Small / Medium / Large) - Total 12 Nos.



ES-FPE-S ES-FPE-M ES-FPE-L ES-FPE-J



ES-RPE-SUMO



ES-RPE-S ES-RPE-M ES-RPE-L ES-RPE-J



ES-BUFFER




MODEL	PRODUCT DESCRIPTION
ES-FPE-S	Flat Padlock Eye - Small
ES-FPE-M	Flat Padlock Eye - Medium
ES-FPE-L	Flat Padlock Eye - Large
ES-FPE-J	Flat Padlock Eye - Jumbo
ES-RPE-S	Right Angled Padlock Eye - Small
ES-RPE-M	Right Angled Padlock Eye - Medium
ES-RPE-L	Right Angled Padlock Eye - Large
ES-RPE-J	Right Angled Padlock Eye - Jumbo
ES-PE-COMBO	Padlock Eye - Combo (Small / Medium / Large)
ES-RPE-SUMO	Right Angled Padlock Eye - Sumo
ES-BUFFER	Metallic Buffer for Padlock Eye
ES-RIVET	Metallic Rivet for installing Padlock Eye
ES-RM	Riveting Machine



ES-RIVET



ES-RM



Dimension in mm

Model	ES-FPE-S	ES-FPE-M	ES-FPE-L	ES-FPE-J	ES-RPE-S	ES-RPE-M	ES-RPE-L	ES-RPE-J	ES-RPE-SUMO
Height (A)	31	48	57	71	22	38	47	60	106
Width (B)	25	25	25	25	25	25	25	25	65
Hole Dia (C)	10	10	10	10	10	10	10	10	8
Depth (D)					13	13	13	13	26

PADLOCK EYES



LOCKOUT PADLOCK ACCESSORIES

SAFETY PADLOCK HANDY

- Safety Padlock Handy has 12 holes for safety padlocks and can be clipped to the belt making it very handy and convenient to carry multiple padlocks to different lockout points.
- Holds safety padlocks near lockout point
- Helps ensure all locations are addressed
- Holds up to 12 safety padlocks
- Can be clipped to the belt or hung in cabinets or lockout stations



ES-HANDY



ES-HANDY+12



**New Improved
Design**

MODEL	PRODUCT DESCRIPTION
ES-HANDY	Safety Padlock Handy
ES-HANDY+12	Safety Padlock Handy with 12 Key Alike Red Padlock (ES-PLSP-KA)

LOCKOUT PADLOCK ACCESSORIES

PADLOCK LABELS


Use these labels on lockout safely padlocks ES-JPLS, ES-JPRS, ES-PLSP & ES-PLSP-LB, ES-DEL & ES-DEL-LB, ES-HLSP, ES-HDEL to clearly instruct workers when a machine is down for service or maintenance.

Padlock Labels for
ES-PLSP & ES-DEL




ES-PLSPL-S

Padlock Labels for ES-JPLS, ES-JPRS



ES-JPL-1

Padlock Labels for
ES-PLSP-LB & ES-DEL-LB



ES-PLSPL-L



ES-JPL-2



ES-JPL-3

Padlock Labels for
ES-HLSP & ES-HDEL



ES-HLSPL



ES-JPL-4

MODEL	PRODUCT DESCRIPTION
ES-JPL-1	Jacket Padlock Label - 1
ES-JPL-2	Jacket Padlock Label - 2
ES-JPL-3	Jacket Padlock Label - 3
ES-JPL-4	Jacket Padlock Label - 4
ES-PLSPL-S	Label for ES - PLSP
ES-PLSPL-L	Label for ES - PLSP Long Body
ES-HLSPL	Label for ES - HLSP

All the labels can be made and supplied in any language, colour or glow-in-the-dark material.



LOCKOUT PADLOCK ACCESSORIES

MINI PADLOCK STATION



ES-MPS-6
(with locks)


- A compact and highly visible Mini Padlock Station, able to hold multiple safety padlocks for enhanced lockout tagout efficiency.
- Crafted from a powder-coated special-grade metallic sheet, this station can be securely wall-mounted to keep locks within reach.
- High-visibility red colour as a standard lockout practise.
- Can be securely mounted onto the wall; supplied with screws.
- Available in various sizes to cater to different needs.




ES-MPS-12



ES-MPS-18




ES-MPS-24



ES-MPS-30

MODEL	PRODUCT DESCRIPTION
ES-MPS-6	Mini Padlock Station - wall mounted for 6 locks
ES-MPS-12	Mini Padlock Station - wall mounted for 12 locks
ES-MPS-18	Mini Padlock Station - wall mounted for 18 locks
ES-MPS-24	Mini Padlock Station - wall mounted for 24 locks
ES-MPS-30	Mini Padlock Station - wall mounted for 30 locks



Dimension in mm

Model	ES-MPS-6	ES-MPS-12	ES-MPS-18	ES-MPS-24	ES-MPS-30
Height (A)	70	70	70	70	70
Width (B)	130	250	370	490	610
Depth (C)	30	30	30	30	30

LOCKOUT PADLOCK ACCESSORIES

CUSTOMIZED LOCKOUT SAFETY PADLOCKS



Customisation of Lockout Tagout Padlocks is not just a choice; it's a necessity in today's diverse industrial environment. The uniformity of standard locks can create confusion, heighten risks, and make safety management more complex. Customisation, on the other hand, brings clarity, control, and improved safety to your lockout tagout program.

Why customization is necessary?

- **Enhanced Safety:** Customisation reduces the chances of accidental or unauthorised operation, thereby enhancing overall safety.
- **Greater Control:** Different departments can have their distinct safety protocols, reducing confusion and enhancing control.
- **Increased Efficiency:** Customised locks can streamline lockout tagout procedures, improving efficiency.
- **Clear Identification:** With customisation, locks can easily be traced to the responsible person or department, increasing accountability.
- **Compliance:** Customised Lockout Tagout Padlocks can be designed to meet specific industry standards and regulations.

Customisation Options for Lockout Padlocks:



Padlock Body Material Options

Each material offers unique properties to suit different operational environments.




Shackle Material Options

Choose from Mini, Standard Body, Long Body, or Handy Body sizes to meet your specific lockout needs.




Shackle Material Options

Choose the one that aligns with the environmental conditions and security requirements of your workplace.




Body Colour Options

Choose from up to 12 colour variations to enable quick and easy identification of locks.



Shackle Height Options


Choose shackle height from our wide range of options to suit various lockout applications.



Keying Options

Keying options include KD, KA, KD + M, and GMK, offering different levels of access control.

LOCKOUT PADLOCK ACCESSORIES



Custom Padlock Laser Engraving

Personalise your padlocks with laser engraving of information such as employee name, employee ID number, company name, company logo, or key number.



Custom Padlock Labels

Further customise your padlocks with labels featuring company logo, department, employee name, employee ID, lock label number, or custom label.



Key Engraving

Personalise the keys with unique engravings for easy identification.




Metal Tagging & Numbering on Shackle

Add another layer of identification with metal tagging and numbering on the shackle.



Number of Keys & Extra Keys

Specify the number of keys required with each lock, and order extra keys if needed.




Key Retaining Feature in Padlocks

Choose padlocks with a key retaining feature to ensure that the key cannot be removed until the padlock is securely closed.



Photo ID Custom Padlock Labels

Include Photo ID on your custom padlock labels for enhanced identification and security.



Customised Keychains for Padlocks


Add customised keychains to your padlocks for easy storage and identification.



Colour Coded Key Caps

Use colour coded key caps for easy identification and sorting of keys.

OPEN LOCKOUT STATION



Open Lockout Stations are designed to centralize the storage of crucial safety equipment such as lockout padlocks, tags, and hasps, and some models offer additional features like document holders, clipboards, and key holders. By providing a central location for these essential tools, these stations ensure they are readily available to all personnel when needed for isolating equipment. This ensures the accessibility of safety tools, thereby making the process of locking out equipment more efficient and convenient.

They feature bold headings which prompt workers to lock out machinery before initiating any maintenance or repair work. This constant visual cue aids in ingraining safety practices, thereby fostering a safety-oriented work culture within the premises. Open Lockout Stations can be supplied with or without contents, offering flexibility based on the specific needs of a workplace.

OPEN LOCKOUT STATION

ONE PIECE OPEN LOCKOUT STATION

- Centralizes storage of essential safety equipment like lockout padlocks, tags, and hasps, ensuring they are readily available for equipment isolation.
- Offered in configurations of 7, 16, and 48 lock combinations.
- The 48 Lock Station can be expanded in multiples of 24 by connecting additional sections.
- Customizable front label as per customer specifications including language, text, graphics, and optional logo.




ES-OPOLS-7L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 7 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 20 nos.
5. ES-OPOLS-7L - 1 no.



ES-OPOLS-16L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 16 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 10 nos.
5. ES-OPOLS-16L - 1 no.



ES-OPOLS-7L



ES-OPOLS-48L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 48 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 40 nos.
5. ES-OPOLS-48L - 1 no.

While placing order please mention “with” or “without” the lockout devices.



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-OPOLS-7L	One Piece Open Lockout Station for 7 Locks	11.5 x 15.5
ES-OPOLS-7L-WG	OPOLS - 7L with Goods	11.5 x 15.5
ES-OPOLS-16L	One Piece Open Lockout Station for 16 Locks	13.5 x 14.5
ES-OPOLS-16L-WG	OPOLS - 16L with Goods	13.5 x 14.5
ES-OPOLS-48L	One Piece Open Lockout Station for 48 Locks	21.5 x 23
ES-OPOLS-48L-WG	OPOLS - 48L with Goods	21.5 x 23

OPEN LOCKOUT STATION

OPEN LOCKOUT STATION : FRONT VIEW (ACP)


- Designed to conveniently store lockout padlocks, tags, and hasps near isolating points.
- Made of Aluminium Composite Panel (ACP) with moulded ABS parts for durability.
- Features transparent hooks and rods, enhancing the board's aesthetics.
- Stations are customisable in various sizes, combinations, and presentation types. (Front View or Side View).
- Can be personalized with the company logo and information in any language, as per customer specifications.



ES-OLCR-6L-WG


1. Vinyl Coated Hasp - Small - 1 no.
2. Vinyl Coated Hasp - Premier - 1 no.
3. Padlock with Regular Shackle - KD - 6 nos.
4. Lockout Tags - 20 nos.
5. ES - OLCR - 6L - 1 no.

While placing order please mention “with” or “without” the lockout devices.



ES-OLSF-5L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 5 nos.
2. Vinyl Coated Hasp - Premier - 1 no.
3. Lockout Tags - 20 nos.
4. ES-OLSF-5L - 1 no.




ES-OLSF-20L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 20 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 30 nos.
5. ES-OLSF-20L - 1 no.



ES-OLSF-10L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 10 nos.
2. Vinyl Coated Hasp - Small - 2 nos.
3. Vinyl Coated Hasp - Premier - 2 nos.
4. Lockout Tags - 20 nos.
5. ES-OLSF-10L - 1 no.



ES-OLSF-36L-WG

1. PLSP Padlock with Steel Shackle - Key Different - 36 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 40 nos.
5. ES-OLSF-36L - 1 no.

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-OLSF-5L	Open Lockout Station - Front view for 5 Locks	15 x 12.5
ES-OLSF-5L-WG	OLSF - 5L with Goods	15 x 12.5
ES-OLSF-10L	Open Lockout Station - Front view for 10 Locks	16 x 20
ES-OLSF-10L-WG	OLSF - 10L with Goods	16 x 20
ES-OLSF-20L	Open Lockout Station - Front view for 20 Locks	21 x 20
ES-OLSF-20L-WG	OLSF - 20L with Goods	21 x 20
ES-OLSF-36L	Open Lockout Station - Front view for 36 Locks	27 x 24
ES-OLSF-36L-WG	OLSF - 36L with Goods	27 x 24
ES-OLCR-6L	Open Lockout Center - Red for 6 Locks	14 x 14
ES-OLCR-6L-WG	OLCR - 6L with Goods	14 x 14

OPEN LOCKOUT STATION

OPEN LOCKOUT STATION : SIDE VIEW (ACP)



ES-5L-2P-Y-WG

- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 5 nos. |
| 2. Vinyl Coated Hasp - Small | - 1 no. |
| 3. Vinyl Coated Hasp - Premier | - 1 no. |
| 4. Lockout Tags | - 20 nos. |
| 5. ES-5L-2P-Y | - 1 no. |



ES-10L-1P-Y-WG


- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 10 nos. |
| 2. Vinyl Coated Hasp - Small | - 1 no. |
| 3. Vinyl Coated Hasp - Premier | - 1 no. |
| 4. Lockout Tags | - 10 nos. |
| 5. ES-10L-1P-Y | - 1 no. |

- Designed to conveniently store lockout padlocks, tags, and hasps near isolating points.
- Constructed using Aluminium Composite Panel (ACP) with moulded ABS parts for durability.
- Features transparent hooks and rods, enhancing the board's aesthetics.
- Stations are customisable in various sizes, combinations, and presentation types. (Front View or Side View).
- Can be personalized with the company logo and information in any language, as per customer specifications.



ES-20L-2P-Y-WG


- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 20 nos. |
| 2. Vinyl Coated Hasp - Premier | - 2 nos. |
| 3. Lockout Tags | - 20 nos. |
| 4. ES-20L-2P-Y | - 1 no. |



ES-36L-4P-Y-WG

- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 36 nos. |
| 2. Vinyl Coated Hasp - Small | - 1 no. |
| 3. Vinyl Coated Hasp - Premier | - 1 no. |
| 4. Lockout Tags | - 40 nos. |
| 5. ES-36L-4P-Y | - 1 no. |

While placing order please mention “with” or “without” the lockout devices.



ES-20L-2P-YS-WG


- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 20 nos. |
| 2. Lockout Tags | - 20 nos. |
| 3. ES-20L-2P-YS | - 1 no. |



Customization Accepted


OPEN LOCKOUT STATION

OPEN LOCKOUT STATION : SIDE VIEW (ACP)



ES-50L-2P-Y-WG

1. PLSP Padlock with Steel Shackle - Key Different - 50 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 20 nos.
5. ES-50L-2P-Y - 1 no.



ES-100L-4P-Y-WG

1. PLSP Padlock with Steel Shackle - Key Different - 100 nos.
2. Vinyl Coated Hasp - Small - 2 nos.
3. Vinyl Coated Hasp - Premier - 2 nos.
4. Lockout Tags - 40 nos.
5. ES-100L-4P-Y - 1 no.

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-5L-2P-Y	5 Lock Lockout Station	11.5 x 15.5
ES-5L-2P-Y-WG	ES - 5L - 2P - Y with Goods	11.5 x 15.5
ES-10L-1P-Y	10 Lock Lockout Station	13.5 x 13.5
ES-10L-1P-Y-WG	ES - 10L - 1P - Y with Goods	13.5 x 13.5
ES-20L-2P-Y	20 Lock Lockout Station	26 x 12.5
ES-20L-2P-Y-WG	ES - 20L - 2P - Y with Goods	26 x 12.5
ES-20L-2P-YS	20 Lock Lockout Station - Straight	10 x 37.5
ES-20L-2P-YS-WG	ES - 20L - 2P - YS with Goods	10 x 37.5
ES-36L-4P-Y	36 Lock Lockout Station	23 x 22
ES-36L-4P-Y-WG	ES - 36L - 4P - Y with Goods	23 x 22
ES-50L-2P-Y	50 Lock Lockout Station	23 x 28.5
ES-50L-2P-Y-WG	ES - 50L - 2P - Y with Goods	23 x 28.5
ES-100L-4P-Y	100 Lock Lockout Station	39.5 x 28.5
ES-100L-4P-Y-WG	ES - 100L - 4P - Y with Goods	39.5 x 28.5

While placing order please mention “with” or “without” the lockout devices.




Customization Accepted


OPEN LOCKOUT STATION

LOCKOUT HASP HANGER

- Ideal for installation in maintenance rooms to neatly organize lockout hasps.
- Capacity to hold up to 30 lockout hasps.
- Constructed from Aluminium Composite Panel (ACP) with clear hangers for enhanced visibility.



ES-LHH-30H



ES-LHH-30H-WG



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-LHH-30H	Lockout Hasp Hanger for 30 Hasps (VCH - S)	21 x 20
ES-LHH-30H-WG	ES - LHH - 30H with Goods	21 x 20

OPEN LOCKOUT STATION

COMPACT LOCKOUT STATION

- Designed for installation next to equipment that requires frequent small lockouts.
- Helps keep LOTO devices handy and easily accessible to users.
- Inbuilt provision for hanging lockout padlocks and lockout hasps.
- Also available with LOTO goods.



ES-610-Y




ES-610-Y-WG

1. PLSP Padlock with Steel Shackle - Key Different - 2 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 10 nos.
5. Nylon Ties for Tags - 10 nos.
6. ES-610-Y - 1 no.



ES-810-Y



ES-810-Y-WG

1. PLSP Padlock with Steel Shackle - Key Different - 3 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. 1 Piece each of all the PI / PO / POW CCBL - 1 set
5. Large Circuit Breaker Lockout Round Handle - 1 no.
6. Universal Golden Toggle - Miniature Circuit Breaker Lockout - 2 nos.
7. Lockout Tags - 10 nos.
8. Nylon Ties for Tags - 10 nos.
9. ES-810-Y - 1 no.


MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-610-Y	Compact Lockout Station - Small	6 x 10
ES-610-Y-WG	ES - 610 - Y with Goods	6 x 10
ES-810-Y	Compact Lockout Station - Large	8 x 10
ES-810-Y-WG	ES - 810 - Y with Goods	8 x 10



Customization Accepted


OPEN LOCKOUT STATION

CUSTOMIZED OPEN LOCKOUT STATIONS




No two facilities are the same, and neither are their safety requirements. That's why customisation is critical. Our Open Lockout Stations, tailored to your precise specifications, elevate your LOTO procedures, driving safety, efficiency, and compliance in unison.


Customisation Options for Open Lockout Station:




Size
Customise size as per individual requirements.



Add Special Provisions
Provisions like tag & document holders, clip boards, etc.





Mounting Option
Wall-mounted, free-standing or wheel-mounted frame.




View
Lockout Padlocks with a front view or a side view.

Colour Options:



Types of Lockout Devices
Hold different LOTO devices like padlocks, tags, hasps.



Branding
Custom branding to create a consistent visual identity.

SHADOW LOCKOUT STATION



In today's fast-paced industrial environment, safety is paramount, and ensuring an efficient Lockout/Tagout (LOTO) system plays a crucial role in maintaining that safety. At **LTT Lock**, we understand the unique demands of every industrial setup and offer Customised Lockout Tagout Shadow Boards to seamlessly integrate with your safety protocols. Designed for the unique needs of your workplace, our shadow boards provide a visual, intuitive system for managing LOTO equipment. They provide a standardised, organised system that enhances productivity, reduces downtime, and promotes a safer work environment.

SHADOW LOCKOUT STATION

- Designed for localized areas to keep isolation devices near the machine to be locked out.
- Highly visible striped design for easy identification.
- Shadows act as status indicators, clearly showing which equipment is in use.
- Available in unfilled or fully loaded options.
- Made from 4 mm ACP boards for durability.
- Customized lockout shadow boards with machine-specific procedures can be created for larger machines.



ES-SLS-04

While placing order please mention **“with”** or **“without”** the lockout devices.




**Customization
Accepted**




ES-SLS-04-WG

1. PLSP Padlock with Steel Shackle - Key Different - 4 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 10 nos.
5. ES-SLS-04 - 1 no.




ES-SLS-10-WG

1. PLSP Padlock with Steel Shackle - Key Different - 10 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Lockout Tags - 20 nos.
4. ES-SLS-10 - 1 no.



ES-SLS-20-WG

1. PLSP Padlock with Steel Shackle - Key Different - 20 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 20 nos.
5. ES-SLS-20 - 1 no.




ES-SLS-50-WG

1. PLSP Padlock with Steel Shackle - Key Different - 50 nos.
2. Vinyl Coated Hasp - Small - 1 no.
3. Vinyl Coated Hasp - Premier - 1 no.
4. Lockout Tags - 20 nos.
5. ES-SLS-50 - 1 no.

SHADOW LOCKOUT STATION

Also available :



ES-SLS-100-WG

1. PLSP Padlock with Steel Shackle - Key Different - 100 nos.
2. Vinyl Coated Hasp - Small - 3 nos.
3. Vinyl Coated Hasp - Premier - 4 nos.
4. Lockout Tags - 40 nos.
5. ES-SLS-50 - 1 no.

While placing order please mention “with” or “without” the lockout devices.



**Customization
Accepted**

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-SLS-04	Shadow Lockout Station for 4 Locks	17.5 x 11.75
ES-SLS-04-WG	ES - SLS - 04 with Goods	17.5 x 11.75
ES-SLS-10	Shadow Lockout Station for 10 Locks	23.5 x 15
ES-SLS-10-WG	ES - SLS - 10 with Goods	23.5 x 15
ES-SLS-20	Shadow Lockout Station for 20 Locks	22 x 23
ES-SLS-20-WG	ES - SLS - 20 with Goods	22 x 23
ES-SLS-50	Shadow Lockout Station for 50 Locks	36 x 23
ES-SLS-50-WG	ES - SLS - 50 with Goods	36 x 23
ES-SLS-100	Shadow Lockout Station for 100 Locks	38.5 x 46
ES-SLS-100-WG	ES - SLS - 100 with Goods	38.5 x 46

SHADOW LOCKOUT STATION

YELLOW & BLACK SHADOW VALVE LOCKOUT STATION



ES-YB-SVLS-WG

- | | |
|--|-----------|
| 1. De Electric Hasp 6 holes | - 2 nos. |
| 2. PLSP Padlock with Steel Shackle - Key Different | - 6 nos. |
| 3. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 4. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 5. Gate Valve Lockout (ES-06-GVL) | - 1 no. |
| 6. Gate Valve Lockout (ES-08-GVL) | - 1 no. |
| 7. Gate Valve Lockout (ES-10-GVL) | - 1 no. |
| 8. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 9. Top Rail - Ball Valve Lockout Large | - 1 no. |
| 10. One Piece Steel - Small Ball Valve Lockout | - 1 no. |
| 11. One Piece Steel - Large Ball Valve Lockout | - 1 no. |
| 12. Lockout Tags | - 10 nos. |
| 13. Yellow & Black Shadow Valve Lockout Station | - 1 no. |



Also Available in Red & White Combination

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-YB-SVLS	Yellow & Black Shadow Valve Lockout Station	34.5 x 32.5
ES-YB-SVLS-WG	ES - YB SVLS with Goods	34.5 x 32.5

YELLOW & BLACK SHADOW ELECTROMECHANICAL LOCKOUT STATION



ES-YB-S-EMLS-WG

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 5 nos. |
| 2. PLSP Padlock with Steel Shackle - Key Different | - 12 nos. |
| 3. 2 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 4. Universal Fuse Holder Lockout (Thin & Wide) | - 1 set |
| 5. Miniature Circuit Breaker Lockout - Yellow | - 2 nos. |
| 6. Universal Miniature Circuit Breaker Lockout - Blue | - 2 nos. |
| 7. Universal Large Circuit Breaker Lockout - Big Size | - 2 nos. |
| 8. Universal Multi - Functional Circuit Breaker Lockout | - 2 nos. |
| 9. Computer Power Cord Lockout | - 1 no. |
| 10. Economy Multipurpose Cable Lockout with Tool & 2 Mtrs. Vinyl Coated Steel Cable with loop | - 1 set |
| 11. Small Plug Lockout - Premier | - 1 no. |
| 12. Large Plug Lockout - Premier | - 1 no. |
| 13. Pneumatic Lockout - 3 Way | - 2 nos. |
| 14. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 15. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 16. Gate Valve Lockout (ES-06-GVL) | - 1 no. |
| 17. Gate Valve Lockout (ES-08-GVL) | - 1 no. |
| 18. Gate Valve Lockout (ES-10-GVL) | - 1 no. |
| 19. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 20. Top Rail - Ball Valve Lockout Large | - 1 no. |
| 21. Lockout Tags | - 30 nos. |
| 22. Yellow & Black Shadow Electromechanical Lockout Station | - 1 no. |

While placing order please mention “with” or “without” the lockout devices.



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-YB-S-EMLS	Yellow & Black Shadow Electromechanical Lockout Station	31.5 x 48
ES-YB-S-EMLS-WG	ES - YB S EMLS with Goods	31.5 x 48

SHADOW LOCKOUT STATION

YELLOW & BLACK SHADOW CIRCUIT BREAKER LOCKOUT STATION



ES-YB-SCBLS-WG

1. De Electric Hasp 6 holes - 2 nos.
2. PLSP De - Electric Padlock with Nylon Shackle - Key Different - 4 nos.
3. 2 Piece each of all the PI / PO / POW & Tie Bar CCBL - 1 set
4. Miniature Circuit Breaker Lockout - Yellow - 2 nos.
5. Universal Miniature Circuit Breaker Lockout - Blue - 2 nos.
6. Universal Large Circuit Breaker Lockout - Big Size - 2 nos.
7. Universal Multi - Functional Circuit Breaker Lockout - 2 nos.
8. Universal Golden Toggle - Miniature Circuit Breaker Lockout - 6 nos.
9. Lockout Tags - 10 nos.
10. Yellow & Black Shadow Circuit Breaker Lockout Station - 1 no.

MODEL	PRODUCT DESCRIPTION	Size in inch (H x W)
ES-YB-SCBLS	Yellow & Black Shadow Circuit Breaker Lockout Station	23 x 17
ES-YB-SCBLS-WG	ES - YB SCBLS with Goods	23 x 17

YELLOW & BLACK SHADOW WORK PERMIT STATION



ES-YB-SWPS-WG

1. PLSP Padlock with Steel Shackle - Key Different - 4 nos.
2. Permit Holder - 1 no.
3. Group Lock Box - Top Sliding Fascia Panel - 1 no.
4. Lockout Tags - 10 nos.
5. Yellow & Black Shadow Work Permit Station - 1 no.

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-YB-SWPS	Yellow & Black Shadow Work Permit Station	23.5 x 28
ES-YB-SWPS-WG	ES - YB SWPS with Goods	23.5 x 28

YELLOW & BLACK SHADOW GROUP LOCKOUT STATION



ES-YB-SGLS-WG

1. PLSP Padlock with Steel Shackle - Key Different - 24 nos.
2. Permit Holder - 3 nos.
3. Group Lock Box - Top Sliding Fascia Panel - 3 nos.
4. Lockout Tags - 30 nos.
5. Yellow & Black Shadow Group Lockout Station - 1 no.

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-YB-SGLS	Yellow & Black Shadow Group Lockout Station	48 x 46
ES-YB-SGLS-WG	ES - YB SGLS with Goods	48 x 46

While placing order please mention “with” or “without” the lockout devices.



**Customization
Accepted**

SHADOW LOCKOUT STATION

ELECTRICAL SHADOW LOCKOUT STATION



ES-SLS-E

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 2 nos. |
| 2. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 2 nos. |
| 3. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 2 nos. |
| 4. De Electric Hasp 3 holes / 3 mm shackle | - 2 nos. |
| 5. De Electric Hasp 3 holes / 6 mm shackle | - 2 nos. |
| 6. De Electric Hasp 6 holes / 6 mm shackle | - 2 nos. |
| 7. HLSP De Electric Padlock with Nylon shackle - Key Different | - 10 nos. |
| 8. 2 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 9. Universal Circuit Breaker Lockout : A Tail Type with Twister Screw | - 2 nos. |
| 10. Universal Multi - Functional Circuit Breaker Lockout | - 2 nos. |
| 11. Universal Golden Toggle - Miniature Circuit Breaker Lockout | - 2 nos. |
| 12. Two Way Black MG Toggle Hasp | - 2 nos. |
| 13. Universal Multi Pole Breaker Lockout | - 2 nos. |
| 14. Combo - Tool Free Circuit Breaker Lockout | - 2 set |
| 15. 1 Piece each of Grip Tight Circuit Breaker Lockout - Small & Large | - 1 set |
| 16. Clamp On Breaker Lockout - Small for 120 / 277 V breakers | - 2 nos. |
| 17. Cleat for Small Clamp On Breaker Lockout | - 2 nos. |
| 18. Clamp On Breaker Lockout - Medium for 480 / 600 V breakers | - 1 no. |
| 19. Cleat for Medium Clamp On Breaker Lockout | - 1 no. |
| 20. Clamp On Breaker Lockout - Large fits on breaker switches up to 21 / 4" wide and 7 / 8" thick | - 1 no. |
| 21. Large Circuit Breaker Lockout Round Handle | - 2 nos. |
| 22. Normal Push Button Lockout for Electrical Panels - Mushroom | - 2 nos. |
| 23. Oversize Push Button Lockout - Cocoon | - 2 nos. |
| 24. Pin & Sleeve Socket Lockout - Small | - 1 no. |
| 25. Pin & Sleeve Socket Lockout - Medium | - 1 no. |
| 26. Pin & Sleeve Socket Lockout - Large | - 1 no. |
| 27. Pin & Sleeve Plug Lockout | - 3 nos. |
| 28. Small Plug Lockout | - 1 no. |
| 29. Large Plug Lockout | - 1 no. |
| 30. Computer Power Cord Lockout | - 1 no. |
| 31. Universal Fuse Holder Lockout - Red | - 2 nos. |
| 32. Universal Fuse Holder Lockout - Slim | - 2 nos. |
| 33. Fuse Holder Lockout - Thin Grip Type | - 2 nos. |
| 34. Fuse Holder Lockout - Wide Grip Type | - 2 nos. |
| 35. Safe Grip Fuse Puller | - 1 no. |
| 36. Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable without loop | - 2 set |
| 37. Squeezer Multipurpose Cable Lockout - DE Electric - Yellow | - 2 set |
| 38. Hanging Lockout Sign (6" x 8") | - 1 no. |
| 39. Lockout Tags | - 20 nos. |
| 40. Nylon Ties for Tags | - 20 nos. |
| 41. Lockout Pen for Tags | - 1 no. |
| 42. Screw Driver | - 1 no. |

While placing order please mention **“with”** or **“without”** the lockout devices.



**Customization
Accepted**

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-SLS-E	Shadow Lockout Station - Electrical	49 x 46.5
ES-SLS-E-WG	ES-SLS-E with Goods	49 x 46.5

SHADOW LOCKOUT STATION

MECHANICAL SHADOW LOCKOUT STATION



ES-SLS-M

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 2 nos. |
| 2. Vinyl Coated Hasp - Premier | - 2 nos. |
| 3. Stainless Steel Hasp - 5 mm shackle | - 2 nos. |
| 4. HLSPadlock with Steel shackle - Key Different | - 10 nos. |
| 5. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 6. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 7. Gate Valve Lockout (ES-06-GVL) | - 1 no. |
| 8. Gate Valve Lockout (ES-08-GVL) | - 1 no. |
| 9. Gate Valve Lockout (ES-10-GVL) | - 1 no. |
| 10. Adjustable Gate Valve Lockout | - 1 no. |
| 11. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 12. Top Rail - Ball Valve Lockout Large | - 1 no. |
| 13. One Piece Steel - Small Ball Valve Lockout | - 1 no. |
| 14. One Piece Steel - Large Ball Valve Lockout | - 1 no. |
| 15. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set |
| 16. Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable without loop | - 1 set |
| 17. Mettlic Multipurpose Cable Lockout with 2 mtrs. Stainless Steel Cable | - 1 set |
| 18. Cylinder Lockout (Yellow Lid) | - 1 no. |
| 19. Gate Valve Cylinder Lockout | - 1 no. |
| 20. Pneumatic Lockout - Straight with 9 Holes | - 1 no. |
| 21. Hanging Lockout Sign (6" x 8") | - 1 no. |
| 22. Lockout Tags | - 20 nos. |
| 23. Nylon Ties for Tags | - 20 nos. |
| 24. Lockout Pen for Tags | - 1 no. |

While placing order please mention “with” or “without” the lockout devices.



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-SLS-M	Shadow Lockout Station - Mechanical	47 x 46.5
ES-SLS-M-WG	ES-SLS-M with Goods	47 x 46.5

SHADOW LOCKOUT STATION

ELECTROMECHANICAL SHADOW LOCKOUT STATION



ES-SLS-EM

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 2 nos. |
| 2. Vinyl Coated Hasp - Premier | - 2 nos. |
| 3. Stainless Steel Hasp - 5 mm shackle | - 2 nos. |
| 4. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 2 nos. |
| 5. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 2 nos. |
| 6. PLSP Padlock with Steel Shackle - Key Different | - 5 nos. |
| 7. PLSP De - Electric Padlock with Nylon Shackle - Key Different | - 5 nos. |
| 8. 2 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 9. Universal Circuit Breaker Lockout : A Tail Type with Twister Screw | - 2 nos. |
| 10. Universal Multi - Functional Circuit Breaker Lockout | - 2 nos. |
| 11. Universal Golden Toggle - Miniature Circuit Breaker Lockout | - 2 nos. |
| 12. Computer Power Cord Lockout | - 1 no. |
| 13. Small Plug Lockout | - 1 no. |
| 14. Large Plug Lockout | - 1 no. |
| 15. Large Circuit Breaker Lockout Round Handle | - 2 nos. |
| 16. Normal Push Button Lockout for Electrical Panels - Mushroom | - 2 nos. |
| 17. Oversize Push Button Lockout - Cocoon | - 1 no. |
| 18. Gate Valve Lockout (ES-08-GVL) | - 1 no. |
| 19. Gate Valve Lockout (ES-10-GVL) | - 1 no. |
| 20. Adjustable Gate Valve Lockout | - 2 nos. |
| 21. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 22. Top Rail - Ball Valve Lockout Large | - 1 no. |
| 23. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set |
| 24. Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable without loop | - 2 set |
| 25. Cylinder Lockout (Yellow Lid) | - 1 no. |
| 26. Pneumatic Lockout - Straight with 9 Holes | - 1 no. |
| 27. Hanging Lockout Sign (6" x 8") | - 1 no. |
| 28. Lockout Tags | - 30 nos. |
| 29. Nylon Ties for Tags | - 30 nos. |
| 30. Lockout Pen for Tags | - 1 no. |
| 31. Screw Driver | - 1 no. |

While placing order please mention “with” or “without” the lockout devices.



**Customization
Accepted**

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-SLS-EM	Shadow Lockout Station - Electromechanical	58 x 46.5
ES-SLS-EM-WG	ES-SLS-EM with Goods	58 x 46.5

SHADOW LOCKOUT STATION

CUSTOMIZED SHADOW LOCKOUT STATIONS

- Designed for the unique needs of your workplace, our shadow boards provide a visual, intuitive system for managing LOTO equipment. They provide a standardised, organised system that enhances productivity, reduces downtime, and promotes a safer work environment.



Why to get your LOTO shadow boards customised?


- Streamline operations by offering a centralised, visual hub for LOTO equipment.
- Boost compliance by making safety procedures more intuitive and accessible.
- Enhance branding by incorporating your company's logo, colours, and messaging.
- Support multilingual workforces with bilingual, trilingual, or multilingual options.
- It helps to enhance efficiency, safety consciousness, and adherence to safety protocols among the workforce.

Customisation Options for Lockout Tagout Shadow Boards




LOTO Products Inclusion

Choose any Lockout Tagout product(s), device or accessories to be included on the Shadow Board. This customisation ensures the board caters to the specific needs of your work environment / department / location where they are installed



Size and Format


Whether you require a small board for a confined space or a large one for a broad wall, we can customise the size to your specifications. The format can also be tailored to suit your preference, enhancing the board's usability and aesthetics.



Shadow Board Layout


The layout of the board can be designed to your liking, ensuring the most frequently used tools are easily accessible.

SHADOW LOCKOUT STATION




Borders and Corners

Customise the borders and corners to align with your brand's aesthetics or to enhance visibility and attention.



Language Options

Shadow Boards can be bilingual, trilingual, or multilingual for a diverse workforce.



Company Logo

Reinforce your company's brand identity by including the company logo on the Shadow Board.




Safety Message or Additional Info.

Display critical safety messages, policies, or any other information that you believe would benefit your employees.




Colour Theme

Choose a colour theme that aligns with your company's brand colours, or opt for colours that enhance visibility and attention.




Departmental Customisation

Shadow Boards can be customised as per specific departments or areas, accommodating the unique requirements of each.



Graphics or Images

Include any graphic or image that enhances the utility or aesthetic appeal of the Shadow Board.



Shadow Options


Choose between grey shadows or colour shadows for a distinctive or more visual look.



Accessories

Choose from various accessories like permit holders, document holder, log book holder etc., enhancing the functionality of the Shadow Board.

SHADOW LOCKOUT STATION




Mounting Styles

Custom mounting styles - wall mounting, free standing, wheel based/mobile mounting are available to suit your workspace design and requirements.



Product Customisation

Choose between customised/personalised or standard products in the shadow boards, allowing for further personalisation of your LOTO system.




Cabinets for Shadow Boards

Customised shadow boards can also be placed in custom sized cabinets - as per customer's requirements - cabinets can provision to be locked, providing an extra layer of security and protection.

CUSTOMIZED SHADOW LOCKOUT STATIONS

We design the shadow stations as per the location and customer's requirement.



SHADOW LOCKOUT STATION

CUSTOMIZED SHADOW LOCKOUT STATIONS


We design the shadow stations as per the location and customer's requirement.

Land Rover - Paint Shop






LOCKOUT STATION



E-Mail: ktowsh@gmail.com




LOCKOUT STATION



E-Mail: ktowsh@gmail.com

LOCKOUT STATION



General Lockout Procedures


The following general Lockout/Tagout Steps should be followed for Lockout/Tagout operations. It is advised to refer to the Lockout/Tagout Procedures for the specific equipment.

1. Notify the affected equipment operator and other personnel who may be affected by the lockout.
2. Prepare for lockout by removing power at the energy source. Remove the energy source.
3. Apply the lockout device to the energy source.
4. Apply the lockout device to the energy source.
5. Apply the lockout device to the energy source.
6. Apply the lockout device to the energy source.
7. Apply the lockout device to the energy source.
8. Apply the lockout device to the energy source.
9. Apply the lockout device to the energy source.
10. Apply the lockout device to the energy source.

E-Mail: ktowsh@gmail.com

LOCKOUT STATION





LOCKOUT/TAGOUT - MACHINE SPECIFIC PROCEDURE
SODIA - 28 OFR 1014 1407

LOCATION: ASSEMBLY SHOP Machine: ASSEMBLY PLATFORM

Machine No: 01-0001 Model: 01-0001 Machine No: 01-0001

3 LOCK & TAG MISC

ALSTOM

E-Mail: ktowsh@gmail.com

LOCKOUT TAGOUT STATION



Lockout stations are a critical component of any workplace Lockout Tagout program. These stations serve as centralized storage locations for all the LOTO devices, and information required to effectively isolate mechanical and electrical control points. The objective of these stations is to ensure that lockout/tagout (LOTO) equipment is easily accessible to all staff, facilitating the implementation of safety protocols and enhancing overall workplace safety.

Lockout stations can be portable or wall-mounted, designed to be versatile and accessible to fit different work environments. The format and size of lockout stations can vary significantly depending on the specific needs of the workplace. They can be customized to cater to the requirements of individual machines, departments, locations, or entire plants.


LOCKOUT TAGOUT STATION

METALLIC LOCKOUT TAGOUT STATIONS

- Made of special grade metallic sheet for durability and strength.
- The station is powder coated and comes with 2 interchangeable shelves and slotted side panels in the box body.
- Provision can be made for hangers for locks/keys upon request.
- Available in plain or with clear fascia lockable shutters.
- Normally supplied in yellow or red colour, with customized printing of logo/dept. name available for orders of more than 10 units (FREE OF CHARGE).
- The stations feature an ergonomic stainless steel easy-to-grip handle for easy transportation.
- It has 4 die-cut holes for wall mounting.
- The clear fascia front allows for easy visibility and identification of the contents inside the box.
- The stations are lockable, to ensure that the equipment stored inside is secure and protected.




ES-LTS-6-ST



ES-LTS-6



ES-LTS-6-C



ES-LTS-10



ES-LTS-10-C



ES-LTS-6+GB



ES-LTS-10
(*Reference)



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-LTS-6-ST	Lockout Tagout Station Standard	16 x 14 x 6
ES-LTS-6	Lockout Tagout Station	16 x 14 x 6
ES-LTS-6-C	Lockout Tagout Station with Clear Fascia	16 x 14 x 6
ES-LTS-6+GB	Lockout Tagout Station with Group Lock Box	21.3 x 14 x 6
ES-LTS-10	Lockout Tagout Station	24 x 22 x 10
ES-LTS-10-C	Lockout Tagout Station with Clear Fascia	24 x 22 x 10

LOCKOUT TAGOUT STATION

METALLIC LOCKOUT TAGOUT STATIONS

- Large-sized, lockable, heavy-duty Lockout Tagout Station designed for storage of lockout equipment.
- Made of special grade metallic sheet for durability and strength.
- Red powder coated & come with 2 interchangeable shelves and slotted side panels in the box body.
- Provision can be made for hangers for locks/keys on request.
- Customized printing of logo/dept. name available for orders of more than 10 units (Free of Charge).
- 4 die-cut holes for wall mounting.
- The clear fascia front allows for easy visibility and identification of the contents inside the box.



ES-LTS-9



ES-LTS-9-C



ES-LTS-9-C
(*Reference)

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-LTS-9	Lockout Tagout Station - 30" x 15" x 9"	30 x 15 x 9
ES-LTS-9-C	Lockout Tagout Station - 30" x 15" x 9" with Clear Fascia	30 x 15 x 9

CUSTOMISED METALLIC LOCKOUT TAGOUT STATIONS

- Made of special grade metallic sheet for durability and strength.
- Standard colour is yellow, with customized printing of logo/dept. name available for orders of more than 10 units (Free of Charge).
- 4 die-cut holes for wall mounting.
- ES-LBTO: A top opening, lockable station offering secure storage for lockout equipment.
- ES-LTHS: A lockable station with clear fascia for content visibility, equipped with hooks and racks for organizing lockout devices.
- ES-LBTT: A sturdy, lockable Lockout Box with a pull-down front & 4 internal divisions for organized storage of lockout components.



ES-LBTO



ES-LTHS



ES-LTHS
(*Reference)



ES-LBTT



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-LTHS	Lock / Tag / Hasp Station	12.5 x 17 x 3
ES-LBTO	Lockout Box Top Opening	12 x 13 x 5
ES-LBTT	Lockout Box Table Type	20 x 30 x 8



Customization Accepted

LOCKOUT TAGOUT STATION

RED METALLIC LOCKOUT TAGOUT CABINET

- The stations are lockable, ensuring that the lockout equipment stored inside is secure and protected.
- Controls equipment usage and guards against dust, chemicals, and moisture.
- Made of special grade metallic sheet for durability and strength.
- 4 die-cut holes for wall mounting.
- Available in various sizes to fit in most work areas / requirements.
- Standard colour is red, with customized printing of logo/dept. name available for orders of more than 10 units (Free of Charge).
- Supplied with labelled or screen printed facias for identification.



ES-RLTC-L (*Reference)

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-RLTC-S	Red Lockout Tagout Cabinet - Small	14.25 x 10.5 x 4.25
ES-RLTC-M	Red Lockout Tagout Cabinet - Medium	18.25 x 15.5 x 4.25
ES-RLTC-L	Red Lockout Tagout Cabinet - Large	18.25 x 31 x 4.25

*Order with or without goods



YELLOW METALLIC LOCKOUT TAGOUT CABINET

- Secure storage for lockout equipment and supplies in yellow metallic design.
- ES-YLTS-4L cabinet contains 10 tags, 4 padlocks, and 2 hasps.
- ES-YLTS-8L cabinet contains 20 tags, 8 padlocks, and 4 hasps.
- ES-YLTS-20L cabinet contains 40 tags, 20 padlocks, and 8 hasps.
- Labelled or screen-printed facias for easy identification.




MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-YLTC-4L	Yellow Lockout Tagout Cabinet for 4 Locks	7 x 8 x 3
ES-YLTC-8L	Yellow Lockout Tagout Cabinet for 8 Locks	11 x 8 x 3
ES-YLTC-20L	Yellow Lockout Tagout Cabinet for 20 Locks	16 x 12 x 3


*Order with or without goods

LOCKOUT TAGOUT STATION

PORTABLE PADLOCK STATION



- Ideal for transporting and storing essential Lockout Tagout (LOTO) equipment.
- Features a solid black handle for easy portability.
- Ensures lockout devices are accessible and ready for use.
- Constructed from polypropylene for rugged durability.
- Semi-transparent hinged cover with lock protects contents from harsh environments and unauthorized access.
- Unbreakable lemon-yellow base with a semi-clear, lockable cover.
- Can be wall-mounted using 2 slots & 2 holes; overall size 440 x 380 mm.



ES-YPPS



ES-YPPS-WG

- | | |
|--|----------|
| 1. Vinyl Coated Hasp - Small | -2 nos. |
| 2. Vinyl Coated Hasp - Premier | -4 nos. |
| 3. Jacket Padlock with Regular Shackle - Key Different | -15 nos. |
| 4. Jacket Padlock Mini | -1 no. |
| 5. Lockout Economy Tags | -25 nos. |
| 6. Nylon Ties for Tags | -25 nos. |
| 7. Yellow Portable Padlock Station | -1 no. |




Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-YPPS	Yellow Portable Padlock Station	17.25 x 15.75 x 2.5
ES-YPPS-WG	ES - YPPS with Goods	17.25 x 15.75 x 2.5

LOCKOUT TAGOUT STATION

PORTABLE LOCKOUT STATION



ES-YPLS



ES-YPLS-ED-02



ES-YPLS are available with two shelves.

1. Electrical Panel Lockout - Round 45 - 1 no.
2. Electrical Panel Lockout - Round 55 - 1 no.
3. Electrical Panel Lockout - Square Box - Small - 1 no.
4. Electrical Panel Lockout - Square Box - Big 45° - 1 no.
5. Electrical Panel Lockout - Square Box - Big 90° - 1 no.
6. De Electric Slider Hasp for 4 Locks / 3 mm shackle - 1 no.
7. De Electric Slider Hasp for 4 Locks / 6 mm shackle - 1 no.
8. De Electric Hasp 3 holes / 3 mm shackle - 2 nos.
9. De Electric Hasp 3 holes / 6 mm shackle - 2 nos.
10. De Electric Hasp 6 holes / 6 mm shackle - 2 nos.
11. Economy Multipurpose Cable Lockout with Tool & 2 Mtrs. cable with loop - 1 set
12. PLSP De Electric Padlock with Nylon Shackle Red Colour - Key Different - 3 nos.
13. PLSP De Electric Padlock with Nylon Shackle Yellow Colour - Key Alike - 2 nos.
14. Cylinder Electrical Plug Lockout - 1 no.
15. Small Plug Lockout - 1 no.
16. Large Plug Lockout - 1 no.
17. Electrical Panel Handle Lockout - 1 no.
18. Squeezer Multipurpose Cable Lockout - Metallic Blue - 1 no.
19. Combo Miniature Circuit Breaker Lockout - 1 set
20. Universal Fuse Holder Lockout - Red - 1 no.
- 21.1 Piece each of all the PI / PO / POW & Tie Bar CCBL - 1 set
22. Large Circuit Breaker Lockout Round Handle - 1 no.
23. Universal Circuit Breaker Lockout A & B Type - 2 nos.
24. Computer Power Cord Lockout - 2 nos.
25. Fuse Holder Lockout - Thin Grip Type - 1 no.
26. Fuse Holder Lockout - Wide Grip Type - 1 no.
27. Premier Fuse Holder Lockout - 1 no.
28. Lockout Tags - 20 nos.
29. Nylon Ties for Tags - 20 nos.
30. Lockout Pen for Tags - 1 no.
31. Lockout Training Booklet - 1 no.
32. Screw Driver - 1 no.
33. Yellow Portable Lockout Station - 1 no.



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in inch (H x W x D)
ES-YPLS	Yellow Portable Lockout Station	17.25 x 15.75 x 6.75
ES-YPLS-ED-02	ES - YPLS with Goods	17.25 x 15.75 x 6.75

LOCKOUT TAGOUT STATION

CLOSED KEY CABINETS

- Provides a simple, cost-effective key storage solution.
- Constructed from high-quality metallic sheet for durability and security.
- Sturdy steel build with a tough, powder-coated yellow finish for strength and visibility.
- Each cabinet comes with a security lock and two keys for added protection.
- Pre-punched base plate with four wall mounting holes for easy installation.
- Ideal for managing and organizing lockout padlock keys, ensuring easy access and effective lockout/tagout system maintenance.



ES-KC-60



ES-KC-110



ES-KC-210



Internal View



ES-KC-420

MODEL	PRODUCT DESCRIPTION	Size in inch (H x W x D)
ES-KC-60	Key Cabinet for 60 Keys	18.25 x 15.5 x 2
ES-KC-110	Key Cabinet for 110 Keys	18.25 x 15.5 x 2
ES-KC-210	Key Cabinet for 210 Keys	18.25 x 15.5 x 4
ES-KC-420	Key Cabinet for 420 Keys	18.5 x 31.25 x 4.25



LOCKOUT TAGOUT STATION

KEY CABINETS CLEAR FASCIA

- Provides a simple, cost-effective key storage solution.
- Constructed from high-quality metallic sheet for durability and security.
- Sturdy steel build with a tough, powder-coated yellow finish for strength and visibility.
- Each cabinet comes with a security lock and two keys for added protection.
- Clear front design for quick visual key check without unlocking.
- Pre-punched base plate with four wall mounting holes for easy installation.
- Ideal for managing and organizing lockout padlock keys, ensuring easy access and effective lockout tagout system maintenance.



ES-KC-CF-10

ES-KC-CF-30

ES-KC-CF-60

ES-KC-CF-160



ES-KC-CF-420




Group Lock Key Cabinet:

- The group lock key cabinet is specifically designed for group lockout situations, providing a secure and organized storage solution for lockout keys.
- Once the equipment to be worked on has been locked off, all lockout keys are placed inside the cabinet and locked by the responsible person.
- It ensures that access to the keys kept inside the cabinet is restricted, enhancing safety during the lockout process.



ES-GLKC



ES-KDC-CF-36



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-KC-CF-10	Key Cabinet with Clear Fascia - 10 Keys	13 x 10.5 x 2
ES-KC-CF-30	Key Cabinet with Clear Fascia - 30 Keys	14 x 10.5 x 2
ES-KC-CF-60	Key Cabinet with Clear Fascia - 60 Keys	18.25 x 15.5 x 2
ES-KC-CF-160	Key Cabinet with Clear Fascia - 160 Keys	18.25 x 15.5 x 4
ES-GLKC	Group Lock Key Cabinet	18.25 x 15.5 x 2
ES-KDC-CF-36	Key & Document Cabinet with Clear Fascia	17 x 12.5 x 3

LOCKOUT TAGOUT STATION

PADLOCK CABINETS


- Constructed from special grade metallic sheet for durability and security.
- Features a locking arrangement for safe storage of padlocks.
- Ergonomic stainless-steel handle or PVC bracket for easy opening.
- Powder-coated in red for a distinctive look.
- Available in regular and clear fascia types; clear fascia offers visibility of contents.
- Deep cabinet design with staggered hooks for extra space and ample padlock hanging room.
- Comes with a security lock and two keys for added protection.
- Easy installation with pre-punched base plate featuring four wall mounting holes.
- (ES-PC-CF-21) 2" deep cabinets with hooks designed to hold two padlocks each, enhancing storage capacity.




ES-PC-CF-10



ES-PC-21




ES-PC-112



ES-PC-CF-21



ES-PC-CF-28



ES-PC-CF-84



ES-PC-220



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-PC-21	Padlock Cabinet with 21 Hooks (Can Hold 41 Locks)	18.25 x 15.5 x 2
ES-PC-112	Padlock Cabinet for 112 Locks	23 x 15.5 x 5.5
ES-PC-220	Padlock Cabinet for 220 Locks	23 x 31.5 x 5.5
ES-PC-CF-10	Padlock Cabinet Clear Fascia with 10 Hooks	14 x 10.5 x 2
ES-PC-CF-21	Padlock Cabinet Clear Fascia with 21 Hooks	18.25 x 15.5 x 2
ES-PC-CF-28	Padlock Cabinet Clear Fascia with 28 Hooks	23 x 15.5 x 2
ES-PC-CF-84	Padlock Cabinet Clear Fascia with 84 Hooks	23 x 15.5 x 5.5

LOCKOUT TAGOUT STATION

HASP & TAG CABINETS

- Designed to securely store up to 50 hasps and 50 lockout tags.
- Features 50 hooks for hasp storage and 5 hooks for tag storage, each hook holds up to 10 tags.
- High-quality steel construction.
- Vibrant red finish with a clear window for visibility of contents.
- Features a security locking system and two keys for secure storage.
- Hassle-free wall installation with pre-punched holes.



ES-H+T-C-50



ES-H+T-C-50-WG



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-H+T-C-50	Hasp & Tag Cabinet (50 + 50)	36 x 22 x 2.15
ES-H+T-C-50-WG	ES - H+T C 50 With Goods	36 x 22 x 2.15

CUSTOMIZED KEY BOX

- Offers a simple key storage solution for either 1 or 3 keys.
- Made from special grade metallic sheet with a locking arrangement.
- Option to include a chain and hammer upon request.
- Clear front for quick visual checks of 'keys out' without unlocking.
- Standard supply in powder-coated red finish; customized printing of logo or department name free for orders over 25 units.
- Easy installation with 2 pre-punched wall mounting holes at the base plate.



ES-LEKB



ES-GLKB-3R



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-LEKB	Lockout Emergency Key Box for 1 Key	6 x 5 x 1.75
ES-GLKB-3R	Group Lockout Key Box - Red for 3 Key	8.25 x 6.5 x 1.75

LOCKOUT TAGOUT STATION

CUSTOMIZED LOCKOUT TAGOUT PADLOCKS & KEY CABINETS




Safeguarding workplace operations demands more than just general safety measures. It requires precision, accessibility, and utmost effectiveness. Our Customised Lockout Tagout Padlock and Key Cabinets offer a comprehensive solution that ensures your safety standards are not only met but exceeded. Crafted with durability and functionality in mind, these cabinets provide an all-in-one storage solution for your padlocks and keys, while maintaining easy access for authorised personnel.

Why is customisation important?

Customisation is the key to effectiveness in any safety protocol. It ensures your LOTO Padlocks and Keys are available at the shop-floor/designated area and they should be perfectly aligned with your unique operational landscape, providing a seamless fit for your specific requirements.


- Ensures optimal utilisation of space, catering to different sizes and layouts.
- Accommodates varying levels of security with optional locking provisions.
- Facilitates brand consistency with customised printing options.
- Promotes superior accessibility with a range of door types and mounting options.

Customisation Options for Lockout Tagout Station:




Customised Sizes

Choose a size that fits your specific needs.




Different Colours

Colours to match your brand or safety codes.




Locking Provision

Locking provision based on your security needs.




Front Door Design

Opt for a fully covered or clear facia front door.



Mounting Option

Wall-mounted, free-standing or wheel-mounted option.



Handle


LOCKOUT TAGOUT STATION

CUSTOMIZED LOCKOUT TAGOUT PADLOCKS & KEY CABINETS




Customised Printing

Any language, text, graphic, and/or logo(s) for brand.




Number of Hooks

Number of internal hooks for hanging padlocks/keys.




External Side Hooks

For hanging extra devices.




Door Styles

Sliding or hinge type doors.



Illumination

With or without internal/external illumination for easy visibility.



Knob or Handle

With knob or handle on the front door for opening.

LOCKOUT TAGOUT STATION

CUSTOMIZED LOCKOUT TAGOUT STATION




Crafted meticulously using steel sheets, these stations and cabinets are designed to organise your lockout devices securely. From a choice of colours to the locking door design to tamper proof visibility, we ensure that every detail aligns with your unique requirements.

Why is customization important?

Customising lockout tagout solutions isn't merely a matter of aesthetics; it's about optimising safety, accessibility, and efficiency in your workspace.


- Tailored Protection: Customised stations align with your unique safety requirements.
- Ease of Access: Quick and easy access to LOTO devices is crucial in emergencies.
- Regulatory Compliance: Customised solutions ensure alignment with OSHA standards.
- Brand Identity: Reflect your brand's image or safety protocols.
- Space Efficiency: Choose from wall-mounted, free-standing, or wheel-mounted options based on your space availability.

Customisation Options for Lockout Tagout Station:




Customised Sizes

Choose a size that fits your specific needs.




Different Colours

Colours to match your brand or safety codes.




Locking Provision

Locking provision based on your security needs.




Front Door Design



Mounting Option

Wall-mounted, free-standing or wheel-mounted option.



Handle

LOCKOUT TAGOUT STATION

CUSTOMIZED LOCKOUT TAGOUT STATION




Customised Printing

Select text, graphics, and logos in any language.




Internal Hooks

Decide on the number of hooks inside the station.




External Side Hooks

Option to add side hooks for extra hanging space.




Type of Doors

Choose between sliding or hinge type doors .




Illumination

Opt for internal/external illumination for extra visibility.




Front Door Opening

Choose between a knob or a handle for the front door.



Security Level

Different lock options based on your security needs.



Branding

Branding to establish a consistent visual identity.

GROUP LOCK BOXES



A group lock box is a crucial lockout safety device used in many industrial settings, designed to enable multiple workers to work on a single piece of equipment while ensuring the safety of each individual involved. After machine or process is locked out, the key or keys of the machines are placed in a lock box. The main function of a group lock box is to securely hold keys for the locked-out equipment, preventing it from being re-energized until every individual working on the equipment has completed their work and removed their personal lock from the box.

GROUP LOCK BOXES

GROUP LOCK BOX

- Made of special-grade metallic sheet for lasting durability in group lockout procedures.
- Box is powder coated & features multiple slots on the body and flap for holding lockout padlocks.
- Additional padlock installation option on the locking buckle for extra security.
- Ergonomic stainless-steel handle on top for easy handling and transportation.
- Standard powder-coated in red, with options like yellow, blue, green available on customer request (*MOQ Applies).
- Wall bracket group lock boxes are designed for convenient wall mounting.
- Stainless-steel version offered for corrosive environments, featuring a clear polycarbonate sheet for corrosion resistance and content visibility.



- Lockout message is normally printed in English. **Other Regional Language / Company Logo / Dept. Name can also be incorporated on request.**
- Each piece is individually packed in white corrugated box.
- Master carton contains 10 pieces.



* Minimum Order Quantity 100 Nos.



ES-GLB-R-7



ES-GLB-Y-7



ES-LB-R



ES-LB-Y



ES-GLB-R-13



ES-GLB-Y-13



ES-GLB-R-17



ES-GLB-Y-17



ES-GLB-WB



ES-GLB-SS

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GLB-R-7/Y-7	Group Lock Box - Red 7 or Yellow 7	7.35 x 4.85 x 4.35
ES-LB-R/Y	Lockout Box - Red or Yellow	7.25 x 10.75 x 4.35
ES-GLB-R-13/Y-13	Group Lock Box - Red 13 or Yellow 13	7.25 x 10.75 x 4.35
ES-GLB-R-17/Y-17	Group Lock Box - Red 17 or Yellow 17	7.25 x 10.75 x 4.35
ES-GLB-WB	Group Lock Box with Wall Bracket	7.25 x 10.75 x 4.35
ES-GLB-SS	Group Lock Box - Stainless Steel	7.25 x 10.75 x 4.35

GROUP LOCK BOXES

GROUP LOCK BOX

- Larger group lock boxes are available to hold critical machine parts, keys, fuses, and other essential items.
- Some models feature a sliding clear fascia for easy visibility and access.
- The ES-GLB-C-17 combines a box with a clear GLB design.
- Wall-mounting ES-GLB-ST-15 includes internal key hangers for organized key storage.
- We offer customizable group lock box store cabinets tailored to specific needs, in various sizes for different GLB types (*MOQ - 50 Units).



ES-GLB-B-4



ES-GLB-C-17



ES-GLB-ST-15



ES-GLB-L-13



ES-GLB-SL-26



* Minimum Order Quantity for Customized Products - 50 Nos.

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GLB-B-4	Group Lock Box - Big 4	8.25 x 12.35 x 7.75
ES-GLB-L-13	Group Lock Box - Large 13	7.10 x 10 x 7.30
ES-GLB-SL-26	Group Lock Box - Slider 26	4.25 x 9.25 x 5.50
ES-GLB-C-17	Group Lock Box - Combo 17	7.10 x 13.60 x 7.75
ES-GLB-ST-15	Group Lock Box - Standing 15	11.35 x 6.25 x 3.35

GROUP LOCK BOX CABINETS

- ES-C-GLB Available in 3/6/9/12/15 cabins with clear poly carbonate hinged door & locking arrangement.
- They can be customized to accommodate your selected group lock boxes.
- These cabinets are ideal for ES-GLB-13 and 17. The size of cabinets will vary for other Group Lock Boxes.



ES-C-GLB-3



ES-C-GLB-6



ES-C-GLB-15

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-C-GLB-3	Cabinet for Group Lock Boxes 3	30 x 12 x 12
ES-C-GLB-6	Cabinet for Group Lock Boxes 6	30 x 24 x 12
ES-C-GLB-15	Cabinet for Group Lock Boxes 15	30 x 60 x 12



GROUP LOCK BOXES

WALL MOUNT / EASY CARRY GROUP LOCK BOX

- Ideal for groups of employees performing lockout procedures on equipment with multiple lockout points.
- Wall-mountable design centralizes group lockouts throughout the facility.
- Made of durable steel with a clear polycarbonate window for visual confirmation of enclosed keys.
- Features a keyhole slot for convenient insertion of keys post-lockout.
- Includes internal key hangers for organized key storage.
- Keys inside the box remain inaccessible until all locks are removed, and the panel can be slid open to access the keys.
- Comes with pre-drilled holes and necessary hardware for easy installation.
- Available in five different styles to accommodate various needs and preferences.



Bottom Locking



Side Locking



Internal Hangers



ES-WGLB-US-7

ES-WGLB-US-9

ES-WGLB-US-12



ES-WGLB-T



ES-WGLB-SS-Y



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-WGLB-US-7	Wallmount Group Lock Box - Upper Slider 7	9.25 x 8.10 x 2.35
ES-WGLB-US-9	Wallmount Group Lock Box - Upper Slider 9	13.35 x 12 x 3.10
ES-WGLB-US-12	Wallmount Group Lock Box - Upper Slider 12	9.35 x 17 x 2.35
ES-WGLB-T	Wallmount Group Lock Box - Twin	7 x 12 x 2
ES-WGLB-SS-Y	Wallmount Group Lock Box - Side Slider Yellow	6.5 x 14.25 x 6

GROUP LOCK BOXES

KEY GROUP LOCKOUT BOX

- Made from powder-coated special grade steel sheets for maximum durability.
- Includes a stainless-steel handle on top for easy portability.
- Equipped with pre-drilled holes and necessary hardware for convenient wall mounting.
- Features a transparent window for clear visibility of keys and documents inside.
- Durable red powder-coated finish for enhanced visibility and longevity.
- Contains document holder slots on the main body for safe storage and organization of lockout/tagout forms or permits.




ES-GL-1/2




ES-GL-1



Bottom Locking



ES-GL-2



ES-GL-3



Internal Hangers



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GL-1/2	4 - Key Group Lockout Box	11.25 x 6 x 3.10
ES-GL-1	8 - Key Group Lockout Box	12.25 x 12 x 3.10
ES-GL-2	24 - Key Group Lockout Box	18.75 x 12.50 x 3.10
ES-GL-3	50 - Key Group Lockout Box	21.25 x 18 x 3.10

GROUP LOCK BOXES


WALL MOUNT STORAGE GROUP LOCK BOX



Bottom Locking



Lockable Steel Cabinet



Internal Hangers



Customization Accepted

- Centralizes storage of all lockout devices, organized by department.
- Lockable steel cabinet for enhanced security and theft prevention.
- Features hooks for small lockout devices and a shelf for larger lockouts.
- Facilitates efficient group lockout, promoting safety and effective communication.
- A label on the inside door serves as a handy reference, providing 10 basic steps for lockout procedures.
- The lock box can be ordered filled with lockout devices or unfilled to accommodate your own supplies.
- Available in small, medium, and large sizes for various needs.
- Ideal for facilities with large groups or multiple lockout requirements.
- Clear window for visibility of locked-out keys and quick identification.
- Keyhole slot for easy key insertion post-securing.
- Clear polycarbonate panel slides open for access once the last lock is removed.
- The ES-WPR-GLB model accommodates up to 7 padlocks at the bottom and up to 9 padlocks in each row.
- Comes with pre-drilled holes and hardware for straightforward wall mounting.



ES-WPR-GLB



ES-WS-GLB-S



ES-WS-GLB-M



ES-WS-GLB-L

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-WPR-GLB	Wallmount Padlock Rack with Group Lock Box	19 x 7 x 2
ES-WS-GLB-S	Wallmount Storage with Group Lock Box - Small	21.5 x 10.25 x 4.25
ES-WS-GLB-M	Wallmount Storage with Group Lock Box - Medium	25 x 15.5 x 4.25
ES-WS-GLB-L	Wallmount Storage with Group Lock Box - Large	25 x 31 x 4.25

GROUP LOCK BOXES

SMART GROUP LOCK BOX



ES-R-GLB-12



ES-R-GLB-24

These new designs of Group Lock Boxes have been specifically created based on customers requests of various countries.

- The **ES-R-GLB-12** features a 12-hole configuration in a 6x2 pattern on the side, with a sideways sliding clear polycarbonate fascia for easy access to lockout keys.
- **ES-R-GLB-24** is a 24-hole Group Lock Box, designed with a 3-way side pattern for padlocks and a top sliding clear polycarbonate fascia for key retrieval.
- Both models are equipped with key hangers, offering organized storage for keys related to lockout procedures.



- Made from special grade metallic sheet for lasting durability.
- Powder-coated for a protective finish, with multiple slots for lockout padlocks, suitable for group lockouts.
- Additional padlocks can be installed on the locking buckle for extra security.
- Ergonomic stainless-steel handle on top for ease of handling and transportation.
- Standard powder coating in red, with options like yellow, blue, or green available on request (*Minimum Order Quantity Applies).
- Feature a clear polycarbonate sheet for visibility of contents.
- The lockout message on the box is usually printed in English, but other regional languages, company logos, or department names can be incorporated upon request.
- Individually packaged in a white corrugated box, with a master carton containing 10 pieces.

ES-S-GLB-13-DW



Clear Fascia

ES-S-GLB-13-SWPB



Clear Fascia

ES-S-GLB-13-SWSB




Clear Fascia

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-R-GLB-12	Rectangular Group Lock Box for 12 Holes	7.125 x 12.20 x 4
ES-R-GLB-24	Rectangular Group Lock Box for 24 Holes	6.125 x 12.25 x 4
ES-S-GLB-13-DW	Smart Group Lock Box for 13 Locks with Double Window	6 x 9 x 4.30
ES-S-GLB-13-SWPB	Smart Group Lock Box for 13 Locks with Single Window Perforated Back	6 x 9 x 4.30
ES-S-GLB-13-SWSB	Smart Group Lock Box for 13 Locks with Single Window Solid Back	7.10 x 13.60 x 7.75


GROUP LOCK BOXES

29 HOLE GROUP LOCK BOX

- Manufactured from high-quality ABS for durability and reliability.
- Once a single padlock is placed on the central lock point, the inner contents of the box are protected and cannot be tampered with.
- Features 16 internal hangers for easy organization of keys.
- There are 29 holes provided for installing lockout padlocks (sold separately), allowing multiple workers to participate in a lockout procedure.
- Available with a clear, tamper-proof top cover, with options for top sliding or hinged access.
- Transparent cover allows for quick identification of keys, increasing efficiency in lockout situations.
- The box includes two rear mounting holes and a top slot in the cover for conveniently dropping in additional keys during an ongoing lockout procedure.



ES-GLB-H-29



ES-GLB-TS-29



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GLB-H-29	Group Lock Box - Hinged Fascia Panel - 29 Holes	11 x 13 x 4
ES-GLB-TS-29	Group Lock Box - Top Sliding Fascia Panel - 29 Holes	11 x 13 x 3.4

GROUP LOCK KEY CABINET

The group lock key cabinet is specifically designed for group lockout situations, providing a secure and organized storage solution for lockout keys. Once the equipment to be worked on has been locked off, all lockout keys are placed inside the cabinet and locked by the responsible person. This ensures that access to the keys kept inside the cabinet is restricted, enhancing safety during the lockout process.

The group lock key cabinet can be customized according to the customer's requirements, including different sizes, number of internal key hangers and the option to have a specific number of locks on the cover.



ES-GLKC



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GLKC	Group Lock Key Cabinet	18.25 x 15.5 x 2

GROUP LOCK BOXES

83 PADLOCK GROUP LOCK BOX



CUSTOMIZED PRODUCT IN GREEN COLOUR



- Lock box is specifically designed for group lockouts.
- It is made of special grade metallic sheet with a durable and transparent polycarbonate top sliding cover.
- The standard colour is red, but other colours are available upon request (*MOQ Applicable).
- The lock box can accommodate up to 83 lockout padlocks and includes 10 key hooks for added convenience.
- For easy handling and carrying, an ergonomically designed lifting slot is provided at the top of the group lock box.
- Lockout messages are typically printed in English, but customization options are available for other regional languages, company logos, and department names upon request.



ES-GLB-83

The GLB can be installed on a wall using the wall bracket that comes along with this product.



ES-GLB-83-PTW

Includes a clipboard to securely attach Permit-To-Work documents.



The GLB can be hung on a wall with the help of 2 screws supplied with the GLB.



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in inch (h x w x d)
ES-GLB-83	Group Lock Box 83	27 x 13.5 x 2
ES-GLB-83-PTW	Group Lock Box 83 with Permit-To-Work Clip	27 x 13.5 x 2

GROUP LOCK BOXES



GROUP LOCK MINI BOXES

- Mini group lock boxes are custom-designed steel lockout key/document holder boxes.
- The boxes are powder coated for enhanced protection and are available with a polycarbonate unbreakable clear fascia.
- Each box features a padlock eye/slot for securely holding LOTO hasps and locks.
- Customization options are available for different sizes, colours (such as red, yellow, or other powder coating options), & configurations based on specific site or lockout requirements.
- The boxes can be arranged in different numbers, and combinations of rows and columns to accommodate the needs of different companies and lockout scenarios.



ES-GLMB-1



ES-GLMB-2



ES-GLMB-3



ES-GLMB-4

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GLMB-1	Group Lock Mini Box - 1	6.25 x 6.25 x 2.10
ES-GLMB-2	Group Lock Mini Box - 2	6.25 x 6.25 x 2.10
ES-GLMB-3	Group Lock Mini Box - 3	6.25 x 6.25 x 2.10
ES-GLMB-4	Group Lock Mini Box - 4	6.25 x 6.25 x 2.10




Customization Accepted


GROUP LOCK BOXES

WALL MOUNTED STATION FOR GROUP LOCK MINI BOXES


- Wall-mounted stations for Group Lock Mini Boxes (GLMB) are designed & customized according to customer requirements, offering flexibility in combinations and written instructions.
- Customization options include adding department names, box numbers, selecting the box colour or background plate colour, and printing logos, all based on the purchase order specifications.
- The stations can be supplied in wall-mounted or wheel-mounted configurations.
- Customers can choose from the following GLMB depending on their desired station setup:
 - ES-GLMB-1
 - ES-GLMB-2
 - ES-GLMB-3 or
 - ES-GLMB-4
- The GLMB stations can be manufactured in various sizes, starting from 4" x 4", and can be customized with internal shelves, clear fascia or steel mesh fascia, and the option for a keyhole/s on the doors, depending on specific needs.




ES-WMS-GLMB-6




ES-WMS-GLMB-8



ES-WMS-GLMB-12



ES-WMS-GLMB-16



ES-WMS-GLMB-24



ES-PS-GLMBW

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-WMS-GLMB-6	Wall Mounted Station for GLMB - 6 Box	21.5 x 24
ES-WMS-GLMB-8	Wall Mounted Station for GLMB - 8 Box	21.5 x 31.5
ES-WMS-GLMB-12	Wall Mounted Station for GLMB - 12 Box	29.5 x 31.5
ES-WMS-GLMB-16	Wall Mounted Station for GLMB - 16 Box	37.5 x 31.5
ES-WMS-GLMB-24	Wall Mounted Station for GLMB - 24 Box	37.5 x 46.5
ES-PS-GLMBW	Portable Station for GLMB on Wheel	Customized



GROUP LOCK BOXES

PVC GROUP LOCK MINI BOXES


- Made of high quality ABS / Polycarbonate.
- Once a single padlock is placed, the inner contents cannot be tampered with.
- Ideal for group lockout procedures.
- 5 holes are provided for installing 5 nos. lockout padlocks.
- Transparent cover allows to identify keys / document inside.
- 5 hooks are provided for hanging keys inside.
- Customization like Department Name, Box No., Printing of logo, etc can be done and supplied according to the order.



ES-GLMB-5

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-GLMB-5	Group Lock Mini Box - 5	5.95 x 6.68 x 2.2

WALL MOUNTED STATION FOR PVC GROUP LOCK MINI BOX




ES-WMS-GLMB5-16



ES-WMS-GLMB5-6




ES-WMS-GLMB5-8



ES-WMS-GLMB5-12



ES-WMS-GLMB5-20



ES-WMS-GLMB5-24

- Wall-mounted stations for PVC Group Lock Mini Boxes (GLMB) are designed & customized as per customer requirements, offering flexibility in combinations and written instructions.
- Customization options include adding department names, box numbers, selecting the box colour or background plate colour, and printing logos, all based on the purchase order specifications.
- The stations can be supplied in wall-mounted or wheel-mounted configurations.


Base Plate is Made of 4mm ACP (Aluminium Composite Panel) Sheet in Red Colour.

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-WMS-GLMB5-6	Wall Mounted Station for GLMB - 5 - 6 Box	20 x 24
ES-WMS-GLMB5-8	Wall Mounted Station for GLMB - 5 - 8 Box	20 x 32
ES-WMS-GLMB5-12	Wall Mounted Station for GLMB - 5 - 12 Box	28x 32
ES-WMS-GLMB5-16	Wall Mounted Station for GLMB - 5 - 16 Box	36 x 32
ES-WMS-GLMB5-20	Wall Mounted Station for GLMB - 5 - 20 Box	48 x 32
ES-WMS-GLMB5-24	Wall Mounted Station for GLMB - 5 - 24 Box	36 x 48

GROUP LOCK BOXES

SAFETY LOCKOUT BOXES

- Safety lockout boxes are designed for group lockout situations, providing a secure storage solution for lockout keys, fuses, and other important items.
- They ensure that access to these items is restricted until all lockout procedures are completed.
- All models come with inbuilt cabinet locks that cannot be removed from their slots, providing added security.
- Control keys can be "key alike" for multiple lockout boxes under the control of a responsible person, while secondary keys are "key different". Keys can be equipped with individual identification key chains for easy identification.
- All the lockout boxes have markings such as A, B, C,.... or 1, 2, 3,..... etc. for individual locks, which can be customized according to the customer's requirements. The keys also feature corresponding markings for easy matching with the boxes.



ES-SLB-3K



ES-SLB-4K



ES-SLB-5K



ES-SLB-8K

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-SLB-3K	Safety Lockout Box with 3 Keys	5 x 6.25 x 4.15
ES-SLB-4K	Safety Lockout Box with 4 Keys	6.5 x 6.25 x 4.15
ES-SLB-5K	Safety Lockout Box with 5 Keys	8 x 6.25 x 4.15
ES-SLB-8K	Safety Lockout Box with 8 Keys	12.25 x 6.25 x 4.15

CUSTOMISED SAFETY LOCKOUT BOXES

- Locking provision inbuilt with the box, furthermore allows for 12 padlocks to be applied.
- Safety lockout box is supplied with 1 key / 5 keys.



ES-SLB-1K-12H-R



ES-SLB-5K-12H

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W x D)
ES-SLB-1K-12H-R	Safety Lockout Box with 1 Keys - 12 Holes - Red	6 x 6 x 2.5
ES-SLB-5K-12H	Safety Lockout Box with 5 Keys - 12 Holes	9 x 6 x 3.5



**Customization
Accepted**

GROUP LOCK BOXES

WALL MOUNTED STATION FOR SAFETY LOCKOUT BOXES


- Wall-mounted stations for Safety Lockout Boxes (SLB) are designed and customized as per customer requirements, offering flexibility in combinations & written instructions.
- Customization options include adding Department Names, Box Numbers, selecting the box colour or background plate colour, and printing logos, all based on the purchase order specifications.
- The stations can be supplied in wall-mounted or wheel-mounted configurations.
- Customers can choose from the following SLB depending on their desired station setup:
 - ES-SLB-3K
 - ES-SLB-4K
 - ES-SLB-5K
 - ES-SLB-8K
- The SLB stations can be manufactured in various sizes, starting from 4" x 4", and can be customized with internal shelves, clear fascia or steel mesh fascia, and the option for locks on the doors, depending on specific needs.




ES-WMS-SLB-5K-6




ES-WMS-SLB-5K-8



ES-WMS-SLB-5K-12



ES-WMS-SLB-5K-16



ES-WMS-SLB-5K-24



ES-WMS-SLB-5K-15-W

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-WMS-SLB-5K-6	Wall Mounted Station for SLB-5K – 6 Box	24.5 x 24
ES-WMS-SLB-5K-8	Wall Mounted Station for SLB-5K – 8 Box	24.5 x 31.5
ES-WMS-SLB-5K-12	Wall Mounted Station for SLB-5K – 12 Box	34 x 31.5
ES-WMS-SLB-5K-16	Wall Mounted Station for SLB-5K – 16 Box	43.5 x 31.5
ES-WMS-SLB-5K-24	Wall Mounted Station for SLB-5K – 24 Box	43.5 x 46.5
ES-PS-SLM-5K-W	Portable Station for SLB-5K on Wheel	Customized




Customization Accepted

GROUP LOCK BOXES


CUSTOMIZED LOCKOUT TAGOUT GROUP LOCK BOX

Our extensive customisation options mean that your Lockout Tagout process is as streamlined and effective as possible, while achieving compliance and meeting the specific requirements of your LOTO program and industry.


Customisation Options for Lockout Tagout Station:




Customised Sizes and Formats




Different Colours




Manufacturing Material




Number of Holes for Lockout Padlocks




Door Type




Mounting Options



Carrying Handles




Storage Provision




Customised Printing

GROUP LOCK BOXES




Number of Internal Hooks

Decide on the number of internal hooks needed for hanging keys or tags.




Locking Provisions

Choose between single or multiple locking provisions for enhanced safety.



External Side Hooks

Opt for side hooks for hanging extra devices, if necessary.




Door Opening Style

Choose between top sliding doors or hinge type doors based on ease of use.




Multiple Group Lock Boxes

Opt for multiple group lock boxes on a big board for larger teams or complex procedures.



Illumination

Choose internal or external illumination for improved visibility.



Door Accessories

Opt for a knob or handle on the front door for easy opening.

LOCKOUT TAGS



Lockout tags are an integral part of the Lockout Tagout program. Made from high-impact, flexible polyvinyl sheets, these tags are resistant to water, oil, and extreme temperatures, making them durable in a multitude of conditions, from harsh factory settings to outdoor environments. Their easily writable surface allows quick and clear communication of crucial safety information, including the nature of ongoing work, the person responsible, and the expected duration of the lockout. They can be securely attached directly using **LTT Lock**'s devices or with a nylon cable tie, providing versatility in their use.

These tags play a key role in individual and collective safety communication. The Danger Tag is used by workers to indicate they are working on specific equipment, thereby preventing accidental operation. Accident Prevention Tags, on the other hand, alert people to potential dangers in a given area or around particular machinery, while also providing important safety instructions. This way, lockout tags act as both a deterrent and an informative tool, promoting safety awareness and accident prevention in the workplace.

LOCKOUT TAGS

STANDARD SAFETY LOCKOUT TAGS

- These highly visible safety tags aid the safe running and maintenance of site machinery.
- Made from high impact styrene or flexible polyester, resistant to water, oil, and extreme temperatures ensuring durability.
- The surface of the tags is suitable for writing on with a marker pen, allowing for easy customization.
- Available in semi-rigid plastic with thickness options of 0.5mm or 0.7mm for added strength and resilience.
- Can be attached directly to E-Square devices or secured with nylon cable ties for convenience and versatility.
- DANGER TAG is designed for individual workers on equipment, acting as a visual warning to others.
- Accident Prevention Tags inform potential hazards or safety instructions for awareness and compliance.
- Our 0.7mm tags are tear-proof, ensuring their longevity even in demanding environments.
- The tags are available in packs of 10, 25, 50, or 100.



T-1 T-2 T-3 T-4 T-5 T-6



T-7 T-8 T-9 T-10 T-11 T-12



T-13 T-14 T-15 T-16 T-17 T-18



Common Back Side (T-1 to T-6 & T-8 to T-24)



T-19 T-20 T-21 T-22 T-23 T-24

*Note - These tags can be customized in all regional and international languages.




MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-TAGS-T	Tags Made of White Special Grade PVC Sheet	145 X 80


LOCKOUT TAGS

TAG CUSTOMIZATION

- **Size and Format:** Choose from a variety of sizes and formats for maximum visibility and relevance.
- **Colours:** Opt for your choice of colours or fluorescent tags for enhanced visibility.
- **Materials:** Select from PVC sheets of various thicknesses, cardboard, tearable or non-tearable materials.
- **Eyelet/Grommet:** Decide whether you want your tags with or without an eyelet/grommet.
- **Print:** Blank or printed, single or multi-coloured, the choice is yours. (Printed – single or double side)
- **Special Tags:** Special tags in rolls or boxes are available for bulk requirements (MOQ applicable).
- **Shapes:** Choose from rectangle, square, 90-degree edges, slotted, rounded, or perforated tags.
- **Installation:** With or without a string or cable ties.
- **Personalised Printing:** Customise the printing in any language, with your desired text, graphics, or logo(s).
- **Colour Combination:** Opt for different colour combinations on the front and back side for better information segregation.
- **Tag Type:** Choose between standard or self-laminating tags based on your needs.



Examples :



TC-1



LOCKOUT TAGS

CUSTOMIZED LOCKOUT TAGS

- **Size and Format:** Choose from a variety of sizes and formats for maximum visibility and relevance.
- **Colours:** Opt for your choice of colours or fluorescent tags for enhanced visibility.
- **Materials:** Select from PVC sheets of various thicknesses, cardboard, tearable or non-tearable materials.
- **Eyelet/Grommet:** Decide whether you want your tags with or without an eyelet/grommet.
- **Print:** Blank or printed, single or multi-coloured, the choice is yours. (Printed – single or double side)
- **Special Tags:** Special tags in rolls or boxes are available for bulk requirements (MOQ applicable).
- **Shapes:** Choose from rectangle, square, 90-degree edges, slotted, rounded, or perforated tags.
- **Installation:** With or without a string or cable ties.
- **Personalised Printing:** Customise the printing in any language, with your desired text, graphics, or logo(s).
- **Colour Combination:** Opt for different colour combinations on the front and back side for better information segregation.
- **Tag Type:** Choose between standard or self-laminating tags based on your needs.



ES-CT-01



ES-CT-02



ES-CT-03



BACK SIDE OF (ES-CT 01 TO 03)



ES-CT-04



ES-CT-05



ES-CT-06



BACK SIDE OF (ES-CT-04 TO 06)



ES-CT-07



ES-CT-08



ES-CT-09



ES-CT-10



ES-CT-11



ES-CT-12



ES-CT-13



ES-CT-14



ES-CT-15




BACK SIDE OF (ES-CT-07 TO 15)



ES-CT-16



ES-CT-17




ES-CT-18




LOCKOUT TAGS

CUSTOMIZED LOCKOUT TAGS


Blank Tags




ES-CT-26 (172 x 83 mm)
Straight Cut




ES-CT-27 (145 x 80 mm)
Top Sides Cut



ES-CT-28 (172 x 83 mm)
Top Cut Bottom Round




ES-CT-29 (145 x 80 mm)
Top Round



ES-CT-30 (172 x 83 mm)
4 Side Round



Customization Accepted



ES-CT-19
(Single Side)


ES-CT-20

ES-CT-21

Size : 172 x 83 mm

SELF LAMINATING / LINER PROTECTIVE TAGS


- Self-laminating tags have become a mainstay for environmentally hostile conditions. When you need a customized message that won't smudge or wear, use our self-laminating tags that let you seal in your message under a clear, protected layer.
- Each tag features a reinforced eyelet for sturdy hanging with a wire or nylon tie.
- Simply remove the lining and press the clear polyester layer onto your text to laminate.
- Write on this tag with any marker pen for a smudge-free message.
- Durable tags will resist water and wear in your facility.
- These tags are made of 0.7 mm white special grade PVC sheet with polyester over laminate to protect the photo and other written data.



ES-CT-22

ES-CT-23

ES-TAG+L



ES-CT-24

ES-CT-25

LOCKOUT TAGS

LOCKOUT ECONOMY TAGS

- Made of hard paper material and laminated after printing, ensuring durability.
- Offer an easy-to-write-on surface, and ensures text remains legible over time.
- Tags are equipped with a brass eyelet that can accommodate most padlock shackles, allowing for easy attachment and secure locking.
- They are typically packed in standard quantities of 100 tags, providing an economical solution for lockout tagout procedures.



ES-LE-TAGS



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-LE-TAGS	Lockout Economy Tags (set of 100 nos.)	145 X 80

REINFORCED TAGS

Reinforced tags provide a clear caution message and are designed for use with lock shackles. These tags are made of 0.7 mm PVC material and are single side printed. The reinforced brass eyelet ensures that the tag remains securely attached and prevents tearing. Each set includes 10 tags.



ES - RCT



Customization Accepted

PERSONALISED TAGS

Personalised laminated ID tags are printed on both sides with a customised notice and include the employee's name and photograph. This helps clearly identify who is working on the isolated equipment, enhancing safety and accountability. Each set includes 10 personalised tags.



ES-PD-TAGS

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-PD-TAGS	Personalised Tags	120 x 75
ES-RCT	Reinforced Caution Tags	75 x 100


LOCKOUT TAGS

PERFORATED LOCKOUT TAGS

- Perforated lockout tags feature a section that can be torn off, providing additional functionality and record-keeping capabilities.
- Numbered tags are made of durable, laminated hard card material, ensuring their longevity and resistance to wear and tear.
- The two-part design of these tags enhances operational control and accountability in LOTO procedures.
- When the tag is attached to a lockout point, the stub portion is removed, indicating that the equipment or machinery is locked out and tagged out.
- Only the employee in possession of the stub has the authority to remove the tag, ensuring proper authorization and control over the equipment.
- Once the job is completed, the stub is returned to management for verification and monitoring of lockout and tagout activities within the plant.
- This system allows for efficient tracking and documentation of lockout and tagout procedures, enhancing safety and compliance measures.



A



B



Rings can be ordered separately



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-TAG+1	Tags with Perforation	175 X 80

LOCKOUT TAGS

CUSTOMIZED LANGUAGE LOCKOUT TAGS

LTT Lock offers highly visible and customizable Lockout Tags that can be designed in any language to ensure safe maintenance procedures for workers. We understand the importance of clear communication in various languages, whether it's Spanish, Russian, Romanian, Arabic, Hebrew, Korean, Ukrainian, Tamil, English, Hindi, or any other local, national, or international language.

- The tags are printed on rigid PVC sheets with a writing surface on both sides.
- Each tag is fitted with a brass eyelet for easy attachment.
- Bilingual or multilingual signs can also be made to accommodate language requirements.
- The tags can be customized with any graphic, text, or logo as per the client's specifications.

*MOQ Applicable.



ES-CT-L-1



ES-CT-L-2



ES-CT-L-3



ES-CT-L-4



ES-CT-L-5



ES-CT-L-6



ES-CT-L-7



ES-CT-L-8



ES-CT-L-9



ES-CT-L-10



ES-CT-L-11



ES-CT-L-12



*Reference



ES-CT-L-13



ES-CT-L-14



ES-CT-L-15



Customization Accepted

LOCKOUT TAGS

DISPOSABLE LOCKOUT TAGS



These disposable lockout tags are manufactured **from hard paper**. Ideal for short term indoor or outdoor isolations. Printed on both sides, each tag carries a standard "Danger this equipment has been locked out, Do not operate" message with a choice of 7 different reverse messages or blanks to suit various applications. **Supplied in pack of 100 (Straight cut)**.



ES - DL-TAGS-1



ES - DL-TAGS-2



ES - DL-TAGS-3



ES-DL-TAGS-4



ES-DL-TAGS-5



ES-DL-TAGS-6



ES-DL-TAGS-7



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-DL-TAGS	Disposable Lockout Tags	145 X 80

PHOTO ID LOCKOUT TAGS



- Clearly identifies who is in-charge of the lockout procedures.
- 0.7 mm Self-laminating tags allow employees to fill in vital information.
- Add a small size personal photo and seal it under the attached clear self-adhesive overlay.
- Will resist chemicals, abrasion, grease and solvents.
- Supplied in pack of 10 Nos.




ES-PI-TAGS-1



ES-PI-TAGS-2



ES-PI-TAGS-3



ES-PI-TAGS-4



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-PI-TAGS	Photo Id Lockout Tags - Yellow	145 X 80

LOCKOUT TAGS

LOCKOUT PADLOCK TAGS



ES-LPT-1



ES-LPT-2



ES-LPT-3



ES-LPT-3-C


Common back side for all LPT 4



ES-LPT-4



LPT-4-A



LPT-4-B




LPT-4-C



LPT-4-D



LPT-4-E



LPT-4-F



LPT-4-G



LPT-4-H



LPT-4-I



LPT-4-J

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-LPT-1	Lockout Padlock Tags - 1	145 x 80
ES-LPT-2	Lockout Padlock Tags - 2	175 x 50
ES-LPT-3	Lockout Padlock Tags - 3	105 x 40
ES-LPT-3-C	Lockout Padlock Tags - 3 Color	105 x 40
ES-LPT-4	Lockout Padlock Tags - 4	125 x 50



Customization Accepted

LOCKOUT TAG ACCESSORIES

TAG HOLDER / STATION

- The Tag Holder / Station is designed to keep your lockout tags clean, organized, and easily accessible.
- ES-TH-20** Tag Holder can hold up to 20 tags and comes with screws and sleeves for mounting.
- ES-TS** Tag Station is designed to hold tags with a maximum size of 145mm x 80mm. It features 8 clear acrylic pockets for holding tags securely.
- Customized Tag Stations can be created based on specific requirements, accommodating any number of tag holder pockets.
- ES-YB-SLTS** Shadow Tag Station is a specialized tag station that can be designed and supplied for various departments within a plant. It can be customized with company logos and other relevant information as specified in the company's lockout policy.



ES-TH-20



ES-TS



ES-YB-SLTS-8



ES-YB-SLTS-16

MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-TH-20	Lockout Tag Holder	9 x 5
ES-TS	Lockout Tag Station	18.5 x 17.5
ES-YB-SLTS-8	Yellow & Black Shadow Lockout Tag Station - 8	34 x 12
ES-YB-SLTS-16	Yellow & Black Shadow Lockout Tag Station - 16	34 x 21



LOCKOUT TAG ACCESSORIES

DISPOSABLE LOCKOUT PADLOCK TAGS



ES-DLPT-C

- Available in packs of 50 or 100 tags.
- Size of these padlock tags is 1" x 5" (25 mm x 125 mm).
- Special construction in 0.5 mm superior grade PVC material for a greater resistance than paper to tear, chemicals, and humidity.
- Tags with "DANGER - DO NOT OPERATE" message can be customized as per customer requirement to include name of site with date, employee name and remarks, etc.
- Can be supply in different colours for different departments.



ES-DLPT-SS



ES-DLPT-DS



Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-DLPT-SS	Disposable Lockout Padlock Tags - Single Side
ES-DLPT-DS	Disposable Lockout Padlock Tags - Double Side
ES-DLPT-C	Disposable Lockout Padlock Tags - Colour

CABLE TIE FOR LOCKOUT TAGS

- Enables secure attachment of visual tagging system to equipment.
- Cable ties are made with a one piece construction to provide consistent performance and reliability.
- Available in two sizes: 6" and 8".
- Available in set of 10 / 25 / 50 / 100 nos.



MODEL	PRODUCT DESCRIPTION
ES-TIES-6	Nylon Ties for Tags - 6 inch
ES-TIES-8	Nylon Ties for Tags - 8 inch

PEN FOR TAGS

Colours Available



GREEN

BLUE

RED

BLACK

- Waterproof, Fade-resistant and Multimark Pens are designed for marking on Lockout Tagout tags. Each pen is equipped with an eraser at the other end.
- Available in a variety of colours – Black, Blue, Green, and Red – to align with your safety coding system.

MODEL	PRODUCT DESCRIPTION
ES-PEN	Lockout Pen for Tags



ES-PEN

CUSTOMIZED LOCKOUT TAGS


At the heart of any successful Lockout Tagout program are the tags - the critical communication tools that convey safety information right where it's needed. We understand that your business is unique and deserves safety solutions tailored to your specific protocols. With **LTT Lock** customised tags, you don't just enforce safety; you personalise it, making it an integral part of your work culture.

Why Specialised LOTO Tags Matter?

Safety information needs to be clear to the user in their own language, and it has to be precise/relevant to the equipment and the workplace scenario.

- Enhances clarity and relevance of safety information.
- Reinforces brand identity with logo printing.
- Facilitates multilingual communication for diverse workforce.
- Allows for specific instructions based on unique equipment needs.
- Ensures better visibility and durability with material, size and colour choices.

Customisation Options for Lockout Tags:




Size and Format

Choose from a variety of sizes and formats for maximum visibility and relevance.




Eyelet/Grommet

Decide whether you want your tags with or without an eyelet/grommet.



Colours

Opt for your choice of colours or fluorescent tags for enhanced visibility.



Print

Blank or printed, single or multi-coloured, the choice is yours. (Printed - single or double side)



Materials

Select from PVC sheets of various thicknesses, cardboard, tearable or non-tearable materials.




Special Tags

Special tags in rolls or boxes are available for bulk requirements (MOQ applicable).

LOCKOUT TAGS

CUSTOMIZED LOCKOUT TAGS



Shapes

Choose from rectangle, square, 90-degree edges, slotted, rounded, or perforated tags.

Installation

With or without a string or cable ties, we've got you covered.



Personalised Printing

Customise the printing in any language, with your desired text, graphics, or logo(s).



Colour Combination

Opt for different colour combinations on the front and back side for better information segregation.



Tag Type

Choose between standard or self-laminating tags based on your workplace conditions.



TAGS -ON-A- ROLL

The Smart Choice For Workplace Safety



At **LTT Safety Academy**, we understand the importance of workplace safety and the need for innovative, adaptable solutions to meet the unique challenges of every job site. That's why we proudly introduce our game-changing Safety Tags-on-a-Roll – the ultimate solution to streamline your safety management, reduce waste, and enhance productivity.

Keep tags in order, minimize waste, boost workplace productivity, and be ready for every job site challenge.



TAGS ON A ROLL

SAFETY TAGS-ON-A-ROLL



Safety Tags-On-A-Roll is the ultimate solution for streamlining workplace safety management, combining practicality, durability, and convenience to ensure that your important safety messages are always accessible and visible.

- Tags are connected end-to-end with perforations, and housed in an eye-catching octagon shaped cardboard dispenser
- Dispenser box measures 190 mm H x 190 mm W x 90 mm D
- Water-proof tags will not crack, distort or shrink
- Ideal for both indoor and outdoor use
- Weatherproof and tear-resistant
- Tags measure 140 mm x 80 mm, with 8 mm hole
- Easy to write on scruff resistant matte surface on both sides
- Printed on both sides with space to sign, date, and add notes
- Tag Material: MAT TAG 330 Microns
- Available in 100 and 250 tags per roll
- Tags are also available in PET construction (MOQ*)
- Tags with Brass Eyelets/Grommets are also available



Edge-to-edge perforation



Also available with Brass Eyelet



Easy to write-on surface



Water-proof and tear-resistant



- Fully Customisable Tags.
- Tailor size, shape and colour.
- Personalise text and graphics.
- Add company logo & department name.
- Choose language(s) for text.
- *MOQ Applicable for Customisation.

MODEL	PRODUCT DESCRIPTION	Size in mm
ES-TOR-100	Tags On A Roll - 100 Tags	140 x 80
ES-TOR-250	Tags On A Roll - 250 Tags	140 x 80
ES-TOR-100-EY	Tags On A Roll - 100 Tags with Eyelet	140 x 80
ES-TOR-100-PET	Tags On A Roll - 100 PET Tags	140 x 80
ES-TOR-250-PET	Tags On A Roll - 250 PET Tags	140 x 80

TAGS ON A ROLL

SQUARE SAFETY TAGS-ON-A-ROLL



Square Safety Tags-On-A-Roll is a top-tier choice for optimizing workplace safety management, delivering an exceptional balance of practicality, longevity, and user-friendliness. These superior, waterproof tags are suitable for both indoor and outdoor applications and are engineered to withstand harsh work conditions without any cracking, distortion, or shrinking.

The innovative, pentagon-shaped dispenser box is specifically designed for user-friendliness and ease of access, allowing you to store a large number of tags while minimizing the risk of misplaced or lost tags. This sleek and compact dispenser is an ideal storage solution that saves valuable workspace while ensuring that the necessary safety tags are always within reach.

- Unique, pentagon-shaped cardboard dispenser holds 100 tags linked end-to-end with perforations.
- Dispenser box size: 151 mm H x 159 mm W x 95 mm D.
- Water-proof tags designed to prevent cracking, warping, or shrinking.
- Appropriate for both indoor and outdoor environments.
- Durable, weatherproof, and tear-resistant.
- Tags measure 76 mm x 76 mm, featuring an 8 mm hole.
- Double-sided, scuff-resistant matte surface for easy writing.
- Ample space for signing, dating, and adding notes on both sides.
- Tag Material: MAT TAG 330 Microns.
- **PET construction tags also available (MOQ*).**



Edge-to-edge perforation



Easy to write-on surface

Customization Accepted

- Fully Customisable Tags.
- Tailor size, shape and colour.
- Personalise text and graphics.
- Add company logo & department name.
- Choose language(s) for text.
- *MOQ Applicable for Customisation.



MODEL	PRODUCT DESCRIPTION	Size in mm
ES-STOR	Square Tags On A Roll - 100 Tags	76 x 76
ES-STOR-PET	Square Tags On A Roll - 100 PET Tags	76 x 76

TAGS ON A ROLL

SIDE CUT TAGS-ON-A-ROLL



The Side Cut Safety Tags-On-Demand is an exemplary solution for optimizing workplace safety management, presenting a seamless integration of functionality, endurance, and user-centric design. These high-calibre, waterproof tags are suitable for both indoor and outdoor environments and are specifically engineered to resist the challenges of demanding work settings without experiencing cracks, distortions, or shrinkage.

Our sophisticated dispenser box has been meticulously designed to provide user convenience and effortless access, accommodating 100 tags while minimizing the risk of lost or misplaced items. This compact and elegant dispenser ensures safety tags are consistently available when required.

- Innovative cardboard dispenser containing 100 tags linked side-to-side with perforations.
- Dispenser box dimensions: 110 mm H x 170 mm W x 150 mm D.
- Water-proof tags designed to withstand cracking, warping, and shrinkage.
- Appropriate for utilization in both indoor and outdoor conditions.
- Robust, weatherproof, and tear-resistant.
- Tags measure 140 mm x 80 mm, incorporating an 8 mm hole.
- Facilitates effortless writing on a double-sided, scuff-resistant matte surface.
- Ample space provided for signatures, dates, and supplementary notes on both sides.
- Tag Material: MAT TAG 330 Microns.



Side-to-side perforation



Easy to write-on surface

Customization Accepted

- Fully Customisable Tags.
- Tailor size, shape and colour.
- Personalise text and graphics.
- Add company logo & department name.
- Choose language(s) for text.
- *MOQ Applicable for Customisation.



Water-proof and tear-resistant



Innovative cardboard dispenser

MODEL	PRODUCT DESCRIPTION	Size in mm
ES-SC-TOR	Side Cut Tags On A Roll - 100 Tags	140 x 80

TAGS IN A BOX

FAN FOLD TAGS-IN-A-BOX



Introducing Fan-Fold Safety Tags-in-a-Box, a remarkable solution designed for convenient safety management in the workplace. Combining portability, resilience, and a user-friendly layout, these high-quality, water-resistant tags are perfect for both indoor and outdoor usage.

The sleek and portable box design ensures your essential safety tags are always readily available. Effortlessly store the necessary tags in the compact tag container, and place it in your toolbox or glove compartment for easy access whenever needed. The box also includes a hanging feature, allowing for space-efficient and easily accessible storage. Engineered as a lightweight and disposable carrier, the Fan-Fold Safety Tags-in-a-Box guarantees a constant supply of tags for your safety needs.

- Sleek, portable box design with hanging functionality.
- Lightweight, disposable container housing 100 safety tags.
- Box dimensions: 200 mm H x 102 mm W x 50 mm D.
- Weatherproof tags designed to resist cracking, distortion, or shrinkage.
- Sturdy, weather-resistant, and tear-proof construction.
- Z-Shaped Edge-to-edge perforations allows for easy dispensing.
- Tags measure 140 mm x 80 mm with an 8 mm hole.
- Smooth writing on a dual-sided, scuff-resistant matte surface.
- Generous space for signatures, dates, and supplementary notes on both sides.
- Tag Material: MAT TAG 330 Microns.



Compact and light-weight box design



Z-shaped folds provide easy dispensing

Customization Accepted

- Fully Customisable Tags.
- Tailor size, shape and colour.
- Personalise text and graphics.
- Add company logo & department name.
- Choose language(s) for text.
- *MOQ Applicable for Customisation.



Easy to write-on surface



Water and tear-resistant tags

MODEL	PRODUCT DESCRIPTION	Size in mm
ES-FF-TIB	Fan Fold Tags In A Box - 100 Tags	140 x 80

TAGS IN A BOX

SAFETY TAGS-IN-A-BOX



Safety Tags-In-A-Box is an exceptional solution for effortless workplace safety management, delivering a combination of portability, durability, and user-friendly design. The compact and convenient box design ensures that you always have your essential safety tags on hand. Simply store the required tags in the tag box, and add them to your tool kit or glove box in your work vehicle, making it easy to apply tags whenever you need them.

- Compact and convenient box design with hanging provision.
- Easy to carry, disposable box containing **50 safety tags**.
- Box dimensions: 170 mm H x 82 mm W x 20 mm D.
- Water-proof tags designed to prevent cracking, warping, or shrinking.
- Suitable for both indoor and outdoor use.
- Durable and tear-resistant.
- Tags measure 140 mm x 80 mm, featuring an 8 mm hole.
- Effortless writing on a double-sided, scuff-resistant matte surface.
- Ample space for signatures, dates, and additional notes on both sides.
- Tag Material: MAT TAG 330 Microns.



Easy to carry, disposable box



Compact and convenient design



Can store 50 tags in one box

Customization Accepted

- Fully Customisable Tags.
- Tailor size, shape and colour.
- Personalise text and graphics.
- Add company logo & department name.
- Choose language(s) for text.
- *MOQ Applicable for Customisation.



MODEL	PRODUCT DESCRIPTION	Size in mm
ES-TIB-50	Tags In A Box - 50 Tags	140 x 80

TAGS IN A BOX

SQUARE SAFETY TAGS-IN-A-BOX



The ideal solution for efficient workplace safety management in a compact and portable format. The sleek and space-saving box design ensures that you always have your crucial safety tags on hand, in a more compact size. Simply store the necessary tags in the tag box, and add them to your tool kit or glove box in your work vehicle, making it easy to apply tags whenever you need them. The box is designed to be easily hung with the provided hanging provision, offering an accessible and space-efficient storage solution.

- Sleek and space-saving box design with hanging provision.
- Easy to carry, disposable box containing 50 compact safety tags.
- Box dimensions: 109 mm H x 82 mm W x 20 mm D.
- Water-resistant tags designed to resist cracking, warping, and shrinkage.
- Appropriate for both indoor and outdoor applications.
- Robust, weatherproof, and tear-resistant.
- Compact tags measure 76 mm x 76 mm, featuring an 8 mm hole.
- Smooth writing experience on a double-sided, scruff-resistant matte surface.
- Adequate space for signatures, dates, and additional notes on both sides.
- Tag Material: MAT TAG 330 Microns.



Easy to carry, disposable box




Compact and convenient design



Can store 50 tags in one box

Customization Accepted

- Fully Customisable Tags.
- Tailor size, shape and colour.
- Personalise text and graphics.
- Add company logo & department name.
- Choose language(s) for text.
- *MOQ Applicable for Customisation.



MODEL	PRODUCT DESCRIPTION	Size in mm
ES-STIB-50	Square Tags In A Box - 50 Tags	76 x 76

TAG OPTIONS

TAG OPTIONS FOR TAGS-ON-A-ROLL & TAGS-IN-A-BOX



LTTLock takes pride in offering an extensive selection of high-visibility safety tags tailored to your specific industrial needs. Our innovative range includes warning tags, caution tags, inspection date tags, general safety tags, and a variety of accident prevention tags.

Our dedicated team of in-house designers works diligently to create these exceptional tags, which are distinct from our standard PVC tags and specially designed for bulk use and storage.

- Economical and budget-friendly.
- High-visibility and available with bright neon colours.
- Bold Warning/Danger signs for maximum impact.
- Available in square (76x76 mm) and rectangle (140x80mm) sizes.
- Available in MAT TAG 330 Microns / PET / Card Board material.
- Double-sided writing surface.
- Water-proof and tear-resistant.
- Can be fitted with a brass eyelet for enhanced durability (*MOQ Applicable).
- Customizable in any language, graphics, text, logo, dept. name, location, colour, etc.


AVAILABLE SAFETY TAGS (No MOQ)



ST-1



ST-2



ST-3



ST-4

PERSONALIZE IT!

Custom Tags-On-A-Roll / Tags-In-A-Box

LTTLock offers fully customizable safety tags and packaging to meet your unique requirements. Our advanced manufacturing capabilities allow us to provide bespoke solutions that cater to your specific needs while maintaining the highest quality standards. Have tags / packaging created with your specific requirements, message, and design – including your company name or logo.

How to Order:

- ✓ Write or sketch out your tag (or reference a tag part number from our catalog)
- ✓ Alternatively, you can send us reference tag image.
- ✓ Designate what goes on the back
- ✓ Specify your color requirements and roll quantity
- ✓ Contact us for a quote



ENERGY SOURCE IDENTIFICATION TAGS



Energy Source Identification tags with bold and vivid graphics are an excellent tool for helping employees identify and mark all hazardous energy sources in a particular area/machine. These ID tags assist employees in following the steps mentioned in the machine-specific lockout procedures and make your LOTO process manageable, quick and safe. Browse through our range of energy source ID tag range to select the ones best suited to your facility.

ENERGY SOURCE IDENTIFICATION TAGS

ENERGY SOURCE IDENTIFICATION TAGS : MICRO

Energy sources carry a number of risks that affect workers who service machines and equipment. Assist workers in understanding hazardous energy sources by tagging them. These single sided printed Energy Source Identification Micro Tag helps identify different control sources.

- These **PVC 0.7 mm thick** tags are tear-proof, weather-resistant, chemical-resistant and durable enough to withstand dirt, grease, liquid splashes, repeated abuse, or rough handling.
- Order individual numbers as per requirement, or purchase a kit which includes numbers 1 to 10.
- Customized numbers can be ordered in the sets of 10 pieces.



*Minium Order Quantity Applicable

Ask for Special Prices for Complete Project.




 Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-ESIDT-M	Energy Source Identification Tags - Micro	75 x 50

ENERGY SOURCE IDENTIFICATION TAGS

SHAPE-VARIED ENERGY SOURCE ID TAGS

- Vibrant colours, bold graphics and unique shapes that can be easily and quickly identified are ideal for machine specific procedures.
- 3 mm PVC Tags comes with 4 mm hole. **Size : 75 x 75 mm**
- Also available in self adhesive tags with choice of different numbers - for directly fixing on the machines.



*Minium Order Quantity Applicable

Ask for Special Prices for Complete Project.

Design Approval on Receipt of Order.

Customization Accepted

MODEL	PRODUCT DESCRIPTION
ES-ESIDT-SS	Energy Source Identification Tags - Shaped Self-stick
ES-ESIDT-SP	Energy Source Identification Tags - Shaped PVC

ENERGY SOURCE IDENTIFICATION TAGS

ENERGY SOURCE IDENTIFICATION TAGS : PREMIER

- These premier ID Tags are available in vibrant colours with bold graphics, duly placed in the clear PVC casing with SS ring.
- Tag Size : 57 x 100 mm
- Case Size : 60 x 130 mm
- These self adhesive tags are available without casing also, with the choice of different numbers as per customer's LOTO procedure requirement for directly fixing on the machines.



P-1



P-2



P-3



P-4



P-5



P-6




P-7



P-8



P-9



P-10



P-11



P-12




ES-ESIDT-P



P-13



P-14




P-15




ES-ESIDT-P+C



P-16



P-17



P-18



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-ESIDT-P	Energy Source Identification Tags - Premier Self Stick	57 x 100
ES-ESIDT-P+C	Energy Source Identification Tags - Premier with Case	60 x 130

ENERGY SOURCE IDENTIFICATION TAGS

LOCKPOINT ENERGY SOURCE ID TAGS

Our comprehensive range of LockPoint Energy Source ID Tags is designed to enhance the clarity and compliance of your safety protocols, providing a reliable solution for marking and distinguishing energy isolation points. Available in both single and dual-sided variants, these tags are essential for any robust lockout tagout system.

Dual-Sided Variant:

- Visibility from multiple angles with double-sided printing.
- Crafted from resilient 0.7 mm PVC for enduring use in industrial environments.
- Standard dimensions of 3" L x 1.5" H, featuring an 8 mm hole for easy, secure attachment.



ES-ESIDT-LP-1



ES-ESIDT-LP-2

Single-Sided Variant with Foam Adhesive:

- Equipped with a heavy-duty foam adhesive for steadfast application.
- Constructed from the same durable 0.7 mm PVC material.
- Standard dimensions of 3" L x 1.5" H, without hole.



ES-ESIDT-LP-3




ES-ESIDT-LP-4



ES-ESIDT-LP-5



ES-ESIDT-LP-6



ES-ESIDT-LP-7



ES-ESIDT-LP-8

Please mention your choice of product variant at the time of ordering.

- Order individual numbers as per requirement, or purchase a kit which includes numbers 1 to 10.
- Customized numbers can be ordered in a set of 10 nos. (*MOQ Applicable)

*Minimum Order Quantity Applicable

Ask for Special Prices for Complete Project.



ES-ESIDT-LP-9



ENERGY SOURCE IDENTIFICATION TAGS

LOCKPOINT ENERGY SOURCE ID TAGS

Dual-Sided Variant:

- Visibility from multiple angles with double-sided printing.
- Crafted from resilient 0.7 mm PVC for enduring use in industrial environments.
- Standard dimensions of 3" L x 1.5" H, featuring an 8 mm hole for easy, secure attachment.

Single-Sided Variant with Foam Adhesive:

- Equipped with a heavy-duty foam adhesive for steadfast application.
- Constructed from the same durable 0.7 mm PVC material.
- Standard dimensions of 3" L x 1.5" H, without hole.




ES-ESIDT-LP-10




ES-ESIDT-LP-11




ES-ESIDT-LP-12




ES-ESIDT-LP-13




ES-ESIDT-LP-14



ES-ESIDT-LP-15



ES-ESIDT-LP-16




ES-ESIDT-LP-17

Please mention your choice of product variant at the time of ordering.

- Order individual numbers as per requirement, or purchase a kit which includes numbers 1 to 10.
- Customized numbers can be ordered in a set of 10 nos. (*MOQ Applicable)

***Minium Order Quantity Applicable**

Ask for Special Prices for Complete Project.



ES-ESIDT-LP-18



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-ESIDT-LP-DS	Energy Source ID Tags - LockPoint - Dual Sided	1.5 x 3
ES-ESIDT-LP-SS	Energy Source ID Tags - LockPoint - Single Sided	1.5 x 3

LOCKOUT SIGNS & LABELS



Keep your workers and visitors safe in your facility with Lockout Signs. Identify energy control points that require lockout and send a clear warning that will help keep workers aware of any potential hazards near equipment, machinery and electricity.

Lockout signs are not only a great way to keep your workplace safe, but a great means of keeping productivity up through the visual identification of lockout areas. Lockout signs are available in a wide range with CAUTION and WARNING formats; sign sizes and styles also differ from each other - more than 200 signs to choose from.

Custom signs and labels can be made as per the specific requirements of the equipment or plant areas.

LOCKOUT SIGNS & LABELS

LOCKOUT SIGNS

- Lockout Signs are available in self-stick formats.
- Signs are shown hereunder for easy selection and ordering.
- Customized signs in different languages, formats, sizes, captions, message, etc can be made and supplied as per the requirements of LOTO policy and procedures of individual companies.



ES-LS-01



ES-LS-02



ES-LS-03



ES-LS-04



ES-LS-05



ES-LS-06



ES-LS-07



ES-LS-08



ES-LS-09



ES-LS-10



ES-LS-11



ES-LS-12



ES-LS-13



ES-LS-14



ES-LS-15



ES-LS-16



ES-LS-17



ES-LS-18



ES-LS-19



ES-LS-20



ES-LS-21



ES-LS-22




ES-LS-23



ES-LS-24



ES-LS-25



ES-LS-26



ES-LS-27



ES-LS-28

Size : 2.5" / 3" or 4"



ES-LS-29



ES-LS-30



ES-LS-31

Signs can be customized by using these lockout icons.



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-LS	Lockout Safety Signs	6 x 8 / 8 x 10


LOCKOUT SIGNS & LABELS

LARGE LOCKOUT WALL SIGNS



These large safety lockout wall signs can be supplied in either self adhesive vinyl or on rigid PVC. They act as a constant reminder to lockout before commencing service or maintenance.

Size : 18" x 24"




MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-LWS	Large Lockout Wall Signs	450 x 600

HANGING LOCKOUT SIGNS



Use the soft nylon cord to hang these signs from machinery during lockout procedures. Material: 3 mm PVC sheet. Size : 18" x 24" / 8" x 6" / 6" x 9"



* Contact us for more signs in Different Sizes / Languages / Material (Rigid / Flexible / Self Stick / Photoluminescent / Reflective etc.).




MODEL	PRODUCT DESCRIPTION
ES-HLS	Hanging Lockout Signs

LOCKOUT SIGNS & LABELS

SAFETY LOCKOUT LABELS



This range of labels are ideal for use on electrical equipment where a safety message needs to be conveyed. Manufactured from self adhesive vinyl. Sold in pack of 10. **Size : 2" x 3"**



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-S-LABEL	Safety Lockout Label	50 x 75



MAGNETIC SIGNS



ES-MCS

Magnetic signs are ideal for quick and easy attachment next to lockout points giving a clear caution message that equipment has been locked out.

***All the sign shown in this catalogue can be made as magnetic sign on request.**




MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-MCS	Magnetic Caution Signs	100 x 200
ES-MSC	Magnetic Signs - Customized	50 X 100



SAFETY LOCKOUT ARROW MARKERS



- They are normally stuck on the electrical panels / machines / pipe lines, etc. to highlight the location of the switches / valves / sockets, etc. where the lockout gadgets are to be installed.
- Detachable arrows are used to show the exact direction and spot for the warning.
- Vinyl labels are durable and stick to almost every surface.
- To apply, just peel of the label from the liner and apply to any clean surface.



MODEL	PRODUCT DESCRIPTION
ES-SLAM	Safety Lockout Arrow Markers



LOCKOUT SIGNS & LABELS

LOCKOUT BEFORE STARTING MARKING LABELS

- These Lockout - Before Starting Work Labels are required for the safe maintenance and operation of working machinery, plant and equipment.
- These labels are highly visible and should be placed properly, so that any person who is responsible for operating machinery, plant and equipment can see them clearly.
- They are to be placed on clean, flat and smooth surface.

LBSML-1 LBSML-2 LBSML-3 LBSML-4 LBSML-13

LBSML-5 LBSML-6 LBSML-7 LBSML-8 LBSML-14

LBSML-9 LBSML-10 LBSML-11 LBSML-12 LBSML-15

LBSML-16 LBSML-17 LBSML-18

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-LBSML	Lockout Before Starting Marking Labels	48 x 70



SAFETY LOCKOUT HARD HAT LABELS



- Our durable, self-adhesive vinyl labels are designed for high visibility and adherence to hard hats, helmets, and a range of equipment.
- With these labels, you can easily distinguish staff trained in lockout tagout safety measures, clearly identifying personnel who are authorized and trained in lockout tagout procedures, supporting workplace safety protocols.
- Personalize your safety program with customizable options available upon request to include company logos, specific years, or department names.

ES-HHL-C-1 ES-HHL-C-2 ES-HHL-C-3 ES-HHL-C-4 ES-HHL-C-5 ES-HHL-C-6

ES-HHL-T-1 ES-HHL-T-2 ES-HHL-T-3 ES-HHL-T-4 ES-HHL-T-5



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-HHL-C	Safety Lockout Hard Hat Label - Circular	2 x 2
ES-HHL-T	Safety Lockout Hard Hat Label - Triangular	2.5 x 2.5

LOCKOUT SIGNS & LABELS

SAFETY LOCKOUT BANNERS

Lockout / Tagout (OSHA Standard 1910.147) is consistently a top-cited safety standard, reinforcing the need for clear safety communications in the workplace.

Our Lockout Tagout banners are designed to capture attention and educate workers about the critical steps and safety precautions of LOTO procedures. The clear, compelling messages on these banners support the training and reinforce the importance of LOTO.

- Banners can also be customized to any format or dimension. Additionally, we offer customization to include your company logo, departmental designation, or any other specific messaging required.
- Printed on durable materials.
- We offer these essential safety banners in multiple languages, ensuring global applicability and inclusivity at a very reasonable cost.



Available Sizes :

- A - 2 x 5.5 Feet
- B - 3 x 8.0 Feet
- C - 3.75 x 10 Feet



**Customization
Accepted**



B-1



B-3



B-5



B-7



B-9



B-11



B-13



B-2



B-4



B-6



B-8



B-10



B-12



B-14

MODEL	PRODUCT DESCRIPTION	Size in Feet
ES-BANNER	Safety Lockout Banner	A / B / C

LOCKOUT KITS

PERSONAL ELECTRICAL LOCKOUT KIT – 01



Secure your work environment with the Personal Electrical Lockout Tagout Kit – 01, designed for individual electrical hazard safety.

- | | |
|--|----------|
| 1. Mini Waist Pouch with Belt Loop | - 1 nos. |
| 2. De Electric Padlock – Red | - 1 no. |
| 3. Pin Out Conventional Circuit Breaker Lockout | - 1 nos. |
| 4. Universal Golden Toggle – Miniature Circuit Breaker Lockout | - 1 nos. |
| 5. Disposable Lockout Tags (Size 115 X 65 Mm) | - 2 no. |
| 6. Nylon Ties for Tags | - 2 no. |

ES-PELK-01 Personal Electrical Lockout Tagout Kit - 01

PERSONAL ELECTRICAL LOCKOUT KIT – 02



The Personal Electrical Lockout Tagout Kit – 02 offers a tailored solution for securing various electrical control points.

- | | |
|--|----------|
| 1. Mini Waist Pouch with Belt Loop | - 1 nos. |
| 2. De Electric Padlock – Red | - 1 no. |
| 3. Universal Golden Toggle – Miniature Circuit Breaker Lockout | - 1 nos. |
| 4. Disposable Lockout Tags (Size 115 X 65 Mm) | - 3 nos. |
| 5. UBL – B Type with Twister Screw | - 1 no. |
| 6. Universal Fuse Holder Lockout – Red | - 1 no. |

ES-PELK-02 Personal Electrical Lockout Tagout Kit - 02

PERSONAL ELECTRICAL LOCKOUT KIT – 03



Electrician's Personal Lockout Tagout Kit – 03 is an expertly assembled kit for electricians requiring a range of LOTO devices.

- | | |
|--|----------|
| 1. Mini Waist Pouch with Belt Loop | - 1 no. |
| 2. De-Electric Padlock – Red | - 1 no. |
| 3. Pin Out Conventional Circuit Breaker Lockout | - 1 no. |
| 4. Universal Golden Toggle – Miniature Circuit Breaker Lockout | - 1 no. |
| 5. Disposable Lockout Tags (Size 115 X 65 Mm) | - 3 nos. |
| 6. Vinyl Coated Hasp – Small – Red | - 1 no. |
| 7. Universal Miniature Circuit Breaker Lockout – Blue | - 1 no. |

ES-PELK-03 Personal Electrical Lockout Tagout Kit - 03

LOCKOUT KITS

PERSONAL ELECTRICAL LOCKOUT KIT – 04



Personal MCB Lockout Tagout Kit – 04 is your starter pack for varied circuit breaker lockout needs with easy portability.

- | | |
|--|---------|
| 1. Mini Waist Pouch with Belt Loop | - 1 no. |
| 2. De-Electric Padlock – Red | - 1 no. |
| 3. Pin In Conventional Circuit Breaker Lockout | - 1 no. |
| 4. Pin Out Conventional Circuit Breaker Lockout | - 1 no. |
| 5. Pin Out Wide Conventional Circuit Breaker Lockout | - 1 no. |
| 6. Tie Bar Conventional Circuit Breaker Lockout | - 1 no. |
| 7. Universal Golden Toggle – Miniature Circuit Breaker Lockout | - 1 no. |
| 8. Disposable Lockout Tags (Size 115 X 65 Mm) | - 1 no. |
| 9. Nylon Ties for Tags | - 2 no. |

ES-PELK-04 Personal Electrical Lockout Tagout Kit - 04

DOMESTIC INSTALLER LOTO KIT - UK



Ideal for home electricians, this kit includes a variety of MCB lockout devices to ensure safe domestic installations and maintenance.

- | | |
|---|---------|
| 1. Red Flat Mini MCB Isolation Pin Out Lockout Device | - 1 no. |
| 2. Yellow Flat Mini MCB Isolation Pin Out Wide Lockout Device | - 1 no. |
| 3. Slim Line MCB Isolation Lockout | - 1 no. |
| 4. Safety Padlock with Key | - 1 no. |
| 5. Lockout Tag | - 1 no. |
| 6. Pen | - 1 no. |
| 7. Small Bag | - 1 no. |
| 8. Miniature Circuit Breaker Lockout | - 1 no. |

ES-DILK-UK Domestic Installer Lockout Kit - UK

GAS ENGINEER LOCKOUT TAGOUT KIT



Specially assembled for gas service engineers, this kit contains essential lockout tools to safely execute lockout tagout procedures.

- | | |
|---|---------|
| 1. Red Flat Mini MCB Isolation Pin Out Lockout Device | - 1 no. |
| 2. Yellow Flat Mini MCB Isolation Pin Out Wide Lockout Device | - 1 no. |
| 3. Slim Line MCB Isolation Lockout | - 1 no. |
| 4. Safety Padlock with Key | - 1 no. |
| 5. Lockout Tag | - 1 no. |
| 6. Pen | - 1 no. |
| 7. Small Bag | - 1 no. |
| 8. Wall Switch Lockout | - 1 no. |

ES-GEL Gas Engineer Lockout Tagout Kit

LOCKOUT KITS

LOCKOUT WAIST POUCH - SMALL



Easy to carry, zipper waist pouch holds a worker's personal padlocks and other small devices.

- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 3 nos. |
| 2. Vinyl Coated Hasp - Small | - 1 no. |
| 3. Lockout Tags | - 10 nos. |
| 4. Nylon Ties for Tags | - 10 nos. |
| 5. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-LWP-S Lockout Waist Pouch - Small

LOCKOUT WAIST POUCH - PREMIER



Easy to carry, zipper waist pouch holds a worker's personal padlocks and other small devices.

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 1 no. |
| 2. Vinyl Coated Hasp - Premier | - 1 no. |
| 3. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 4. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 5. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 6. Padlock with Regular Shackle - Key Different | - 2 nos. |
| 7. Padlock with Long Shackle - Key Alike | - 2 nos. |
| 8. Lockout Tags | - 10 nos. |
| 9. Nylon Ties for Tags | - 10 nos. |
| 10. Lockout Pen for Tags | - 1 no. |
| 11. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-LWP-P Lockout Waist Pouch - Premier

LOCKOUT STARTER KIT



Provides all the basic Lockouts for valves and electrical panels.

- | | |
|--|----------|
| 1. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 2. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 3. Ball Valve Lockout (ES-BV 01) | - 1 no. |
| 4. Vinyl Coated Hasp - Small | - 1 no. |
| 5. Vinyl Coated Hasp - Premier | - 1 no. |
| 6. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 7. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 9. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 10. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 11. Universal Fuse Holder Lockout - Red | - 1no. |
| 12. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 13. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 14. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 15. Small Plug Lockout | - 1 no. |
| 16. Economy Multipurpose Cable Lockout with Tool & 2 Mtrs. cable with loop | - 1 set |
| 17. PLSP De Electric Padlock with Nylon Shackle - KD | - 2 nos. |
| 18. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 19. Padlock with Long Shackle - Key Different | - 3 nos. |
| 20. Cylinder Lockout (Green Lid - Full) | - 1 no. |
| 21. Lockout Tags | - 5 nos. |
| 22. Nylon Ties for Tags | - 5 nos. |
| 23. Lockout Pen for Tags | - 1 no. |
| 24. Lockout Training Booklet | - 1 no. |
| 25. Screw Driver | - 1 no. |
| 26. Loto Blue Bag - Medium | - 1 no. |

ES-SK-01 Lockout Starter Kit

LOCKOUT KITS

LOCKOUT STARTER CABINET - 01



Provides all the basic Lockouts for valves and electrical panels.

- | | |
|--|----------|
| 1. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 2. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 3. Ball Valve Lockout (ES-BV-01) | - 1 no. |
| 4. Vinyl Coated Hasp - Small | - 1 no. |
| 5. Vinyl Coated Hasp - Premier | - 1 no. |
| 6. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 7. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 9. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 10. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 11. Universal Fuse Holder Lockout - Red | - 1no. |
| 12. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 13. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 14. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 15. Small Plug Lockout | - 1 no. |
| 16. Economy Multipurpose Cable Lockout with Tool & 2 Mtrs. cable with loop | - 1 set |
| 17. PLSP De Electric Padlock with Nylon Shackle - KD | - 2 nos. |
| 18. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 19. Padlock with Long Shackle - Key Different | - 3 nos. |
| 20. Cylinder Lockout (Green Lid - Full) | - 1 no. |
| 21. Lockout Tags | - 5 nos. |
| 22. Nylon Ties for Tags | - 5 nos. |
| 23. Lockout Pen for Tags | - 1 no. |
| 24. Lockout Training Booklet | - 1 no. |
| 25. Screw Driver | - 1 no. |
| 26. Red Lockout Tagout Cabinet - Small | - 1 no. |

ES-LSC-01 Lockout Starter Cabinet - 01

* OSHA ELECTRICAL LOCKOUT KIT - 01



Easy to carry, zipper waist pouch holds a worker's personal padlocks and other small devices.

- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 1 no. |
| 2. Cable Lockout Safety Padlock with 1 feet cable | - 1 no. |
| 3. Grip Tight Circuit Breaker Lockout - Small | - 2 nos. |
| 4. Grip Tight Circuit Breaker Lockout - Large | - 1 no. |
| 5. Lockout Tags | - 10 nos. |
| 6. Nylon Ties for Tags | - 10 nos. |
| 7. Vinyl Coated Hasp - Small | - 1 no. |
| 8. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-OELK-01 OSHA Electrical Lockout Kit - 01

* OSHA ELECTRICAL LOCKOUT KIT - 02



Small OSHA Electrical kit as per LOTO standards /17th edition BS7671' regulations in the UK.

- | | |
|---|----------|
| 1. PLSP De Electric Padlock with Nylon Shackle - KD | - 2 nos. |
| 2. 1 Piece each of all the Premier CBL & MCBL - R | - 1set |
| 3. Grip Tight Circuit Breaker Lockout - Large | - 1 no. |
| 4. Lockout Tags | - 2 nos. |
| 5. Nylon Ties for Tags | - 2 nos. |
| 6. Individual Loto - Pouch | - 1 no. |

ES-OELK-02 OSHA Electrical Lockout Kit - 02

* Bag design may change, depending on availability.



* BASIC ELECTRICAL LOCKOUT KIT - 01

A starter selection of the lockout / tagout devices every electrician / maintenance person needs.



- | | |
|--|----------|
| 1. Universal Multi - Pole Breaker Lockout | - 1 no. |
| 2. Clamp on Breaker Lockout - Small | - 1 no. |
| 3. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 4. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 5. Padlock with Regular Shackle - Key Different | - 1 no. |
| 6. Universal Golden Toggle - Miniature Circuit Breaker Lockout | - 1 no. |
| 7. Lockout Tags | - 2 nos. |
| 8. Nylon Ties for Tags | - 2 nos. |
| 9. Small Plug Lockout - Premier | - 1 no. |
| 10. Individual Loto - Pouch | - 1 no. |

ES-BELK-01 Basic Electrical Lockout Kit - 01

* BASIC ELECTRICAL LOCKOUT KIT - 02

A great selection of the most popular lockout/tagout devices. - Small nylon zipper pouch features belt loops and D-rings for easy attachment to belts, tool pouches, tool carts and more.



- | | |
|---|----------|
| 1. Universal Multi - Pole Breaker Lockout | - 1 no. |
| 2. Clamp on Breaker Lockout - Small | - 1 no. |
| 3. Clamp on Breaker Lockout - Medium | - 1 no. |
| 4. Cleat for Small Clamp on Breaker Lockout | - 1 no. |
| 5. Cleat for Medium Clamp on Breaker Lockout | - 1 no. |
| 6. Vinyl Coated Hasp - Premier | - 1 no. |
| 7. Padlock with Regular Shackle - Key Different | - 1 no. |
| 8. Lockout Tags | - 5 nos. |
| 9. Nylon Ties for Tags | - 5 nos. |
| 10. Small Plug Lockout - Premier | - 1 no. |
| 11. Snap-On Circuit Breaker Lockout | - 2 nos. |
| 12. Wall Switch Lockout - Top Hinge | - 1 no. |
| 13. Individual Loto - Pouch | - 1 no. |

ES-BELK-02 Basic Electrical Lockout Kit - 02

* Bag design may change, depending on availability.

* BASIC ELECTRICAL LOCKOUT KIT - STANDARD

Excellent selection of Lockout Tagout devices for maintenance workers and contractors. - Small nylon zipper pouch features belt loops and d-rings for easy attachment to belts, tool pouches, tool carts and more.



- | | |
|--|-----------|
| 1. Universal Multi - Pole Breaker Lockout | - 2 nos. |
| 2. Clamp on Breaker Lockout - Small | - 2 nos. |
| 3. Clamp on Breaker Lockout - Medium | - 1 no. |
| 4. Cleat for Small Clamp on Breaker Lockout | - 1 no. |
| 5. Cleat for Medium Clamp on Breaker Lockout | - 1 no. |
| 6. Vinyl Coated Hasp - Premier | - 2 nos. |
| 7. Padlock with Long Shackle - Key Different | - 2 nos. |
| 8. Lockout Tags | - 10 nos. |
| 9. Nylon Ties for Tags | - 10 nos. |
| 10. Small Plug Lockout - Premier | - 1 no. |
| 11. Snap-On Circuit Breaker Lockout | - 3 nos. |
| 12. Wall Switch Lockout - Top Hinge | - 1 no. |
| 13. Individual Loto - Pouch | - 1 no. |

ES-BELK-ST Basic Electrical Lockout Kit - Standard



* ECONOMY ELECTRICAL LOCKOUT WAIST POUCH

For the individual electrician to lockout a variety of electrical sources.



* Bag design may change, depending on availability.

- | | |
|---|----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 2 nos. |
| 2. Universal Circuit Breaker Lockout A Tail Type with Twister Screw | - 1 no. |
| 3. Top Slide - Single Pole Breaker Lockout | - 1 no. |
| 4. Multi Pole Breaker Lockout | - 1 no. |
| 5. Single Pole Lockout | - 1 no. |
| 6. Double Pole Lockout for Large Breakers | - 1 no. |
| 7. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 8. Clamp on Breaker Lockout - Small | - 1 no. |
| 9. Universal Golden Toggle - Miniature Circuit Breaker Lockout | - 1 no. |
| 10. Miniature Circuit Breaker Lockout - Yellow | - 1 no. |
| 11. De Electric Hasp 6 holes / 5 mm shackle | - 1 no. |
| 12. Lockout Tags | - 5 nos. |
| 13. Nylon Ties for Tags | - 5 nos. |
| 14. Lockout Pen for Tags | - 1 no. |
| 15. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-EELWP Economy Electrical Lockout Waist Pouch

CIRCUIT BREAKER LOCKOUT KIT ULTIMATE

This circuit breaker / isolator lockout kit is the ultimate for locking off circuit breakers in domestic / industrial applications.



- | | |
|---|-----------|
| 1. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 2. Clamp on Breaker Lockout - Small | - 1 no. |
| 3. Clamp on Breaker Lockout - Medium | - 1 no. |
| 4. Clamp on Breaker Lockout - Large | - 1 no. |
| 5. Cleat for Small Clamp on Breaker Lockout | - 1 no. |
| 6. Cleat for Medium Clamp on Breaker Lockout | - 1 no. |
| 7. PIN OUT Premier Circuit Breaker Lockout | - 1 no. |
| 8. PIN OUT WIDE Premier Circuit Breaker Lockout | - 1 no. |
| 9. Universal Circuit Breaker Lockout A Tail Type with Twister Screw | - 1 no. |
| 10. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 11. Grip Tight Circuit Breaker Lockout - Small | - 1 no. |
| 12. Multi Pole Breaker Lockout | - 1 no. |
| 13. Single Pole Lockout | - 1 no. |
| 14. 8 - inch Bar - Red | - 1 no. |
| 15. 8 - inch Bar - Green | - 1 no. |
| 16. Blocker Hanger | - 1 no. |
| 17. 7B - Thick Base | - 2 nos. |
| 18. De Electric Hasp 6 holes / 6 mm shackle | - 2 nos. |
| 19. PLSP Padlock with Steel Shackle - Key Different | - 4 nos. |
| 20. Lockout Tags | - 10 nos. |
| 21. Nylon Ties for Tags | - 10 nos. |
| 22. Lockout Pen for Tags | - 1 no. |
| 23. Loto Tool Box | - 1 no. |

ES-CBLK-U Circuit Breaker Lockout Kit - Ultimate



LOTO PERSONAL POUCH

Portable Lockout Tagout Kit with Padlocks, Hasps and Tags.



- | | |
|--|----------|
| 1. Vinyl Coated Hasp - Small | - 1 no. |
| 2. Vinyl Coated Hasp - Premier | - 1 no. |
| 3. Jacket Padlock with Regular Shackle - Key Different | - 1 no. |
| 4. Jacket Padlock with Long Shackle - Key Different | - 1 no. |
| 5. Lockout Tags | - 2 nos. |
| 6. Nylon Ties for Tags | - 2 nos. |
| 7. Lockout Pen for Tags | - 1 no. |
| 8. Individual Loto - Pouch | - 1 no. |

ES-LPP Loto Personal Pouch

LOTO ELECTRICIAN POUCH

For the individual electrician to lockout a variety of electrical sources.



- | | |
|---|----------|
| 1. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 2. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 3. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 4. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 5. Universal Fuse Holder Lockout - Red | - 1 no. |
| 6. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 7. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 8. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 9. PLSP De Electric Padlock with Nylon Shackle - KA (Red) | - 1 no. |
| 10. PLSP De Electric Padlock with Nylon Shackle - KA (Yellow) | - 1 no. |
| 11. Squeezer Multipurpose Cable Lockout - De Electric | - 1 no. |
| 12. Computer Power Cord Lockout | - 1 no. |
| 13. Lockout Tags | - 5 nos. |
| 14. Nylon Ties for Tags | - 5 nos. |
| 15. Lockout Pen for Tags | - 1 no. |
| 16. Lockout Training Booklet | - 1 no. |
| 17. Screw Driver | - 1 no. |
| 18. Loto Electrician - Pouch | - 1 no. |

ES-EP-01 Loto Electrician Pouch

LOTO ELECTRICIAN WAIST POUCH

For the individual electrician to lockout a variety of electrical sources.



- | | |
|---|----------|
| 1. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 2. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 3. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 4. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 5. Universal Fuse Holder Lockout - Red | - 1 no. |
| 6. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 7. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 8. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 9. PLSP De Electric Padlock with Nylon Shackle - KA (Red) | - 1 no. |
| 10. PLSP De Electric Padlock with Nylon Shackle - KA (Yellow) | - 1 no. |
| 11. Squeezer Multipurpose Cable Lockout - De Electric | - 1 no. |
| 12. Computer Power Cord Lockout | - 1 no. |
| 13. Lockout Tags | - 5 nos. |
| 14. Nylon Ties for Tags | - 5 nos. |
| 15. Lockout Pen for Tags | - 1 no. |
| 16. Lockout Training Booklet | - 1 no. |
| 17. Screw Driver | - 1 no. |
| 18. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-EP-02-W Loto Electrician Waist Pouch



ELECTRICAL LOCKOUT KIT DOMESTIC



Domestic Electricians Lockout Kit take cares of popular circuit breaker.

- | | |
|---|----------|
| 1. Vinyl Coated Hasp - Small | - 1 no. |
| 2. De Electric Hasp 6 holes / 5 mm shackle | - 1 no. |
| 3. Universal Multi - Functional Circuit Breaker Lockout | - 1 no. |
| 4. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 5. Universal Circuit Breaker Lockout A Tail Type with Twister Screw | - 1 no. |
| 6. Universal Golden Toggle - Miniature Circuit Breaker Lockout | - 1 no. |
| 7. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 8. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 9. PLSP De Electric Padlock with Nylon Shackle - KD | - 1 no. |
| 10. Lockout Tags | - 5 nos. |
| 11. Nylon Ties for Tags | - 5 nos. |
| 12. Lockout Pen for Tags | - 1 no. |
| 13. Screw Driver | - 1 no. |
| 14. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-ELK-D Electrical Lockout Kit - Domestic

* ELECTRICAL LOCKOUT KIT PORTABLE



Easy to carry, zipper waist pouch holds a worker's personal padlocks and other small devices.

- | | |
|---|----------|
| 1. PLSP De Electric Padlock with Nylon Shackle - KA | - 2 nos. |
| 2. 1 Piece each of all the Premier CBL & MCBL - R | - 1 set |
| 3. Grip Tight Circuit Breaker Lockout - Small | - 2 nos. |
| 4. De Electric Hasp 6 holes / 5 mm shackle | - 1 no. |
| 5. 3 mm Shackle with 4 Locks Labeled Hasp | - 1 no. |
| 6. 4 mm Shackle with 4 Locks Labeled Hasp | - 1 no. |
| 7. Lockout Tags | - 5 nos. |
| 8. Nylon Ties for Tags | - 5 nos. |
| 9. Lockout Pen for Tags | - 1 no. |
| 10. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-ELK-P Electrical Lockout Kit - Portable

CIRCUIT BREAKER LOCKOUT KIT



Portable kit contains all the basic Circuit Breaker Lockouts.

- | | |
|---|-----------|
| 1. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 2. Universal Fuse Holder Lockout - Red | - 1 no. |
| 3. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 4. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 5. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 6. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 7. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 9. Squeezer Multipurpose Cable Lockout - De Electric | - 1 no. |
| 10. PLSP De Electric Padlock with Nylon Shackle - KA | - 2 nos. |
| 11. Lockout Tags | - 10 nos. |
| 12. Nylon Ties for Tags | - 10 nos. |
| 13. Lockout Pen for Tags | - 1 no. |
| 14. Screw Driver | - 1 no. |
| 15. Individual Loto - Pouch | - 1 no. |

* Bag design may change, depending on availability.

ES-CBK-01 Circuit Breaker Lockout Kit



* ELECTRICAL LOCKOUT KIT - U1



When regular lockout/tagout on electrical panels is required a convenient pouch that can be attached to a belt for easy use, including all products for proper lockout.

- | | |
|--|----------|
| 1. Small Plug Lockout Box | - 1 no. |
| 2. Top Slide - Single Pole Breaker Lockout | - 2 nos. |
| 3. Multi Pole Breaker Lockout | - 1 no. |
| 4. Single Pole Lockout | - 4 nos. |
| 5. Double Pole Lockout for Large Breakers | - 4 nos. |
| 6. Wall Switch Lockout - Side Hinge | - 3 nos. |
| 7. Lockout Tags | - 5 nos. |
| 8. Nylon Ties for Tags | - 5 nos. |
| 9. Shoulder Black Zipper Pouch - Yellow | - 1 no. |

ES-ELK-U1 Electrical Lockout Kit - U1

* ELECTRICAL LOCKOUT KIT - U2



This kit provides all items to properly secure electrical machinery and equipment from causing serious injury while being serviced. All items can be easily carried in lightweight carrying bag.

- | | |
|---|-----------|
| 1. Small Plug Lockout | - 1 no. |
| 2. Large Plug Lockout | - 1 no. |
| 3. De Electric Hasp 6 holes / 6 mm shackle | - 2 nos. |
| 4. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 5. Top Slide - Single Pole Breaker Lockout | - 6 nos. |
| 6. Single Pole Lockout | - 6 nos. |
| 7. Double Pole Lockout for Large Breakers | - 6 nos. |
| 8. Wall Switch Lockout - Side Hinge | - 6 nos. |
| 9. Padlock with Regular Shackle - Key Different | - 2 nos. |
| 10. Padlock with Long Shackle - Key Different | - 2 nos. |
| 11. Lockout Tags | - 10 nos. |
| 12. Nylon Ties for Tags | - 10 nos. |
| 13. High Visible Yellow Bag | - 1 no. |

ES-ELK-U2 Electrical Lockout Kit - U2

ELECTRICAL LOCKOUT KIT - 01



For the individual electrician to lockout a variety of electrical sources.

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Premier - Yellow & Black | - 3 nos. |
| 2. Padlock with Regular Shackle - Key Different | - 3 nos. |
| 3. Cylinder Electrical Plug Lockout | - 1 no. |
| 4. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 5. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 6. Large Circuit Breaker Lockout Round Handle | - 2 nos. |
| 7. Universal Circuit Breaker Lockout A & B Type | - 1 set |
| 8. Combo - Tool Free Circuit Breaker Lockout (Set of 2) | - 1 set |
| 9. Universal Multi - Functional Circuit Breaker Lockout | - 2 nos. |
| 10. Universal Miniature Circuit Breaker Lockout - Grip Type | - 2 nos. |
| 11. Large Plug Lockout - Premier | - 1 no. |
| 12. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 13. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 14. Lockout Tags | - 10 nos. |
| 15. Nylon Ties for Tags | - 10 nos. |
| 16. Lockout Training Booklet | - 1 no. |
| 17. Loto Tool Box | - 1 no. |

* Bag design may change, depending on availability.

ES-ELK-01 Electrical Lockout Kit - 01



* ELECTRICAL LOCKOUT KIT - 02

Ideal for plant facility personnel to keep all lockout/tagout devices in one convenient Polypropylene plastic box that resists oil and chemicals.



- | | |
|---|-----------|
| 1. Small Plug Lockout - Premier | - 1 no. |
| 2. Large Plug Lockout - Premier | - 1 no. |
| 3. Wall Switch Lockout - Top Hinge | - 2 nos. |
| 4. Normal Push Button Lockout for Electrical Panels | - 1 no. |
| 5. Universal Multi - Pole Breaker Lockout | - 3 nos. |
| 6. Clamp on Breaker Lockout - Small | - 3 nos. |
| 7. Clamp on Breaker Lockout - Medium | - 1 no. |
| 8. Cleat for Small Clamp on Breaker Lockout | - 1 no. |
| 9. Cleat for Medium Clamp on Breaker Lockout | - 1 no. |
| 10. Vinyl Coated Hasp - Premier | - 3 nos. |
| 11. Snap-On Circuit Breaker Lockout | - 5 nos. |
| 12. Fuse Blocker - 4 Way | - 2 nos. |
| 13. Fuse Blocker - 2 Way | - 2 nos. |
| 14. Tago Hasp - Red | - 2 nos. |
| 15. Lockout Tags | - 10 nos. |
| 16. Nylon Ties for Tags | - 10 nos. |
| 17. Loto Tool Box | - 1 no. |

ES-ELK-02

Electrical Lockout Kit - 02

* ELECTRICAL LOCKOUT KIT - 03

Electrical lockout box gives you all the basics of lockout for breakers, electrical plugs, wall switches and fuses.



- | | |
|--|----------|
| 1. Universal Multi - Pole Breaker Lockout | - 2 nos. |
| 2. Wall Switch Lockout - Top Hinge | - 1 no. |
| 3. Clamp on Breaker Lockout - Small | - 2 nos. |
| 4. Clamp on Breaker Lockout - Medium | - 2 nos. |
| 5. Clamp on Breaker Lockout - Large | - 1 no. |
| 6. Cleat for Small Clamp on Breaker Lockout | - 2 nos. |
| 7. Cleat for Medium Clamp on Breaker Lockout | - 2 nos. |
| 8. Snap-On Circuit Breaker Lockout | - 2 nos. |
| 9. Fuse Blocker - 4 Way | - 1 no. |
| 10. Fuse Blocker - 2 Way | - 1 no. |
| 11. Grip Type Multipurpose Cable Lockout with 5 Mtrs. Vinyl Coated Steel Cable | - 1 no. |
| 12. PLSP Padlock with Steel Shackle - Key Different | - 2 nos. |
| 13. Cylinder Electrical Plug Lockout | - 1 no. |
| 14. Lockout Tags | - 2 nos. |
| 15. Nylon Ties for Tags | - 2 nos. |
| 16. Shoulder Black Zipper Pouch - Red | - 1 no. |
| 17. Loto Tool Box | - 1 no. |

* Box design may change, depending on availability.

ES-ELK-03

Electrical Lockout Kit - 03



ELECTRICAL DEPARTMENT LOCKOUT KIT

Carries all the basic Lockouts for locking out Breakers, Electrical Plugs, Wall Switches, MCBs, Fuses, etc.



- | | |
|--|-----------|
| 1. Electrical Panel Lockout - Round 45 | - 1 no. |
| 2. Electrical Panel Lockout - Round 55 | - 1 no. |
| 3. Electrical Panel Lockout - Square Box - Small | - 1 no. |
| 4. Electrical Panel Lockout - Square Box - Big 45° | - 1 no. |
| 5. Electrical Panel Lockout - Square Box - Big 90° | - 1 no. |
| 6. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 7. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 3 mm shackle | - 2 nos. |
| 9. De Electric Hasp 3 holes / 6 mm shackle | - 2 nos. |
| 10. De Electric Hasp 6 holes / 6 mm shackle | - 2 nos. |
| 11. Economy Multipurpose Cable Lockout with Tool & 2 Mtrs. cable with loop | - 1 set |
| 12. PLSP De Electric Padlock with Nylon Shackle Red Colour - Key Different | - 3 nos. |
| 13. PLSP De Electric Padlock with Nylon Shackle Yellow Colour - Key Alike | - 2 nos. |
| 14. Cylinder Electrical Plug Lockout | - 1 no. |
| 15. Small Plug Lockout | - 1 no. |
| 16. Large Plug Lockout | - 1 no. |
| 17. Electrical Panel Handle Lockout | - 1 no. |
| 18. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 19. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 20. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 21. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 22. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 23. Computer Power Cord Lockout | - 2 nos. |
| 24. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 25. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 26. Premier Fuse Holder Lockout | - 1 no. |
| 27. Lockout Tags | - 20 nos. |
| 28. Nylon Ties for Tags | - 20 nos. |
| 29. Lockout Pen for Tags | - 1 no. |
| 30. Lockout Training Booklet | - 1 no. |
| 31. Screw Driver | - 1 no. |
| 32. Loto Blue Bag - Medium | - 1 no. |

ES-ED-LOTO-KIT

Electrical Department Lockout Kit



ELECTRICAL DEPARTMENT LOCKOUT STATION - 01

Carries Lockout gadgets for locking out most of the Breakers, Electrical Plugs, Wall Switches, MCBs, Fuses, etc.



- | | |
|---|----------|
| 1. De Electric Slider Hasp for 4 Locks / 3 mm shackle | -1 no. |
| 2. De Electric Slider Hasp for 4 Locks / 6 mm shackle | -1 no. |
| 3. PLSP De Electric Padlock with Nylon Shackle Red Colour - Key Different | -4 nos. |
| 4. Blocking Bar Lockout Kit 9 | -1 set |
| 5. Electrical Panel Handle Lockout | -1 set |
| 6. Combo Miniature Circuit Breaker Lockout | -1 set |
| 7. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | -1 set |
| 8. Large Circuit Breaker Lockout Round Handle | -1 no. |
| 9. Universal Circuit Breaker Lockout A & B Type | -2 nos. |
| 10. Combo - Tool Free Circuit Breaker Lockout (Set of 2) | -1 set. |
| 11. Universal Multi - Functional Circuit Breaker Lockout | -2 nos. |
| 12. 1 Piece each of all the COBL (Small, Medium & Large) + 2 Cleats | -1 set |
| 13. 1 Piece each of GT-CBL-S&L | -1 set |
| 14. Slider Toggle Lockout | -1 no. |
| 15. Computer Power Cord Lockout | -2 nos. |
| 16. 1 Piece of F COCOON, FC BASE & FC R BASE | -1 set |
| 17. Oversize Push Button Lockout - Cocoon | -1 no. |
| 18. Electrical Panel Lockout - Ellipse | -1 no. |
| 19. 1 Piece each of all the Electrical Panel Square Box (Small, Big, Big 45°, Big 90°, Large) | -1 set |
| 20. Fuse Holder Lockout - Thin Grip Type | -1 no. |
| 21. Fuse Holder Lockout - Wide Grip Type | -1 no. |
| 22. Lockout Tags | -10 nos. |
| 23. Nylon Ties for Tags | -10 nos. |
| 24. Lockout Pen for Tags | -1 no. |
| 25. Lockout Training Booklet | -1 no. |
| 26. Screw Driver | -1 no. |
| 27. Lockout Tagout Station with Clear Fascia | -1 no. |

ES-EDLS-01

Electrical Department Lockout Station - 01



ELECTRICAL DEPARTMENT LOCKOUT STATION - 02

Carries all the basic Lockouts for locking out Breakers, Electrical Plugs, Wall Switches, MCBs, Fuses, etc.



- | | |
|--|-----------|
| 1. Electrical Panel Lockout - Round 45 | - 1 no. |
| 2. Electrical Panel Lockout - Round 55 | - 1 no. |
| 3. Electrical Panel Lockout - Square Box - Small | - 1 no. |
| 4. Electrical Panel Lockout - Square Box - Big 45° | - 1 no. |
| 5. Electrical Panel Lockout - Square Box - Big 90° | - 1 no. |
| 6. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 7. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 3 mm shackle | - 2 nos. |
| 9. De Electric Hasp 3 holes / 6 mm shackle | - 2 nos. |
| 10. De Electric Hasp 6 holes / 6 mm shackle | - 2 nos. |
| 11. Economy Multipurpose Cable Lockout with Tool & 2 Mtrs. cable with loop | - 1 set |
| 12. PLSP De Electric Padlock with Nylon Shackle Red Colour - Key Different | - 3 nos. |
| 13. PLSP De Electric Padlock with Nylon Shackle Yellow Colour - Key Alike | - 2 nos. |
| 14. Cylinder Electrical Plug Lockout | - 1 no. |
| 15. Small Plug Lockout | - 1 no. |
| 16. Large Plug Lockout | - 1 no. |
| 17. Electrical Panel Handle Lockout | - 1 no. |
| 18. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 19. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 20. Universal Fuse Holder Lockout - Red | - 1 no. |
| 21. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 22. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 23. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 24. Computer Power Cord Lockout | - 2 nos. |
| 25. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 26. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 27. Premier Fuse Holder Lockout | - 1 no. |
| 28. Lockout Tags | - 20 nos. |
| 29. Nylon Ties for Tags | - 20 nos. |
| 30. Lockout Pen for Tags | - 1 no. |
| 31. Lockout Training Booklet | - 1 no. |
| 32. Screw Driver | - 1 no. |
| 33. Lockout Tagout Station with Clear Fascia | - 1 no. |



ES-YPLS-ED-02

ES-EDLS-02	Electrical Department Lockout Station - 02
ES-YPLS-ED-02	Yellow Portable Lockout Station with Goods - Electrical Dept. - 02



ELECTRICAL DEPARTMENT LOCKOUT STATION - 03

Carries all the advanced Lockouts for locking out Breakers, Electrical Plugs, Wall Switches, MCBs, Fuses, etc.



- | | |
|--|-----------|
| 1. Pin & Sleeve Socket Lockout - Small | - 1 no. |
| 2. Pin & Sleeve Socket Lockout - Medium | - 1 no. |
| 3. Pin & Sleeve Socket Lockout - Large | - 1 no. |
| 4. Pin & Sleeve Socket Lockout - Extra Large | - 1 no. |
| 5. Pin & Sleeve Plug Lockout | - 1 no. |
| 6. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 7. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 8. De Electric Hasp 3 holes / 3 mm shackle | - 2 nos. |
| 9. De Electric Hasp 3 holes / 6 mm shackle | - 2 nos. |
| 10. De Electric Hasp 6 holes / 6 mm shackle | - 2 nos. |
| 11. Two Way Black MG Toggle Hasp | - 2 nos. |
| 12. Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable with Loop | - 1 set |
| 13. PLSP De Electric Padlock with Nylon Shackle Red Colour - Key Different | - 3 nos. |
| 14. Large Plug Lockout - Premier | - 1 no. |
| 15. Blocking Bar Lockout Kit 9 | - 1 set |
| 16. Electrical Panel Handle Lockout | - 1 no. |
| 17. Squeezer Multipurpose Cable Lockout - DE Electric | - 1 no. |
| 18. Universal Miniature Circuit Breaker Lockout - Grip Type | - 1 no. |
| 19. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 20. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 21. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 22. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 23. Computer Power Cord Lockout | - 2 nos. |
| 24. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 25. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 26. Premier Fuse Holder Lockout | - 1 no. |
| 27. Lockout Tags | - 20 nos. |
| 28. Nylon Ties for Tags | - 20 nos. |
| 29. Lockout Pen for Tags | - 1 no. |
| 30. Lockout Training Booklet | - 1 no. |
| 31. Screw Driver | - 1 no. |
| 32. Lockout Tagout Station with Clear Fascia | - 1 no. |

ES-EDLS-03

Electrical Department Lockout Station - 03

LOCKOUT KITS

ELECTRICAL FUSE LOCKOUT KIT

Secure your fuses effectively as a crucial part of your lockout tagout protocol. Our robust fuse lockout kits are designed to completely isolate fuses, preventing any unauthorized or accidental tampering during maintenance or service operations.



- | | |
|---|-----------|
| 1. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 2. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 3. Universal Fuse Holder Lockout - Red | - 1 no. |
| 4. Universal Fuse Holder Lockout - Slim | - 1 no. |
| 5. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 6. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 7. Fuse Blocker - 4 Way | - 1 no. |
| 8. Fuse Blocker - 2 Way | - 1 no. |
| 9. Safe Grip Fuse Puller | - 1 no. |
| 10. PLSP De Electric Padlock with Nylon Shackle - Key Alike | - 2 nos. |
| 11. Lockout Tags | - 10 nos. |
| 12. Nylon Ties for Tags | - 10 nos. |
| 13. Lockout Pen for Tags | - 1 no. |
| 14. Screw Driver | - 1 no. |
| 15. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-EFLK Electrical Fuse Lockout Kit

* ELECTRICAL FUSE LOCKOUT KIT ULTIMATE

Secure your fuses effectively as a crucial part of your lockout tagout protocol. Our robust fuse lockout kits are designed to completely isolate fuses, preventing any unauthorized or accidental tampering during maintenance or service operations.



- | | |
|---|-----------|
| 1. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 2. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 3. Universal Fuse Holder Lockout - Red | - 1 no. |
| 4. Universal Fuse Holder Lockout - Slim | - 1 no. |
| 5. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 6. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 7. Premier Fuse Holder Lockout | - 1 no. |
| 8. Round Fuse Holder Lockout - DII | - 1 no. |
| 9. Round Fuse Holder Lockout - DIII | - 1 no. |
| 10. Operating tool for Round Fuse Holder Lockout | - 1 no. |
| 11. Fuse Blocker - 4 Way | - 1 no. |
| 12. Fuse Blocker - 2 Way | - 1 no. |
| 13. Safe Grip Fuse Puller | - 1 no. |
| 14. PLSP De Electric Padlock with Nylon Shackle - Key Alike | - 2 nos. |
| 15. Lockout Tags | - 10 nos. |
| 16. Nylon Ties for Tags | - 10 nos. |
| 17. Lockout Pen for Tags | - 1 no. |
| 18. Screw Driver | - 1 no. |
| 19. Lockout 3 Pocket Belt Pouch | - 1 no. |

ES-EFLK-U Electrical Fuse Lockout Kit - Ultimate

* Bag design may change, depending on availability.



LOCKOUT KITS

VALVE LOCKOUT KIT



Basic blue bag lockout kit to handle Gate / Ball / Butterfly valves.

1. Gate Valve Lockout (ES-02-GVL)	- 1 no.
2. Gate Valve Lockout (ES-04-GVL)	- 1 no.
3. Gate Valve Lockout (ES-06-GVL)	- 1 no.
4. Ball Valve Lockout (ES-BV-01)	- 1 no.
5. Ball Valve Lockout with Extended Lever (ES-BV-01-EX)	- 1 no.
6. Small Size Settable Ball Valve Lockout - Set	- 1 set
7. Additional Arm - Small	- 1 no.
8. Butterfly Valve Lockout	- 1 no.
9. Vinyl Coated Hasp - Small	- 1 no.
10. Vinyl Coated Hasp - Premier	- 1 no.
11. Powder Coated Scorpio Hasp - Red	- 1 no.
12. Stainless Steel Hasp - 5 mm shackle	- 1 no.
13. Premier Multipurpose Cable Lockout with 2 mtrs. Vinyl Coated Steel Cable	- 1 set
14. Padlock with Long Shackle - Key Different	- 6 nos.
15. Lockout Tags	- 10 nos.
16. Nylon Ties for Tags	- 10 nos.
17. Lockout Pen for Tags	- 1 no.
18. Lockout Training Booklet	- 1 no.
19. Loto Blue Bag - Medium	- 1 no.

ES-VLV-LOTO-KIT

Valve Lockout Kit

VALVE LOCKOUT KIT - BIG



Blue bag based kit, that carries all the basic gadgets that you need for locking off bigger size Gate / Ball / Butterfly valves.

1. Gate Valve Lockout (ES-08-GVL)	- 1 no.
2. Gate Valve Lockout (ES-10-GVL)	- 1 no.
3. Adjustable Gate Valve Lockout	- 1 no.
4. Top Rail - Ball Valve Lockout Small	- 1 no.
5. Top Rail - Ball Valve Lockout Large	- 1 no.
6. Small Size Settable Ball Valve Lockout - Set	- 1 set
7. Additional Arm - Small	- 1 no.
8. Large Size Settable Ball Valve Lockout - Set	- 1 set
9. Additional Arm - Large	- 1 no.
10. Butterfly Valve Lockout	- 1 no.
11. Universal Butterfly Valve Lockout with ES-GTMCL+2C	- 1 set
12. Vinyl Coated Hasp - Small	- 1 no.
13. Vinyl Coated Hasp - Premier	- 2 nos.
14. Powder Coated Scorpio Hasp - Red	- 1 no.
15. Stainless Steel Hasp - 5 mm shackle	- 1 no.
16. Metallic Multipurpose Cable Lockout with 2 mtrs. Stainless Steel Cable	- 2 sets
17. Padlock with Long Shackle - Key Different	- 6 nos.
18. Large Plug Cover Lockout	- 1 no.
19. Lockout Tags	- 20 nos.
20. Nylon Ties for Tags	- 20 nos.
21. Lockout Pen for Tags	- 1 no.
22. Lockout Training Booklet	- 1 no.
23. Loto Blue Bag - Large	- 1 no.

ES-VLV-LOTO-KIT-02

Valve Lockout Kit - Big



LOCKOUT KITS

* VALVE LOCKOUT KIT - PREMIER



Blue bag based Valve lockout kit to lockout Gate / Ball / Butterfly valves.

- | | |
|---|-----------|
| 1. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 2. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 3. Adjustable Gate Valve Lockout | - 1 no. |
| 4. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 5. One Piece Steel - Small Ball Valve Lockout | - 1 no. |
| 6. One Piece Steel - Large Ball Valve Lockout | - 1 no. |
| 7. Two Piece PVC - Small Ball Valve Lockout | - 1 no. |
| 8. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set |
| 9. Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable with Loop | - 1 set |
| 10. Vinyl Coated Hasp - Small | - 2 nos. |
| 11. Vinyl Coated Hasp - Premier | - 2 nos. |
| 12. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 13. Stainless Steel Hasp - 5 mm shackle | - 1 no. |
| 14. Padlock with Long Shackle - Key Different | - 6 nos. |
| 15. Lockout Tags | - 10 nos. |
| 16. Nylon Ties for Tags | - 10 nos. |
| 17. Lockout Pen for Tags | - 1 no. |
| 18. Lockout Training Booklet | - 1 no. |
| 19. Loto Blue Bag - Medium | - 1 no. |

ES-VLV-LOTO-KIT-P

Valve Lockout Kit - Premier

VALVE LOCKOUT KIT - SMALL



This Yellow bag kit carries general lockout / tagout gadgets for various kind of Gate / Ball / Butterfly valves.

- | | |
|--|-----------|
| 1. Gate Valve Lockout (ES-02-GVL) | - 2 nos. |
| 2. Gate Valve Lockout (ES-04-GVL) | - 2 nos. |
| 3. Universal Valve Lockout with 2 mtrs. Galvanized Steel Cable with Loop | - 1 set |
| 4. Ball Valve Lockout with Extended Lever (ES-BV-01-EX) | - 1 no. |
| 5. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 6. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set. |
| 7. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 8. Powder Coated Scorpio Hasp - Red | - 2 nos. |
| 9. Padlock with Regular Shackle - Key Different | - 2 nos. |
| 10. Padlock with Long Shackle - Key Different | - 2 nos. |
| 11. Lockout Tags | - 10 nos. |
| 12. Nylon Ties for Tags | - 10 nos. |
| 13. High Visible Yellow Bag | - 1 no. |

ES-VLV-LOTO-KIT-S

Valve Lockout Kit - Small

* Bag design may change, depending on availability.



* ELECTRICAL & VALVE LOCKOUT KIT PERSONAL



Personal Electrical & Valve Lockout kit provides basic products that you need to lockout breakers, plugs and valves of small sizes.

- | | |
|--|----------|
| 1. Cylinder Electrical Plug Lockout | - 1 no. |
| 2. PLSP Padlock with Steel Shackle - Key Different | - 3 nos. |
| 3. Universal Multi - Pole Breaker Lockout | - 1 no. |
| 4. Clamp on Breaker Lockout - Small | - 2 nos. |
| 5. Clamp on Breaker Lockout - Medium | - 1 no. |
| 6. Cleat for Small Clamp on Breaker Lockout | - 2 nos. |
| 7. Cleat for Medium Clamp on Breaker Lockout | - 1 no. |
| 8. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 9. Vinyl Coated Hasp - Small | - 3 nos. |
| 10. Adjustable Gate Valve Lockout | - 1 no. |
| 11. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 12. Lockout Tags | - 3 nos. |
| 13. Nylon Ties for Tags | - 3 nos. |
| 14. Loto Tool Box | - 1 no. |

ES-EVLK-P

Electrical & Valve Lockout Kit - Personal

* ELECTRICAL & VALVE LOCKOUT KIT DELUXE



A Special portable lockout kit comprising of wide range of lockout products for handling simple electrical points and valve.

- | | |
|---|-----------|
| 1. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 2. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 3. Vinyl Coated Hasp - Premier - Yellow & Black | - 3 nos. |
| 4. Padlock with Regular Shackle - Key Different | - 3 nos. |
| 5. Lockout Training Booklet | - 1 no. |
| 6. Top Slide - Single Pole Breaker Lockout | - 3 nos. |
| 7. Multi Pole Breaker Lockout | - 3 nos. |
| 8. Single Pole Lockout | - 2 nos. |
| 9. Large Circuit Breaker Lockout Round Handle | - 2 nos. |
| 10. Wall Switch Lockout - Clear | - 1 no. |
| 11. 7 Hole - Multipurpose Cable Lockout with 2 mtrs.
Vinyl Coated Steel Cable Loop | - 1 set |
| 12. Small Plug Lockout | - 1 no. |
| 13. Cylinder Electrical Plug Lockout | - 1 no. |
| 14. Safety Lockout Arrow Marker (ES-SLAM-2) | - 5 nos. |
| 15. Safety Lockout Arrow Marker (ES-SLAM-4) | - 5 nos. |
| 16. Lockout Tags - Do Not Open Valve | - 10 nos. |
| 17. Lockout Tags - Do Not Close Valve | - 10 nos. |
| 18. Lockout Tags | - 20 nos. |
| 19. Nylon Ties for Tags | - 30 nos. |
| 20. Loto Tool Box | - 1 no. |

* Box design may change, depending on availability.

ES-EVLK-D

Electrical & Valve Lockout Kit - Deluxe



* ELECTRICAL & VALVE LOCKOUT KIT PERSONAL



An industrial selection of lockout / tagout devices. Polypropylene plastic box resists oil and chemicals.

- | | |
|---|-----------|
| 1. Small Plug Lockout - Premier | - 1 no. |
| 2. Large Plug Lockout - Premier | - 1 no. |
| 3. Wall Switch Lockout - Top Hinge | - 1 no. |
| 4. Universal Multi - Pole Breaker Lockout | - 2 nos. |
| 5. Clamp on Breaker Lockout - Small | - 2 nos. |
| 6. Clamp on Breaker Lockout - Medium | - 1 no. |
| 7. Cleat for Small Clamp on Breaker Lockout | - 1 no. |
| 8. Cleat for Medium Clamp on Breaker Lockout | - 1 no. |
| 9. Vinyl Coated Hasp - Premier | - 2 nos. |
| 10. Snap-On Circuit Breaker Lockout | - 3 nos. |
| 11. Fuse Blocker - 4 Way | - 1 no. |
| 12. Fuse Blocker - 2 Way | - 1 no. |
| 13. Tago Hasp - Red | - 1 no. |
| 14. PLSP Padlock with Steel Shackle - Key Different | - 4 nos. |
| 15. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 16. Two Piece PVC - Small Ball Valve Lockout | - 1 no. |
| 17. Lockout Tags | - 10 nos. |
| 18. Nylon Ties for Tags | - 10 nos. |
| 19. Loto Tool Box | - 1 no. |

ES-EVLK-I

Electrical & Valve Lockout Kit - Industrial

* ELECTRICAL & VALVE LOCKOUT KIT SMALL



Blue bag based small Electrical / Valve lockout / tagout kit.

- | | |
|--|-----------|
| 1. Adjustable Gate Valve Lockout | - 1 no. |
| 2. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 3. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set |
| 4. One Piece Steel - Small Ball Valve Lockout | - 1 no. |
| 5. One Piece Steel - Large Ball Valve Lockout | - 1 no. |
| 6. PLSP De Electric Padlock with Nylon Shackle - KD | - 2 nos. |
| 7. 1 Piece each of all the Premier CBL & MCBL - R | - 1 set |
| 8. Grip Tight Circuit Breaker Lockout - Small | - 1 no. |
| 9. Grip Tight Circuit Breaker Lockout - Large | - 1 no. |
| 10. Universal Multi - Functional Circuit Breaker Lockout | - 1 no. |
| 11. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 12. De Electric Slider Hasp for 4 Locks / 6 mm shackle | - 1 no. |
| 13. Vinyl Coated Hasp - Premier | - 1 no. |
| 14. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 15. Lockout Tags | - 10 nos. |
| 16. Nylon Ties for Tags | - 10 nos. |
| 17. Lockout Pen for Tags | - 1 no. |
| 18. Loto Blue Bag - Medium | - 1 no. |

* Bag/Box design may change, depending on availability.

ES-EVLK-S

Electrical & Valve Lockout Kit - Small



ELECTRICAL & VALVE LOCKOUT KIT ULTIMATE



Blue bag based electrical and valve lockout kit.

- | | |
|---|----------|
| 1. Gate Valve Lockout (ES-02-GVL) | - 1 no. |
| 2. Gate Valve Lockout (ES-04-GVL) | - 1 no. |
| 3. Gate Valve Lockout (ES-06-GVL) | - 1 no. |
| 4. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 5. Top Rail - Ball Valve Lockout Large | - 1 no. |
| 6. Vinyl Coated Hasp - Premier - Yellow & Black | - 2 nos. |
| 7. Padlock with Regular Shackle - Key Different | - 3 nos. |
| 8. Lockout Training Booklet | - 1 no. |
| 9. Multi Pole Breaker Lockout | - 2 nos. |
| 10. Single Pole Lockout | - 2 nos. |
| 11. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 12. Wall Switch Lockout - Clear | - 1 no. |
| 13. 7 Hole - Multipurpose Cable Lockout with 2 mtrs.
Vinyl Coated Steel Cable Loop | - 1 set |
| 14. Large Plug Lockout | - 1 no. |
| 15. Lockout Tags | - 5 nos. |
| 16. Nylon Ties for Tags | - 5 nos. |
| 17. Loto Blue Bag - Medium | - 1 no. |

ES-EVLK-U

Electrical & Valve Lockout Kit - Ultimate

ELECTRICAL & VALVE LOCKOUT KIT BASIC



General Valve & Electrical Lockout kit to start with. Provide LOTO register & basic devices for lockout breakers, plugs and valves of various types and sizes.

- | | |
|---|----------|
| 1. Vinyl Coated Hasp - Small | - 1 no. |
| 2. Vinyl Coated Hasp - Premier | - 1 no. |
| 3. De Electric Slider Hasp for 4 Locks / 3 mm shackle | - 1 no. |
| 4. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 5. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 6. PLSP De Electric Padlock with Nylon Shackle - KD | - 3 nos. |
| 7. Adjustable Gate Valve Lockout | - 1 no. |
| 8. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set |
| 9. Ball Valve Lockout (ES-BV-01) | - 1 no. |
| 10. Lockout Register - A & B Type | - 1 set |
| 11. Lockout Tags | - 5 nos. |
| 12. Nylon Ties for Tags | - 5 nos. |
| 13. Lockout Pen for Tags | - 1 no. |
| 14. Red Shoulder Bag | - 1 no. |

ES-EVLK-B

Electrical & Valve Lockout Kit - Basic



ELECTRICAL & VALVE LOCKOUT KIT COMBO

Provide every thing you need to lockout Breakers, Plugs, MCBs, Valves, Switches of various types & shapes.



- | | |
|---|-----------|
| 1. Adjustable Gate Valve Lockout | - 1 no. |
| 2. Ball Valve Lockout with Extended Lever (ES-BV-01-EX) | - 1 no. |
| 3. Universal Butterfly Valve Lockout with ES-GTMCL+2C | - 1 set |
| 4. Small Size Settable Ball Valve Lockout - Set | - 1 set |
| 5. Additional Arm - Small | - 1 no. |
| 6. Large Size Settable Ball Valve Lockout - Set | - 1 set |
| 7. Additional Arm - Large | - 1 no. |
| 8. Small Plug Lockout | - 1 no. |
| 9. Large Plug Lockout | - 1 no. |
| 10. Cylinder Electrical Plug Lockout | - 1 no. |
| 11. Large Plug Cover Lockout | - 1 no. |
| 12. Vinyl Coated Hasp - Small | - 1 no. |
| 13. Vinyl Coated Hasp - Premier | - 1 no. |
| 14. Powder Coated Scorpio Hasp - Red | - 2 nos. |
| 15. Stainless Steel Hasp - 5 mm shackle | - 1 no. |
| 16. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 17. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 18. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 19. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 20. Metallic Multipurpose Cable Lockout with 2 Mtrs. Cable | - 1 set |
| 21. Premier Multipurpose Cable Lockout with 2 mtrs. Vinyl Coated Steel Cable | - 1 set |
| 22. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 23. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 24. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 25. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 26. Computer Power Cord Lockout | - 1 no. |
| 27. Normal Push Button Lockout for Electrical Panels | - 1 no. |
| 28. Oversize Push Button Lockout - Cocoon | - 1 no. |
| 29. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 30. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 31. Premier Fuse Holder Lockout | - 1 no. |
| 32. Padlock with Regular Shackle - Key Different | - 3 nos. |
| 33. Padlock with Long Shackle - Key Different | - 3 nos. |
| 34. PLSP De Electric Padlock with Nylon Shackle - KD | - 3 nos. |
| 35. Lockout Tags | - 20 nos. |
| 36. Nylon Ties for Tags | - 20 nos. |
| 37. Lockout Pen for Tags | - 1 no. |
| 38. Lockout Training Booklet | - 1 no. |
| 39. Screw Driver | - 1 no. |
| 40. Loto Blue Bag - Medium | - 1 no. |
| 41. Plug Valve / Globe Valve Lockout - Combo (Set of 2 Tops and 4 Base with Ring) | - 1 set |

ES-EV-COMBO-KIT

COMBO KIT (Electrical + Valve)



ELECTRICAL & VALVE LOCKOUT STATION

Large Lockout/Tagout Station can be wall mounted or easily transported, All metal, lockable cabinets come with two adjustable shelves (extra shelves available), Lockout safety tips are conveniently located inside of door for frequent reminders of proper lockout procedures.



- | | |
|---|-----------|
| 1. Adjustable Gate Valve Lockout | - 1 no. |
| 2. Ball Valve Lockout with Extended Lever (ES-BV-01-EX) | - 1 no. |
| 3. Butterfly Valve Lockout | - 1 no. |
| 4. Large Size Settable Ball Valve Lockout - Set | - 1 set |
| 5. Additional Arm - Large | - 1 no. |
| 6. Small Plug Lockout | - 1 no. |
| 7. Large Plug Lockout | - 1 no. |
| 8. Cylinder Electrical Plug Lockout | - 1 no. |
| 9. Large Plug Cover Lockout | - 1 no. |
| 10. Vinyl Coated Hasp - Small | - 1 no. |
| 11. Vinyl Coated Hasp - Premier | - 1 no. |
| 12. Powder Coated Scorpio Hasp - Red | - 2 nos. |
| 13. Stainless Steel Hasp - 5 mm shackle | - 1 no. |
| 14. De Electric Hasp 3 holes / 3 mm shackle | - 1 no. |
| 15. De Electric Hasp 3 holes / 6 mm shackle | - 1 no. |
| 16. De Electric Hasp 6 holes / 6 mm shackle | - 1 no. |
| 17. Squeezer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 18. Metallic Multipurpose Cable Lockout with 2 Mtrs. Cable | - 1 set |
| 19. Premier Multipurpose Cable Lockout with 2 mtrs. Vinyl Coated Steel Cable | - 1 set |
| 20. Combo Miniature Circuit Breaker Lockout | - 1 set |
| 21. 1 Piece each of all the PI / PO / POW & Tie Bar CCBL | - 1 set |
| 22. Large Circuit Breaker Lockout Round Handle | - 1 no. |
| 23. Universal Circuit Breaker Lockout A & B Type | - 2 nos. |
| 24. Computer Power Cord Lockout | - 1 no. |
| 25. Normal Push Button Lockout for Electrical Panels | - 1 no. |
| 26. Oversize Push Button Lockout - Cocoon | - 1 no. |
| 27. Fuse Holder Lockout - Thin Grip Type | - 1 no. |
| 28. Fuse Holder Lockout - Wide Grip Type | - 1 no. |
| 29. Premier Fuse Holder Lockout | - 1 no. |
| 30. Padlock with Regular Shackle - Key Different | - 3 nos. |
| 31. Padlock with Long Shackle - Key Different | - 3 nos. |
| 32. PLSP De Electric Padlock with Nylon Shackle - KD | - 3 nos. |
| 33. Lockout Tags | - 20 nos. |
| 34. Nylon Ties for Tags | - 20 nos. |
| 35. Lockout Pen for Tags | - 1 no. |
| 36. Lockout Training Booklet | - 1 no. |
| 37. Screw Driver | - 1 no. |
| 38. Lockout Tagout Station with Clear Fascia | - 1 no. |
| 39. Plug Valve / Globe Valve Lockout - Combo (Set of 2 Tops and 4 Base with Ring) | - 1 set |

ES-EVLS Electrical & Valve Lockout Station

LOCKOUT KITS

CYLINDER & PNEUMATIC LOCKOUT KIT



Provide all the basic Cylinder & Pneumatic Lockouts.

- | | |
|--|-----------|
| 1. Cylinder Lockout (Red Lid - Empty) | - 1 no. |
| 2. Cylinder Lockout (Green Lid - Full) | - 1 no. |
| 3. Gate Valve Cylinder Lockout | - 1 no. |
| 4. Small Pneumatic Lockout (SPLO) | - 1 no. |
| 5. Large Pneumatic Lockout (LPLO) | - 1 no. |
| 6. Pneumatic Lockout - Straight with 9 Holes | - 1 no. |
| 7. Vinyl Coated Hasp - Small | - 2 nos. |
| 8. Vinyl Coated Hasp - Premier | - 2 nos. |
| 9. Powder Coated Scorpio Hasp - Red | - 1 no. |
| 10. Large Plug Cover Lockout | - 1 no. |
| 11. Padlock with Regular Shackle - Key Different | - 3 nos. |
| 12. Padlock with Long Shackle - Key Different | - 3 nos. |
| 13. Premier Multipurpose Cable Lockout with 2 mtrs. Vinyl Coated Steel Cable | - 1 set |
| 14. Lockout Tags | - 10 nos. |
| 15. Nylon Ties for Tags | - 10 nos. |
| 16. Lockout Pen for Tags | - 1 no. |
| 17. Lockout Training Booklet | - 1 no. |
| 18. Screw Driver | - 1 no. |
| 19. Pneumatic Lockout - 3 Way | - 1 no. |
| 20. Loto Blue Bag - Medium | - 1 no. |

ES-CYP-01 Cylinder & Pneumatic Lockout Kit

CABLE LOCKOUT KIT




Easy to carry, zipper bag holds a worker's personal padlocks and other lockout devices.

- | | |
|---|----------|
| 1. Squeezeer Multipurpose Cable Lockout - Metallic Blue | - 1 no. |
| 2. Squeezeer Multipurpose Cable Lockout - De Electric | - 1 no. |
| 3. Metallic Multipurpose Cable Lockout with 2 Mtrs. Cable | - 1 set |
| 4. Grip Type Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable | - 1 no. |
| 5. Economy Multipurpose Cable Lockout with 2 Mtrs. Vinyl Coated Steel Cable with Loop | - 1 set |
| 6. HLSPadlock with Steel Shackle - Key Different | - 2 nos. |
| 7. Lockout Tags | - 5 nos. |
| 8. Nylon Ties for Tags | - 5 nos. |
| 9. Lockout Pen for Tags | - 1 no. |
| 10. Loto Blue Bag - Small | - 1 no. |

ES-CLK Cable Lockout Kit

MINI LOCKOUT SHADOW BOARD



Compact lockout station can be mounted on or close by your Machines / Lockout points.

- | | |
|--|-----------|
| 1. PLSP Padlock with Steel Shackle - Key Different | - 6 nos. |
| 2. Vinyl Coated Hasp - Small | - 2 nos. |
| 3. Lockout Tags | - 10 nos. |
| 4. Shadow Lockout Station - RW | - 1 no. |

ES-MLSB Mini Lockout Shadow Board - Complete with Goods

LOCKOUT KITS

MINI LOCKOUT STARTER CABINET - 01



Carries basic lockout products for LOTO implementation.

- | | |
|--|-----------|
| 1. Vinyl Coated Hasp - Small | - 2 nos. |
| 2. PLSP Padlock with Steel Shackle - Key Different | - 4 nos. |
| 3. Lockout Tags | - 10 nos. |
| 4. Yellow Lockout Tagout Cabinet for 4 Locks | - 1 no. |

ES-MLSC-01 Mini Lockout Starter Cabinet - 01

MINI LOCKOUT STARTER CABINET - 02



Carries basic lockout products for LOTO implementation - small department.

- | | |
|--|-----------|
| 1. Vinyl Coated Hasp - Small | - 4 nos. |
| 2. PLSP Padlock with Steel Shackle - Key Different | - 8 nos. |
| 3. Lockout Tags | - 20 nos. |
| 4. Yellow Lockout Tagout Cabinet for 8 Locks | - 1 no. |

ES-MLSC-02 Mini Lockout Starter Cabinet - 02

MINI LOCKOUT STARTER CABINET - 03



Basic Valve & Electrical Lockout kit to start with.

- | | |
|---|-----------|
| 1. Vinyl Coated Hasp - Small | - 4 nos. |
| 2. Padlock with Long Shackle - Key Different | - 4 nos. |
| 3. Cylinder Electrical Plug Lockout | - 1 no. |
| 4. Universal Multi - Functional Circuit Breaker Lockout | - 2 nos. |
| 5. Adjustable Gate Valve Lockout | - 1 no. |
| 6. Top Rail - Ball Valve Lockout Small | - 1 no. |
| 7. Lockout Tags | - 10 nos. |
| 8. Screw Driver | - 1 no. |
| 9. Red Lockout Tagout Cabinet - Small | - 1 no. |

ES-MLSC-03 Mini Lockout Starter Cabinet - 03

LOCKOUT KITS

CUSTOMIZED LOCKOUT TAGOUT KITS


Industrial survey suggests that standard lockout kits often fall short of meeting the intended purpose as nearly 50% of the products are found to be unsuitable for the specific cause for which the kits are bought.

Each industry utilizes different machinery, equipment, and energy sources, necessitating the use of specific and tailored safety devices.

Customisation Options for Lockout Tagout Kits:



Choice of Products



Type of Products




Customised or Standard Products



Method of Storage



Department or Usage



Lockable vs. Non-Lockable Stations



Customised Sizes and Formats



Colour Options

Follow Lockout Procedures

Before working on equipment

ES-CLP-23

Lockout Posters are a valuable asset to every company, especially when used in conjunction with training and lockout policies. The information will help employees understand lockout and help prevent injuries, and save lives by communicating safe lockout / tagout procedures, instructions.

LOCKOUT POSTERS

CONVENTIONAL LOCKOUT POSTERS

- Our Lockout Posters are vital visual aids for reinforcing safety in the workplace. Designed to complement and enhance your existing training and LOTO procedures, these posters provide clear instructions and reminders to maintain compliance and promote a culture of safety.
- Featuring crucial LOTO procedures and tips, they act as constant reminders for employees to adhere to safety protocols.



ES-CLP-01



ES-CLP-02



ES-CLP-03




ES-CLP-04




ES-CLP-05




ES-CLP-06




ES-CLP-07




ES-CLP-08




ES-CLP-09



ES-CLP-10



ES-CLP-11




ES-CLP-12

Available Sizes :


- 18" x 24"
- 24" x 32"
- 36" x 48"

Posters are made on :


- Self Stick Vinyl (SSV)
- SSV on 3 mm Foam Board
- SSV on 3 mm ACP (Aluminium Composite Panel)




ES-CLP-13



ES-CLP-14



ES-CLP-15



ES-CLP-16



MODEL	PRODUCT DESCRIPTION	Size in Inch
ES-CLP-V	Conventional Lockout Poster - self stick Vinyl	18 x 24
ES-CLP-V+FB	Conventional Lockout Vinyl Poster on 3 mm Foam Board	18 x 24

Note : Contact us to request larger prints or discuss customization options.

LOCKOUT POSTERS

CONVENTIONAL LOCKOUT POSTERS

Customization Options:

- Customizable with your company logo, contact details, and other specific information to align with your corporate identity for a nominal additional cost.
- Our range of posters are available in all regional and international languages, making them accessible to a diverse workforce.



ES-CLP-17



ES-CLP-18



ES-CLP-19



ES-CLP-20




ES-CLP-21



ES-CLP-22



Hindi



ES-CLP-26



ES-CLP-27



ES-CLP-28



Gujarati



ES-CLP-32



ES-CLP-33



Tamil

Dear Customers :
 If you want to get a new poster developed as per your requirement - Do let us know. Our graphic team will be glad to make the same for you at a very nominal price.

Note : Contact us to request larger prints or discuss customization options.

LOCKOUT POSTERS


NEW LOCKOUT POSTERS

Innovative Lockout Posters

- These posters are designed based on cognitive psychology to ensure retention of the safety procedures and to systematically instill the principles of Lockout Tagout within your team.
- They act as a daily reminder, contributing to a safer and more aware workplace environment.
- Posters integrate both visual and textual elements to effectively communicate Lockout Tagout procedures.

Customization Options:

- We offer the flexibility of incorporating your company's specific information, such as logos or tailored safety messages, into our poster designs.
- Each poster can be modified to suit the unique safety protocols of your facility.



ES-NLP-01




ES-NLP-02




ES-NLP-03




ES-NLP-04



ES-NLP-05



ES-NLP-06




ES-NLP-07



ES-NLP-08




ES-NLP-09




ES-NLP-10



ES-NLP-11



ES-NLP-12




ES-NLP-13



ES-NLP-14



ES-NLP-15



ES-NLP-16

Available Sizes :

18" x 24"

24" x 32"

36" x 48"

Posters are made on :

- Self Stick Vinyl (SSV)
- SSV on 3 mm Foam Board
- SSV on 3 mm ACP (Aluminium Composite Panel)



MODEL	PRODUCT DESCRIPTION	Size in Inch
ES-NLP-V	New Lockout Poster - self stick Vinyl	18 x 24
ES-NLP-V+FB	New Lockout Vinyl Poster on 3 mm Foam Board	18 x 24

Note : Contact us to request larger prints or discuss customization options.

LOCKOUT POSTERS


NEW LOCKOUT POSTERS



ES-NLP-17



ES-NLP-18



ES-NLP-19




ES-NLP-20



ES-NLP-21




ES-NLP-22



ES-NLP-26



ES-NLP-27



ES-NLP-28

Available Sizes :


18" x 24"

24" x 32"

36" x 48"



ES-NLP-29



ES-NLP-30




ES-NLP-31

Posters are made on :


- Self Stick Vinyl (SSV)
- SSV on 3 mm Foam Board
- SSV on 3 mm ACP (Aluminium Composite Panel)



ES-NLP-32



ES-NLP-33



ES-NLP-34

Note : If you are unable to read the text of above posters, kindly contact us for their larger prints.

LOCKOUT POSTERS


NEW LOCKOUT POSTERS



ES-NLP-35



ES-NLP-36



ES-NLP-37



ES-NLP-38



ES-NLP-39



ES-NLP-40



ES-NLP-41



ES-NLP-42



ES-NLP-43



ES-NLP-44



ES-NLP-45



ES-NLP-46



ES-NLP-47



ES-NLP-48



ES-NLP-49



ES-NLP-50



ES-NLP-51

Design your own poster

Available Sizes :

18" x 24"

24" x 32"

36" x 48"

Posters are made on :

- Self Stick Vinyl (SSV)
- SSV on 3 mm Foam Board
- SSV on 3 mm ACP (Aluminium Composite Panel)



Customization Accepted

Note : If you are unable to read the text of above posters, kindly contact us for their larger prints.

LOCKOUT POSTERS

CUSTOMIZED LOCKOUT POSTERS & BANNERS



Our customised Lockout Tagout posters are designed to reinforce your energy control program and serve as a tool for ingraining safe work practices in your workforce.

Our in-house team of experienced designers is ready to help you create the perfect customised poster, one that aligns with your brand theme and communicates your unique safety messages in a way that is both engaging and informative.

Whether you want to adapt one of our existing designs or start from scratch, we are here to help you create a customised Lockout Tagout poster that meets your exact needs and expectations.

Why is customization important?

Every workplace is unique, with its own set of risks, equipment, and safety protocols. This uniqueness should be reflected in your safety communication tools. Customised Lockout Tagout posters allow you to communicate your specific safety procedures accurately, ensuring that the message is clear, relevant, and effective for your team.

Customisation Options for Lockout Tagout Posters and Banners:




Choose a poster from our range to be customised or create from scratch.



Choose from standard poster sizes or get a customised size.



Incorporate any custom text or safety message.



Incorporate any graphic or images.

If you have specific graphics or images that you would like to include into your customised poster.



Choose any colour theme.


Match your posters to your brand colours, or choose a colour scheme that stands out for safety.



Choose any language.

Our posters can be customised to any language, ensuring clear communication with all your employees.

LOCKOUT POSTERS



Language Options

Cater to a diverse workforce with posters in multiple languages.




Choose any poster mounting material.

Choose from materials such as 3mm, 4mm, ACP, Polycarbonate Sheet, Sun Board aka PVC Board, Self-Stick Vinyl, Paper, & Flex. Each material offers different benefits in terms of durability, flexibility & appearance.




Include any Dept. Name or Tech. Detail

Make your posters even more relevant by including specific department names or technical details related to your equipment or procedures.




Orientation

Choose between portrait or landscape orientations based on the space and visibility requirements.



Lamination

Depending upon the environmental conditions, you can have the posters laminated for added durability.



Poster Finish

Choose between matte or glossy finish based on the visibility requirements and aesthetic preference.



Inclusion of QR Codes

These can link to detailed procedures, videos or other related resources, offering additional information.



Inclusion of Company Policies

Add specific company policies related to lockout tagout procedures into the design of the poster.

STEERING WHEEL COVERS



Steering wheel lockout covers are designed to work as a visual deterrent to prevent unauthorised personnel from attempting to start a vehicle that is currently being serviced, that is under maintenance or is being excluded from operation.

The Steering Wheel Cover displays a highly visible message to employees warning them not to start the vehicle unless authorised to do so. This helps in preventing accidents and vehicle malfunction while maximising safety in the workspace.



STEERING WHEEL COVERS

STEERING WHEEL COVERS WITH LOCKING TAIL



- Steering wheel cover acts as a visual deterrent to avoid unauthorised use of vehicles during maintenance.
- Fits over the steering wheel and can be locked with 1 or 2 lockout padlocks.
- Ideal for forklifts, electric pallet jacks, construction equipment and fleet vehicles
- Danger header alerts others that the vehicle is inoperable and should not be used.
- Available in 3 different sizes – 40 CM Ø, 50 CM Ø, 60 CM Ø
- Various design options available – Standard, A, B, C or Customised.
- **Available in white and yellow base colours.**
- Specify design and colour at the time of ordering.



ES-SWC-WT-40



ES-SWC-WT-50



ES-SWC-WT-60



OTHER DESIGNS TO CHOOSE FROM



A



B



C

They can be supplied in different languages also.



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Diameter in Inch (Ø)
ES-SWC-WT-40	Steering Wheel Cover With Tail - 40 cm dia	16"
ES-SWC-WT-50	Steering Wheel Cover With Tail - 50 cm dia	20"
ES-SWC-WT-60	Steering Wheel Cover With Tail - 60 cm dia	24"

STEERING WHEEL COVERS

STEERING WHEEL COVERS



- Provides visual deterrent during vehicle maintenance. Bold printed warning notifies employees not to start or move vehicle.
- Ideal for forklifts, electric pallet jacks, construction equipment and fleet vehicles.
- The upper half has a stitched pocket to slip over the steering wheel.
- Includes a brass reinforced eyelet/grommet to accommodate a padlock or hasp to fix the cover in place. Increased deterrence by using a cable to immobilise operating pedals.
- Various design options available – Standard, A, B, C, D or Customised.
- **Available in white and yellow base colours.**
- Specify design and colour at the time of ordering.



ES-SWC-40



ES-SWC-50



ES-SWC-60

OTHER DESIGNS TO CHOOSE FROM



A



B



C



D



Customised (Example)

CUSTOMIZATION OPTIONS

- Colour
- Logo
- Name / Initials
- Text
- Language
- Photo
- Design



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Diameter in Inch (Ø)
ES-SWC-40	Steering Wheel Cover - 40 cm dia	16"
ES-SWC-50	Steering Wheel Cover - 50 cm dia	20"
ES-SWC-60	Steering Wheel Cover - 60 cm dia	24"

STEERING WHEEL COVERS

ELASTIC STEERING WHEEL COVERS



ES-E-SWC-50

- The stretchable steering wheel lockout cover displays a highly visible message to employees warning them not to start the vehicle unless authorised to do so.
- Manufactured from high-quality micro-fibre so they can be used again and again. Washer and dryer friendly.
- Features sewn-in, no-roll elastic which surrounds the entire steering wheel. Easy on and easy off with no pull tabs.
- Available in 2 different sizes – 50 CM Ø and 60 CM Ø
- Specify design and colour at the time of ordering.



A



B



C

MODEL	PRODUCT DESCRIPTION	Diameter in Inch (Ø)
ES-E-SWC-50	Elastic Steering Wheel Cover - 50 cm dia	20"
ES-E-SWC-60	Elastic Steering Wheel Cover - 60 cm dia	24"

ELASTIC FLUORESCENT STEERING WHEEL COVERS



ES-EF-SWC-50

- This high visibility steering wheel lockout cover is designed to provide a visual barrier that prevents use of vehicles that are out of order and being serviced.
- Made of fluorescent mesh fabric, it is durable and does not lose its shape due to washing.
- Easy on and easy off with no pull tabs.
- Available in lime or orange hi-vis material.
- Available in 2 different sizes – 50 CM Ø and 60 CM Ø
- Specify design and colour at the time of ordering.



A



B



C

MODEL	PRODUCT DESCRIPTION	Diameter in Inch (Ø)
ES-EF-SWC-50	Elastic Fluorescent Steering Wheel Cover - 50 cm dia	20"
ES-EF-SWC-60	Elastic Fluorescent Steering Wheel Cover - 60 cm dia	24"

They can be supplied in different languages also.



Customization Accepted

STEERING WHEEL COVERS

RED TEMPORARY COVER - 1 POCKET



ES-RTC1-60

- The steering wheel lockout cover warns against driving a vehicle that is disabled or being worked on.
- Cover fits snugly around the steering wheel.
- Helps maintain compliance and keep staff safe.
- Comes with a pocket for storing keys, notes or other paperwork.
- Available in 2 different sizes – 50 CM Ø and 60 CM Ø



ES-RTC1-50



ES-RTC1-60

MODEL	PRODUCT DESCRIPTION	Diameter in Inch (Ø)
ES-RTC1-50	Red Temporary Cover with 1 Pocket - 50 cm dia	20"
ES-RTC1-60	Red Temporary Cover with 1 Pocket - 60 cm dia	24"

RED TEMPORARY COVER - 4 POCKETS



ES-RTC4-60

- Steering wheel lockout cover designed to advise not to start or move vehicle.
- Comes with 4 pockets for storing maintenance notes/defect sheets and other paperwork.
- Perfect for vehicles undergoing vehicle inspections and periodic maintenance inspections.
- Available in 2 different sizes – 50 CM Ø and 60 CM Ø



ES-RTC4-50



ES-RTC4-60

MODEL	PRODUCT DESCRIPTION	Diameter in Inch (Ø)
ES-RTC4-50	Red Temporary Cover with 4 Pocket - 50 cm dia	20"
ES-RTC4-60	Red Temporary Cover with 4 Pocket - 60 cm dia	24"

They can be supplied in different languages also.



Customization Accepted

STEERING WHEEL COVERS

VEHICLE MAGNETIC SIGNS



- Thin yet strong, vehicle magnetic signs work as a visual deterrent to prevent unauthorised personnel from attempting to start a vehicle that is currently being serviced, that is under maintenance or is being excluded from operation.
- Easy on and off application. Can be reused again and again. Works with: cars, trucks, SUVs, vans, fleet vehicles, etc.
- Thoroughly clean the application surface as well as the back of the magnet before installing for longevity.
- Will not damage vehicle paint with proper use.
- Temporary and removable.
- Don't drag the magnet across the surface of the car. If you need to reposition the sign, remove it by pulling from a corner. This protects the finish of the vehicle.
- Don't apply the magnet over rust, trim work, deep curves, or vinyl wraps. These things create air gaps, which prevent the magnetic sheeting from fully gripping the metal.
- Various design options available – A, B, C, D or Customised.
- Available in 2 different sizes – Small and Large, either in portrait or landscape orientation.
- Specify design at the time of ordering.



ES-VMS-A-Small



ES-VMS-A-Large

OTHER DESIGNS TO CHOOSE FROM



B



C



D


MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-VMS-A-Small	Vehicle Magnetic Sign - A Small	12" x 18"
ES-VMS-B-Small	Vehicle Magnetic Sign - B Small	12" x 18"
ES-VMS-C-Small	Vehicle Magnetic Sign - C Small	12" x 18"
ES-VMS-D-Small	Vehicle Magnetic Sign - D Small	18" x 12"
ES-VMS-A-Large	Vehicle Magnetic Sign - A Large	18" x 24"
ES-VMS-B-Large	Vehicle Magnetic Sign - B Large	18" x 24"
ES-VMS-C-Large	Vehicle Magnetic Sign - C Large	18" x 24"
ES-VMS-D-Large	Vehicle Magnetic Sign - D Large	24" x 18"

They can be supplied in different languages also.



Customization Accepted

LADDER LOCKOUT



Ladders are very useful, but they can also be potentially hazardous.

Ladder lockout covers provide a professional solution to protect you, your workers and your customers by identifying and preventing access to damaged, faulty or otherwise unsafe ladders.

The Ladder Lockout is a flexible woven PVC cover designed to wrap around the lower three to four ladder rungs while the ladder is not in use.

It acts as a safety deterrent to help keep unauthorized workers/individuals from climbing the ladder and possibly harming themselves-this is a great device to promote ladder safety and prevent accidental injury.

The ladder lockout is ideal for stepladders, extendable ladders, and other types of ladders.

LADDER LOCKOUT

SINGLE SIDED LADDER LOCKOUT



ES-LL-SS-1

- Manufactured from flexible woven PVC; this lockout device is placed over the rungs of a ladder or the steps of other climbing apparatus to deny its use.
- Brass Eyelets in each end and Hemmed Edging.
- The brass eyelets allow it to be locked out with an EML Cable Lockout, and LOTO padlock.
- Features bold safety messages with graphic and highly-visible OSHA danger headers.
- When not in use, it folds up into a compact size for storage.
- Offered in single or two (bilingual) language options.
- Can have custom graphics and messages printed to suit customer requirements.
- Available in 2 Sizes. Attaches to most standard ladders.
- **They can be ordered with or without the Kit.**
- Besides the ladder lockout, the Kit includes: 1 - EML Cable Lockout + 1.5m cable with a Single-Sided Loop, 1 - Red Lockout Padlock with Key, 5 - Accident Prevention Tags.

Simple Steps for Application:

- Place ladder lockout cover over the rungs of the ladder at most visible level.
- Set it evenly so that it covers the ladder rungs properly. (Depending on rung spacing, it should cover 3 to 4 steps).
- Pass the cable through the loop at the top and insert into EML cable lockout.
- Secure the cover at the bottom by attaching a padlock and tag to the EML cable lockout.
- Multiple locks can be attached to the EML cable lockout.

Standard Ladder Lockout Design



ES-LL-SS-1



ES-LL-SS-2



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)	Size in Inch (H x W)
ES-LL-SS-1	Ladder Lockout - Single Sided - 1	813 x 330	32 x 13
ES-LL-SS-2	Ladder Lockout - Single Sided - 2	1070 x 382	42 x 15
ES-LL-SS-1K	Ladder Lockout - Single Sided - 1 with Kit	813 x 330	32 x 13
ES-LL-SS-2K	Ladder Lockout - Single Sided - 2 with Kit	1070 x 382	42 x 15

LADDER LOCKOUT



BACK SIDE



ES-LL-DS-1



A B C D E



F G H I CUSTOMIZED

How to select and order:

For easy application of the single sided ladder lockout, it can be ordered as part of a complete kit. The kit comprises of either ES-LL-SS-1 or ES-LL-SS-2 (as per order) along with:

- 1-EML Cable Lockout + 1.5m cable with a single-sided loop (ES-EML+1.5-CL), 1-Red Lockout Padlock with Key (ES-PLSP), and 5-Accident Prevention Tags (ES-CT 26).
- Select the appropriate size: ES-LL-SS-1 or ES-LL-SS-2 depending on the Width and Height of your ladder.
- Select your preferred design from the various options available above. (Design A to Design I)
- Alternatively, custom graphics and messages can be printed.

Kit Components



LADDER LOCKOUT

DOUBLE SIDED LADDER LOCKOUT



ES-LL-DS-1



- Manufactured from weather-resistant flexible woven PVC that can wrap over 3 to 4 ladder rungs to prevent unauthorised access.
- Brass Eyelets in each end and Hemmed Edging.
- The brass eyelets allow it to be locked out with a suitable LOTO padlock and tag.
- Features bold safety messages with graphic and highly-visible OSHA danger headers.
- Ideal for stepladders, extendable ladders and other types of climbing apparatus.
- When not in use, it folds up into a compact size for storage.
- Offered in single or two (bilingual) language options.
- The rear side features stripes as a standard or can be supplied with custom print. (*MOQ Applicable).
- Can have custom graphics and messages printed to suit customer requirements.
- Available in 2 Sizes. Attaches to most standard ladders.
- **They can be ordered with or without the Kit.**
- Besides the ladder lockout, the Kit includes: 1 - EML Cable Lockout + 1.5m cable with a Single-Sided Loop, 1 – Red Lockout Padlock with Key, 5 – Accident Prevention Tags.

Simple Steps for Application:

- Place ladder lockout cover over the rungs of the ladder at most visible level.
- Set it evenly so that it covers the front and back of the ladder rungs. (Depending on rung spacing, it should cover 3 to 4 steps).
- Secure the cover at the bottom with a padlock through the two eyelets at the ends to prevent removal.

Standard Ladder Lockout Design



ES-LL-DS-1



ES-LL-DS-2

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)	Size in Inch (H x W)
ES-LL-DS-1	Ladder Lockout - Double Sided - 1	1778 x 330	70 x 13
ES-LL-DS-2	Ladder Lockout - Double Sided - 2	2210 x 382	87 x 15
ES-LL-DS-1K	Ladder Lockout - Double Sided - 1 with Kit	1778 x 330	70 x 13
ES-LL-DS-2K	Ladder Lockout - Double Sided - 2 with Kit	2210 x 382	87 x 15

LADDER LOCKOUT



Common Back Side



A B C D E



F G H I CUSTOMIZED

How to select and order:

For easy application of the double sided ladder lockout, it can be ordered as part of a complete kit. The kit comprises of either ES-LL-DS-1 or ES-LL-DS-2 (as per order) along with:

- 1-EML Cable Lockout + 1.5m cable with a single-sided loop (ES-EML+1.5-CL), 1-Red Lockout Padlock with Key (ES-PLSP), and 5-Accident Prevention Tags (ES-CT-26).
- Select the appropriate size: ES-LL-DS-1 or ES-LL-DS-2 depending on the **Width** and **Height** of your ladder.
- Select your preferred design from the various options available above. (Design A to Design I)
- Alternatively, custom graphics and messages can be printed.

Kit Components



LADDER LOCKOUT

VELCRO LADDER LOCKOUT



ES-LL-V

- Velcro Ladder Lockout covers the climbing portion of a ladder while the ladder is not in use.
- It acts as a safety deterrent to help keep workers/individuals from climbing the ladder and possibly harming themselves.
- Manufactured from weather-resistant flexible woven PVC.
- Hook and loop (Velcro) fastening system at the top and bottom for securing the ladder lockout to the ladder rungs.
- Features bold safety messages with graphic and highly-visible OSHA danger headers that provide additional visual deterrents.
- Offered in single or two (bilingual) language options.
- Attaches to most standard ladders.
- Unit rolls up and instantly fastens to itself for easy storage.
- Custom sizes and printing are available to suit your company's Work Health & Safety policies. (*MOQ Applicable)
- Colour: Safety Yellow

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)	Size in Inch (H x W)
ES-LL-V	Ladder Lockout - Velcro	1625 x 330	64 x 13



Customization Accepted

- Select your preferred design from the various options available above. (Design A to Design I)
- Alternatively, custom graphics and messages can be printed to suit your companies Work.

LADDER LOCKOUT

ALUMINIUM LADDER GUARD LOCKOUT

Introducing the **Aluminium Ladder Guard Lockout**, a versatile safety solution designed to prevent unauthorized access to elevated areas in your workplace. This innovative device ensures that only authorized personnel can access restricted zones, minimizing the risk of accidents and unauthorized tampering of equipment. Its durable design, easy installation, and high visibility make it an essential addition to your facility's safety measures.

- The 62" x 15" Ladder Guard Lockout device is made of durable aluminium, ensuring lightweight yet robust protection.
- Built to withstand industrial environments.
- Can be installed or removed in seconds.
- Made of 95% aluminium, 5% steel and stainless-steel nuts and bolts.
- Compatible with various ladder types and sizes, offering a flexible solution for your facility's needs.
- Can be secured in place using supplied hardware and includes padlock hasp for restricted access (*Padlock sold separately).
- Powder-coated safety yellow for durability and high visibility.



ES-LL-AG



MODEL	PRODUCT DESCRIPTION	Size in Inch (H x W)
ES-LL-AG	Aluminium Guard – Ladder Lockout	62 x 15

**Don't Let
Accidents
Climb Up
on You!**



LOCKOUT ACCESSORIES



Lockout Accessories form an integral part of a robust Lockout/Tagout (LOTO) program, providing the additional layers of safety and compliance essential in any risk-prone work environment. Our LOTO accessories are crafted to support and streamline your safety processes, ensuring that energy control is addressed with precision and clarity.

LOCKOUT ACCESSORIES

LOCKOUT TRAINING BOOKLET

- A comprehensive lockout training booklet that provides clear and concise explanations of OSHA's workplace guidelines for safety, inspection, training, and more.
- A personal copy of the booklet is essential for every employee involved in LOTO implementation.
- Available in English and Hindi languages.

* Must for LOTO implementation & Training

MODEL	PRODUCT DESCRIPTION
ES-LT-BOOKLET	Lockout Training Booklet



ES-LT-BOOKLET

LOCKOUT REGISTERS



Set of 2 Registers (A+B)

* Must for LOTO implementation

- Serving as the backbone for detailed Lockout Tagout procedure record-keeping, the Lockout Tagout Register - A + B ensures every aspect of the process, from equipment issuance to energy isolation, is meticulously logged.
- It consists of two separate registers: Register A - Lockout Tagout Energy Isolation Record Register, and Register B - Lockout Tagout Equipment Issue / Return Register.
- Used for tracking the usage of lockout products, duration, purpose, specific machines, and locations.
- Ensures that the entire Lockout / Tagout process is correctly followed and implemented in accordance with the company's Lockout Policy.



MODEL	PRODUCT DESCRIPTION
ES-LR	Lockout Registers (A + B)

LOCKOUT SUGGESTION BOX



ES-SG-BOX

This suggestion box, also known as a comment box, is perfect for collecting comments or suggestions from your employees, customers, or visitors.

It is made up of solid steel sheets and powder coated / printed as per the requirement of the customers. The lock & key feature allows its contents to be securely contained.



MODEL	PRODUCT DESCRIPTION	Size in inch (H x W x D)
ES-SG-BOX	Lockout Suggestion Box	12 x 9 x 3

LOCKOUT ACCESSORIES

PERMIT HOLDER

- Designed to hold permits for Lockout / Tagout and other documents securely.
- Made from clear, flexible sheeting material for easy visibility of the enclosed permits.
- Equipped with a zip lock for convenient and reliable closure.
- Comes with a metal eyelet for easy hanging on walls near the machines or lockout points.
- Ideal for a permit to work and A4-sized documents.
- Customized permit holders are available with a minimum order quantity of 500 nos.



ES-PH



MODEL	PRODUCT DESCRIPTION	Size in inch (h x w)
ES-PH	Permit Holder	13.5 x 10.5

ECONOMY PERMIT HOLDER



ES-PH-ECONOMY

- A top folding envelope-style storage case with a snap button organizer designed to securely hold permits for Lockout / Tagout and other important documents.
- Transparent design allows for easy visibility of the enclosed documents.
- Made from high-quality and durable material that resists wear, tear, and moisture, ensuring long-lasting performance.
- Suitable for holding permits for Lockout / Tagout and A4-sized documents.
- A hole on top of the case is provided for easy hanging.
- Provides a practical and efficient solution for organizing and displaying permits in the workplace.

MODEL	PRODUCT DESCRIPTION
ES-PH-ECONOMY	Permit Holder

LOCKOUT ACCESSORIES

CARD SAFE PERMIT HOLDER - SINGLE SIDED



ES-LPHCS-SS

- Single hinged card safes allow a single sided document to be shown.
- Wall mounted card safes hold permit to work cards and documentation as part of a lockout system.
- Documents are locked in place by using padlocks, enabling them to be read though the clear PVC hinged door without removal and without risk of tampering.
- Will take size A4 documents.



MODEL	PRODUCT DESCRIPTION
ES-LPHCS-SS	Lockout Permit Holder Card Safe - Single Side

CARD SAFE PERMIT HOLDER - DOUBLE SIDED



ES-LPHCS-DS

- Designed to hold permit-to-work cards and documentation as part of a lockout system.
- Hinged design allows for double-sided documents to be visible without removal.
- Wall-mounted design keeps permit to work cards and documentation securely in place.
- Documents are locked in position using padlocks, ensuring they cannot be tampered with.
- Clear PVC hinged door allows for easy reading of the documents inside.
- Suitable for holding size A4 documents.
- Large pocket at the back provides additional space for holding big documents, such as registers.



MODEL	PRODUCT DESCRIPTION
ES-LPHCS-DS	Lockout Permit Holder Card Safe - Double Side

LOCKOUT ACCESSORIES

LOCKOUT INFORMATION STANDS

Effective visual solution to use as part of your lockout program. Lightweight and durable, polypropylene stands resists most chemicals. Our Lockout Information stands help you display a clear message right where it is needed. Same message is printed on both sides of stand for better visibility. Easy to carry, comes with built in handle.



ES-LS-1



ES-LS-2



Customization Accepted

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-LS-1	Lockout Information Stand - 1	623 x 311
ES-LS-2	Lockout Information Stand - 2	623 x 311

LOCKOUT ACCESSORIES


LOCKOUT BARRICADING SYSTEM

PVC-based posts with a wide 350 mm diameter base, designed for cordoning off lockout areas in an efficient and cost-effective manner. Quick and easy deployment of the barricading system for lockout areas. Highly visible post are available in **Red / White** or **Black / Yellow** combinations.

Overall Height : 43" Post height with the top cap & 49" with the display sign. Black Base is of 14" diameter.




ES-LBS-YB




ES-LBS-1P-RW



ES-LBS-1P-YB



ES-LBS-2P-RW



ES-LBS-3P-RW



ES-LBS-4P-YB

MODEL	PRODUCT DESCRIPTION
ES-LBS	Lockout B arricading System with 1 Poles
ES-LBS-1P	Lockout B arricading System with 1 Poles & 1 Sign
ES-LBS-2P	Lockout B arricading System with 2 Poles & 1 Sign
ES-LBS-3P	Lockout B arricading System with 3 Poles & 1 Sign
ES-LBS-4P	Lockout B arricading System with 4 Poles & 1 Sign



LOCKOUT BARRIER TAPE

- The Lockout Barrier Tape is a quick and effective solution for creating temporary barriers and prohibiting access to unauthorized areas during lockout procedures.
- Made from non-adhesive polyethylene.
- Supplied in roll form in 3 inch x 200 mtrs.
- Quick and inexpensive to use.



ES-LBT-1



ES-LBT-2



ES-LBT-3



ES-LBT-4

MODEL	PRODUCT DESCRIPTION
ES-LBT	Lockout B arrier Tape


LOCKOUT ACCESSORIES

LOTO BAGS AND POUCHES

- Standalone lockout tagout kit bag/pouch.
- The bags are ideal for organizing and carrying various lockout devices and tools needed for LOTO procedures.
- Available in multiple colour schemes and is made of highly durable waterproof rubberized nylon cloth, ensuring it can withstand tough conditions and won't easily split or tear.
- Depending on particular client requirements and the usage, the hanging belt, belt loops, velcro, and zipper arrangements can be custom provided.
- The bag can be customized according to the specific requirements of customers, including the addition of logos, text, and graphics in various languages
- Create Customized Lockout Kits: Customers have the option to create their own customized lockout kits by selecting a suitable carrying case from the available options and filling it with their preferred lockout devices and tools. Required products can be chosen from our website.
- We welcome any other or new design requests for bags from customers. We'd be happy to develop and produce custom bags according to specific requirements. *MOQ Applicable
- **For more information on individual products, please check our website: www.safetylock.net**



MODEL	PRODUCT DESCRIPTION
ES-1P-BP	Lockout Tagout – 1 Pocket Belt Pouch
ES-1P-BP-1	Lockout Tagout – 1 Pocket Belt Loop Pouch
ES-1P-BP-P	Lockout Tagout – 1 Pocket Belt Loop Pouch – Premier
ES-3P-BP	Lockout Tagout – 3 Pocket Belt Pouch
ES-IL-PP-V	Individual LOTO Personal Pouch – Velcro
ES-1P-BP-S	Lockout Tagout – 1 Pocket Belt Pouch – Small
ES-1P-BP-L	Lockout Tagout – 1 Pocket Belt Pouch – Large
ES-HWZP	Handy White Zipper Pouch
ES-LE-P	Lockout Electrician Pouch
ES-IL-P	Individual Lockout Tagout Pouch
ES-IL-P-Y	Individual LOTO Pouch - Yellow
ES-IL-P-Y-CS	Individual LOTO Pouch with Clear Sides - Yellow



LOCKOUT ACCESSORIES

LOTO BAGS AND POUCHES

- Standalone lockout tagout kit bag/pouch.
- The bags are ideal for organizing and carrying various lockout devices and tools needed for LOTO procedures.
- Available in multiple colour schemes and is made of highly durable waterproof rubberized nylon cloth, ensuring it can withstand tough conditions and won't easily split or tear.
- Depending on particular client requirements and the usage, the hanging belt, belt loops, velcro, and zipper arrangements can be custom provided.
- The bag can be customized according to the specific requirements of customers, including the addition of logos, text, and graphics in various languages
- Create Customized Lockout Kits: Customers have the option to create their own customized lockout kits by selecting a suitable carrying case from the available options and filling it with their preferred lockout devices and tools. Required products can be chosen from our website.
- We welcome any other or new design requests for bags from customers. We'd be happy to develop and produce custom bags according to specific requirements. *MOQ Applicable
- **For more information on individual products, please check our website: www.safetylock.net.**



ES-CLBP-T-1



ES-CLBP-T-2



ES-SBLB



ES-SBZP



ES-RSB



ES-EC-RBS-1



ES-EC-RBS-2



ES-EC-RBS-3



ES-EC-RBS-4



ES-YECB-S



ES-YECB-B



ES-HV-YB



ES-CUST-DB-1



ES-CUST-DB-2

MODEL	PRODUCT DESCRIPTION
ES-CLBP-T-1	Customised Lockout Bag/Pouch – Tall 1
ES-CLBP-T-2	Customised Lockout Bag/Pouch – Tall 2
ES-SBLB	Shoulder Belt Lockout Bag
ES-SBZP	Shoulder Bag Zipper Pouch
ES-RSB	Lockout Tagout – Red Shoulder Bag
ES-EC-RBS-1	Lockout Tagout – Easy Carry Red Bag Soft - 1
ES-EC-RBS-2	Lockout Tagout – Easy Carry Red Bag Soft - 2
ES-EC-RBS-3	Lockout Tagout – Easy Carry Red Bag Soft - 3
ES-EC-RBS-4	Lockout Tagout – Easy Carry Red Bag Soft - 4
ES-YECB-S	Yellow Easy Carry Bag - Small
ES-YECB-B	Yellow Easy Carry Bag - Big
ES-HV-YB	Lockout Tagout – High Visible Yellow Bag
ES-CUST-DB-1	Lockout Tagout Customised Duffle Bag - 1
ES-CUST-DB-2	Lockout Tagout Customised Duffle Bag - 2



Customization Accepted

LOCKOUT ACCESSORIES

LOTO BLUE BAG

- An excellent solution for storing and transporting your lockout/tagout equipments.
- Unique, high-quality nylon lockout/tagout storage bag with wire framing around top edges to keep bag open when in use. This lockout storage bag includes multiple internal and external pouches to keep you organized.
- Blue and black bag is fitted with a shoulder strap and 2 carry handles.
- Available in 3 sizes with 12" / 16" / 18" base.
- Durable construction.



ES-LOTO-BBS



ES-LOTO-BBM



ES-LOTO-BBL



MODEL	PRODUCT DESCRIPTION
ES-LOTO-BBS	Loto Blue Bag - Small
ES-LOTO-BBM	Loto Blue Bag - Medium
ES-LOTO-BBL	Loto Blue Bag - Large

LOCKOUT SAMPLE CASE

- This sample case has several pockets to store different LOTO products.
- The bigger pockets are used for keeping larger lockout device like gate valve lockout, etc.
- All padlocks & keys, hasps or circuit breakers go into the small bag. Once you open it, you'll immediately have a clear overview of its contents.



ES-LS-CASE

MODEL	PRODUCT DESCRIPTION
ES-LS-CASE	Lockout Sample Case

LOTO TOOL BOX



ES-LTB

- Strong light weight plastic construction with foldable carry handle.
- Removable storage tray with carry handle.
- Padlock able compact design.
- Rounded edge with attractive appearance, water-resistant.
- Available in different sizes / colour combinations.

* Design of Boxes are subject to change, depending on their availability.

MODEL	PRODUCT DESCRIPTION
ES-LTB	Loto Tool Box *

LOCKOUT ACCESSORIES

SINGLE USE PVC PADLOCK



- Available in 6 colours these PVC single use padlocks are available with black Nylon Shackle.
- Use and throw padlocks are generally given to the contractors / one time maintenance engineers - who just visit the facilities for once and for a specific job only and its mandatory for them too to follow the company's LOTO policies.
- **Standard colour is red.**
- Use hacksaw blade to cut shackle & remove this lock.



ES-SU-PP



MODEL	PRODUCT DESCRIPTION
ES-SU-PP	Single Use PVC Padlock

SINGLE USE CLICK PADLOCK SEAL



- Padlock shaped single use one CLICK lock seal are used for single time lockout.
- Easy to use / Use and throw.
- Can be supplied with non tearable printed label with required details like your company logo / lock no. / department name / location etc.
- **Standard colour is red.**
- Use hacksaw blade to remove this seal.



ES-SU-CPS



MODEL	PRODUCT DESCRIPTION
ES-SU-CPS	Single Use Click Padlock Seal


* MOQ : 500 nos. for different colour

LOCKOUT ACCESSORIES

SINGLE USE WIRE PADLOCK SEAL



- Mini Padlock shaped single use single push wire lock seals are used for single time lockouts.
- Easy to use / Use and throw.
- Supplied with security non tear able printed label.
- Available in the pack of 100 pieces.
- **Standard colour is red.**
- Use hacksaw blade to remove this seal.



ES-SU-WPS



Customization accepted

* MOQ : 500 nos. for different colour

MODEL	PRODUCT DESCRIPTION
ES-SU-WPS	Single Use Wire Padlock Seal

SINGLE USE TAG LOCK SEAL



- TAG shaped single use ONE CLICK TAG LOCK SEAL used for single time lockout.
- Easy to use 2 in 1 lockout seal. Use and throw.
- Can be supplied with non tearable self adhesive label with company details like logo / lock no. / dept. name / location etc.
- Available in pack of 50 / 100 pieces
- **Standard colour is white & red / yellow & black.**
- Use hacksaw blade or cutter to remove this seal.



ES-SU-TLS-W

ES-SU-TLS-Y



Customization accepted

* MOQ : 500 nos. for different colour

MODEL	PRODUCT DESCRIPTION
ES-SU-TLS	Single Use Tag Lock Seal

LOCKOUT ACCESSORIES

SINGLE USE LOCKOUT TIES




- Specially made, single use LOCKOUT TIES are one time pull and lock seals used for single time lockout of delicate devices or places where some time installing padlocks is not possible.
- 2 mm diameter tail fits on the smallest sealing point.
- Manufactured from Polypropylene.
- Easy to use / Use and throw
- Can be printed or supplied with printed labels with company details like logo / lock no. / department name / location / tie numbers, etc.
- Available in pack of 100 pieces.
- Length : 345 mm Width: 2 mm
- **Standard colour is red.**
- Use cutter to remove this seal.

MODEL	PRODUCT DESCRIPTION
ES-SU-LT	Single Use Lockout Ties



* MOQ : 500 nos. for different colour




ES-SU-LT

SINGLE USE LOCKOUT PADLOCK SEAL



- Lockout padlock seal has a plastic body and the multi-sized shackle.
- **Shackle size :** Dia : 6 mm / **Length :** 125 mm / **Body :** 37 x 11.5 mm
- Available colours : Red / Yellow/ Blue / Green / Black / Orange
- Can be supplied with labels having sequenced numbering up to 8 digits.
- Packaging : 50 / 100 nos.
- Easy to use.
- Use and throw product.
- **Standard colour is red.**
- Use hacksaw blade to remove this seal.



ES-SU-LPS

MODEL	PRODUCT DESCRIPTION
ES-SU-LPS	Single Use Lockout Padlock Seal



* MOQ : 500 nos. for different colour

SCAFFOLDING TAGS & TAG HOLDERS



Customized pack available

Scaffold is used during construction, renovations, or maintenance by workers and is one of the primary reasons for accidents. OSHA requires industries to use proper scaffolding protection measures to safeguard workers from height hazards. It is essential to have a safe scaffolding tagging system with adequate inspections before every use to ensure it is safe to service. Scaffolding needs to be tagged using relevant devices which inform employees about the hazards pertaining to that scaffold.

Scaffolding tags and tag holders indicate if a scaffold is safe or hazardous for usage, saving the lives of employees working at heights. The universal practice is a scaffold tag system with three standard colours: green, yellow, and red. Browse through our range of scaffold tags and holders to customise the perfect scaffold safety solution.

SCAFFOLDING TAGS & TAG HOLDERS

STANDARD SCAFFOLDING TAGS & TAG HOLDER



ES-SCF-TH

- A dedicated scaffolding tag holder, ES-SCF-TH ensures awareness of scaffold structure status, enhancing inspection efficiency and hazard recognition.
- Simple to use with a round or universal head to fit on tube & clip or system scaffolding.
- Compatible with Tag / Insert used at sites for seamless integration into existing safety protocols.
- Available in durable materials like PP, ABS, or NYLON, depending on customer requirements and installation location.
- Wide temperature range of -20°C to +80°C, ensuring suitability for various environmental conditions.
- Each pack contains 10 Holders.
- Provides additional security with cable tie attachment or screw option at the top and bottom of the holder for enhanced stability and peace of mind.
- Dimensions: 330 mm (height) x 100 mm (width) x 6 mm (depth).



ES-SCF-T1



ES-SCF-T2





ES-SCF-T3



ES-SCF-T5



ES-SCF-T6



ES-SCF-T9



ES-SCF-T10



- The Standard Scaffolding Tags are a crucial tool for providing essential information about scaffolding status to everyone in the area. Each pack comes with 10 double-sided record cards, offering ample space for recording vital details related to the scaffold.

- Dimensions: 94mm x 200mm
- For orders of over 200 tags, customization options are available. Your company information, logo, or other specific details can be incorporated into the tags. For more information on customization, please contact us.

Above product are available as kit contains 10 holders, 20 inserts, 20 ties and 2 pens.

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-SCF-TH	Scaffolding Tag Holder	330 x 100 x 6
ES-SCF-T	Scaffolding Tags	200 x 94
ES-SCF-KIT-ST	Scaffolding Tag Kit - Standard	



SCAFFOLDING TAGS & TAG HOLDERS

PREMIER SCAFFOLDING TAGS & TAG HOLDER



ES-SCF-TH-P

- Complementing the Premier Scaffolding Inspection Tag Holder, these tags ensure efficient management of inspection procedures and hazard identification at working heights.
- Easy to read, providing clear warnings and mandatory duties to follow.
- The initial inspection record is visible on the front of the Tag / Insert.
- Important information is not obstructed by the side lugs of the holder, ensuring easy visibility.
- Each pack contains 10 tag inserts.
- Dimensions: 207 mm (height) x 86 mm (width).
- Can be securely attached to the holder using a cable tie hole, if required.



- The Premier Scaffolding Inspection Tag Holder is a highly functional tool designed to work seamlessly with its tag inserts, ensuring the identification of working-at-height hazards and efficient management of inspection procedures.
- Simple to use with a round or universal head that fits on tube & clip or system scaffolding.
- Equipped with a finger lift feature for easier removal of the tag or insert.
- Compatible with various tags and inserts used at different sites.
- Manufactured using durable materials such as PP, ABS, or NYLON, based on customer requirements or installation conditions.
- Temperature-resistant within the range of -20°C to +80°C.
- Each pack contains 10 Holders.
- Additional cable tie attachment or screw option at the top and bottom of the holder for enhanced security, depending on the location and viability.
- Dimensions: 360 mm (height) x 93 mm (width).

www.safetylock.net

ERECTION AND INSPECTION RECORD

Ref. No.: _____

Structure to be used for (please tick applicable)

Load Class 1 (UDL 6,75 kN/m²/75 Kg/m²)

Load Class 2 (UDL 1,50 kN/m²/150 Kg/m²)

Load Class 3 (UDL 2,50 kN/m²/250 Kg/m²)

Load Class 4 (UDL 3,50 kN/m²/350 Kg/m²)

Load Class 5 (UDL 4,50 kN/m²/450 Kg/m²)

Load Class 6 (UDL 6,00 kN/m²/600 Kg/m²)

IF LAST INSPECTION EXCEEDS 7 DAYS REMOVE INSERT AND INFORM SUPERVISOR

Record of inspection to be completed by a competent person:

Time	Date	Signature

CAUTION
THE FOLLOWING HAZARDS SHOULD BE NOTED: _____

Model: ES-T-STH-P

www.safetylock.net

UNLAWFUL REMOVAL OR INTERFERENCE WITH THIS SIGN COULD MAKE YOU LIABLE TO PROSECUTION AND FINES

WARNING

To be completed by a competent person

Requested by: _____

Drawing Ref. No.: _____

Location: _____

Built By: _____

Date Erected: _____

Signature: _____

INSPECTION BEFORE FIRST USE MUST BE COMPLETED AND RECORDED ON FRONT

All queries regarding this structure please contact the following person:

Name: _____

Tel.: _____

Comments: _____

Decommission Date: _____

Model: ES-T-STH-P

ES-T-STH-P

Above product are available as kit contains **10 holders, 20 inserts, 20 ties and 2 pens.**

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-SCF-TH-P	Premier Scaffolding Tag Holder	360 x 93 x 6
ES-T-STH-P	Tags for Premier Scaffolding Tag Holder	207 x 86
ES-SCF-KIT-P	Scaffolding Tag Kit - Premier	

SCAFFOLDING TAGS & TAG HOLDERS

CLAW TYPE SCAFFOLDING TAG HOLDER




ES-SCF-TH-CT



ES-CT-STH-P

- **ES-SCF-TH-CT Tag Holder** is crafted from durable, UV-resistant PVC, facilitating efficient scaffold inspection processes and is sold in sets of 10 for diverse applications.
- High temperature resistance
- Easy to install and use
- Compatibility with standard inserts for straightforward integration.
- Optional screw and tie wrap attachments for secure installation.
- Temperature-resistant within the range of -20°C to +80°C.
- Dimensions: 310 mm (height) x 100 mm (width) x 6 mm (depth).
- The **ES-CT-STH-P Claw Type Scaffolding Tag Holder** ensures streamlined inspection processes and hazard detection at heights, ideal for construction and industrial setups.
- Round/universal head suitable for diverse scaffolding types.
- Finger lift feature ensuring easy tag/insert removal during inspections.
- Multiple attachment options for enhanced security.
- Available in durable materials such as PP, ABS, or NYLON based on customer requirements and installation location.
- Temperature-resistant within the range of -20°C to +80°C
- Additional cable tie attachment or screw option at the top and bottom of the holder for enhanced security, depending on location and viability.
- Each pack contains 10 Holders.
- Dimensions: 360 mm (height) x 93 mm (width).

- **Tags for the Claw Type Scaffolding Holder**, play an essential role in hazard recognition and inspection management in construction and industrial environments.
- Clear warnings and duties, making it easier to read.
- Unhindered visibility of the initial inspection record.
- Option for a cable tie hole for added security.
- Additional cable tie hole can be provided to secure the insert to the holder, enhancing security.
- Each pack contains 10 tag inserts.



ES-T-CT-STH-P



Customization Accepted

Additionally, for orders exceeding 500 tags, customization options are available, allowing companies to add their own information, logo, or other specific details to the tags.

Above product are available as kit contains **10 holders, 20 inserts, 20 ties and 2 pens.**

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-SCF-TH-CT	Claw Type Scaffolding Tag Holder	310 x 100 x 6
ES-CT-STH-P	Claw Type Scaffolding Tag Holder - Premier	360 x 93 x 6
ES-T-CT-STH-P	Tags for Claw Type Scaffolding Tag Holder	207 x 86
ES-SCF-KIT-CT	Scaffolding Tag Kit - Claw Type	
ES-SCF-KIT-CT-P	Scaffolding Tag Kit - Claw Type - Premier	

SCAFFOLDING TAGS & TAG HOLDERS

FLAT BASE SCAFFOLDING TAGS & TAG HOLDER



ES-STH-FB

- These tags, intended for the Flat Base Scaffolding Tag Holder, offer an effective system for hazard detection at heights and streamlined inspection processes.
- Clear warnings and duties, ensuring easy readability.
- Initial inspection record prominently displayed.
- Additional cable tie hole can be provided to secure the insert to the holder, enhancing security.
- Each pack contains 10 tag inserts.
- Dimensions: 198 mm (height) x 82 mm (width).

- The ES-STH-FB Flat Base Scaffolding Tag Holder offers efficient inspection management and hazard identification at working heights, suited for both construction and industrial environments.
- Simple to use with a round or universal head, compatible with tube & clip or system scaffolding.
- Finger lift feature for easier removal of the tag or insert during inspections.
- Available in durable materials such as PP, ABS, or NYLON based on customer requirements and installation location.
- Temperature-resistant within the range of -20°C to +80°C for reliable performance in various conditions.
- Additional cable tie attachment or screw option at the top and bottom of the holder for enhanced security, depending on location and viability.
- Each pack contains 10 Holders.
- Dimensions: 310 mm (height) x 90 mm (width) x 6 mm (depth).

ES-T-STH-FB

Above product are available as kit contains **10 holders, 20 inserts, 20 ties and 2 pens.**



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-STH-FB	Flat Base Scaffolding Tag Holder	310 x 90 x 6
ES-T-STH-FB	Tags for Flat Base Scaffolding Tag Holder	198 x 82
ES-SCF-KIT-FB	Scaffolding Tag Kit - Flat Base	

SCAFFOLDING TAGS & TAG HOLDERS


ROUND BASE SCAFFOLDING TAGS & TAG HOLDER



ES-STH-RB

- ES-T-STH-RB Tags are specifically crafted for the Round Base Scaffolding Tag Holder, enhancing working-at-height hazard identification and inspection processes.
- Clear warnings and mandatory duty indications for improved readability.
- Front visibility of the initial inspection record.
- Side lugs do not obstruct important information.
- Additional cable tie hole can be provided to secure the insert to the holder, enhancing security.
- Each pack contains 10 tag inserts.
- Dimensions: 202 mm (height) x 85 mm (width).

- The ES-STH-RB is a round base scaffolding tag holder designed for efficient scaffolding inspection management, ensuring a safer work environment in industrial constructions.
- Simple to use with a round or universal head, compatible with tube & clip or system scaffolding.
- Finger lift feature for easier removal of the tag or insert during inspections.
- Available in durable materials such as PP, ABS, or NYLON based on customer requirements and installation location.
- Temperature-resistant within the range of -20°C to +80°C for reliable performance in various conditions.
- Additional cable tie attachment or screw option at the top and bottom of the holder for enhanced security, depending on location and viability.
- Each pack contains 10 Holders.
- Dimensions: 311 mm (height) x 92 mm (width) x 6 mm (depth).



ES-T-STH-RB

Above product are available as kit contains **10 holders, 20 inserts, 20 ties and 2 pens.**



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-STH-RB	Round Base Scaffolding Tag Holder	311 x 92 x 6
ES-T-STH-RB	Tags for Round Base Scaffolding Tag Holder	202 x 85
ES-SCF-KIT-RB	Scaffolding Tag Kit - Round Base	

SCAFFOLDING TAGS & TAG HOLDERS

BIG YELLOW SCAFFOLDING TAGS & TAG HOLDER

- Printing on the Yellow Tag Holders and Tags is done as per the requirements of the customer / site / process / machines, etc.
- Yellow / White tag holder kit contains 10 holders, 20 inserts and 1 pen.



ES-YTH



ES-YTH-1




ES-YTH-T-1



ES-WTH




ES-YTH-2



ES-YTH-T-2




ES-YTH-3



ES-YTH-T-3



ES-YTH-4



ES-YTH-T-4



ES-YTH-5




ES-YTH-T-5

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-YTH	Yellow Tag Holder	325 x 155 x 6
ES-YTH-T	Tags for ES - YTH	196 x 148
ES-WTH	White Tag Holder	325 x 155 x 6
ES-SCF-KIT-BY	Scaffolding Tag Kit - Big Yellow	



SCAFFOLDING TAGS & TAG HOLDERS

BIG YELLOW SCAFFOLDING TAGS & TAG HOLDER



ES-T-WYTH



ES-ST-PN



MODEL	PRODUCT DESCRIPTION	Size in mm (h x w x d)
ES-T-WYTH	Scaffolding Tags for White and Yellow Tag Holder	196 x 148
ES-ST-PN	Scaffolding Tags - Prohibition Notice	196 x 148

ECONOMY SCAFFOLDING TAGS

- An economical solution for identifying & marking scaffolding in construction & industrial settings.
- Material: 0.7 mm white PVC sheet for durability and longevity.
- Brass eyelets for easy hanging using strings or cable ties.
- Pack of 100 tags, conveniently organized in 10 x 10 arrangement.



ES-SCF-ET-1



ES-SCF-ET-2

PREMIER ECONOMY SCAFFOLDING TAGS

- The Premier Scaffolding Economy Tags are a high-quality solution for identifying and marking scaffolding in construction and industrial environments.
- Material: 0.7 mm white PVC sheet for durability and longevity.
- Die-cut design with a hole for quick and secure installation on scaffolding pipes.
- Printed information on the tags for clear identification of the scaffold.
- Pack of 50 tags, conveniently organized in a 5 x 10 arrangement.



ES-SCF-ETP-1



ES-SCF-ETP-2



ES-SCF-ETP-3



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-SCF-ETP	Scaffolding Economy Tags - Premier	290 x 115
ES-SCF-ET	Scaffolding Economy Tags	229 x 92

SCAFFOLDING TAGS & TAG HOLDERS

RED, YELLOW AND GREEN COLOUR SCAFFOLDING TAGS

- Coloured Scaffolding Tags are custom-designed to meet specific site or customer requirements. These tags are available in different colours, including red, yellow and green and can be customized with company names, logos, locations, languages, and other relevant information as per regulatory requirements.
- Custom-designed scaffolding tags to meet site-specific or customer-specific needs.
- Available in various colours for easy identification & differentiation.
- Designed to comply with regulatory authorities' requirements for safety and identification.
- They help identify working-at-height hazards, manage inspection procedures, and communicate important information about the scaffolding's status.
- **Red scaffolding tags** are particularly useful for drawing attention to specific conditions or situations, such as restricted access or safety warnings. The red colour stands out and helps workers quickly recognize the importance of the tag's message.
- **Yellow scaffolding tags** play a vital role in promoting safety awareness and risk mitigation on construction sites and workplaces where scaffolding is used.
- **Green scaffolding tags** play a crucial role in promoting safety awareness and conveying critical information about the scaffolding's condition.



ES-RST-D

ES-RST-ID

ES-RST-W



ES-YST-C

ES-YST-SUT

ES-YST-DNRT



ES-GST-S

ES-GST-GT

ES-GST-IT



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-RST-D	Red Scaffolding Tags - Danger	145 x 80
ES-RST-ID	Red Scaffolding Tags - Identification Tag	145 x 80
ES-RST-W	Red Scaffolding Tags - Warning Tag	145 x 80
ES-YST-C	Yellow Scaffolding Tags - Caution	145 x 80
ES-YST-SUT	Yellow Scaffolding Tags - Scaffold Use Tag	145 x 80
ES-YST-DNRT	Yellow Scaffolding Tags - Do Not Remove This Tag	145 x 80
ES-GST-S	Green Scaffolding Tags - Safe For Use	145 x 80
ES-GST-GT	Green Scaffolding Tags - Do Not Alter	145 x 80
ES-GST-IT	Green Scaffolding Tags - Inspection Tag	145 x 80

UNITAG : TAGS & TAG HOLDER



ES-UTH-SSS

- The **ES-UTH-SS Unitag Small Strop** is used in conjunction with the Unitag Tag Holder to securely attach tags to equipment or assets. The strop is 197mm in length and offers a reliable and durable solution for tagging purposes.
- The **ES-UTH-LS Unitag Long Strop** is designed for use with the Unitag Tag Holder and provides an extended length of 270mm, allowing for flexibility in attaching tags to various equipment or assets.



ES-UTH-SS



ES-UTH-LS



The Unitag Tag Holder and its associated components provide a comprehensive solution for efficient and reliable equipment tagging, ensuring clear identification and maintenance tracking of machinery, equipment, or assets in various industrial settings.

- The **ES-UTH Unitag Tag Holder** is an extremely robust permanent locking holder designed for securely attaching tags to various equipment, machinery, or assets.
- The tag holder is equipped with 6-inch strops made of either stainless steel or PP (Polypropylene).
- They are available in two different sizes - Small strop and Long strop.
- Additional strops can be ordered separately.
- Size: 133mm (height) x 54mm (width) x 13mm (depth)



ES-UTH

- The **ES-UTH-T Tags** are designed for use with the Unitag Tag Holder, forming an extremely robust and permanent insert system.
- These tags are available in standard or customized inserts and are offered in a variety of colors, including red, yellow, green, and blue.
- The tags are round-shaped and provide clear identification and information about the equipment or assets they are attached to.
- Size: 40mm Dia



ES-UTH-T

Design on self
adhesive die cut vinyl

- The **ES-UTH-SSS Unitag Stainless Steel Strop** is another option for securely attaching tags to equipment or assets using the Unitag Tag Holder.
- The strop is made of stainless steel, offering enhanced durability and longevity.
- The strop length is 150mm.



ES-UTH-SSS

MODEL	PRODUCT DESCRIPTION	Size in mm (H x W x D)
ES-UTH	Unitag Tag Holder	133 x 54 x 13
ES-UTH-T	Tags for ES - UTH	40
ES-UTH-SS	Unitag Small Strop	197
ES-UTH-LS	Unitag Long Strop	270
ES-UTH-SSS	Unitag Stainless Steel Strop	150

CONFINED SPACE LOCKOUT COVER



Confined spaces pose a serious danger in many industries, often resulting in severe injuries or even fatalities. These risks aren't limited to complex industrial environments but extend to simple storage areas as well. Those who enter these spaces, whether for work or attempted rescue, are particularly vulnerable.

The hazards of confined spaces are amplified due to limited mobility, increasing the chances of fire, explosion, flooding, or asphyxiation. To mitigate these risks, The Confined Spaces Regulations 1997 emphasizes avoiding entry wherever possible to control the risks involved.

LTT Lock's robust Confined Space Covers are a vital tool in maintaining safety standards in these hazardous conditions. Acting as a two-in-one solution, they provide both a physical deterrent and a clear warning sign to prevent unauthorised entry. Certain models in our range even offer protection against unwanted intrusion of litter, debris, and pests.


CONFINED SPACE LOCKOUT COVER

SIGN-O-BARRIER SS



Entry into confined spaces presents serious hazards for the employees, creating a risk of death or severe injury. **LTTLock**'s Sign-o-Barrier SS provides a sturdy and robust solution to restrict unauthorised employees' access by placing a durable physical barrier at the opening. In addition, it comes with a warning sign instructing passers-by and co-workers not to enter and indicates a potential hazard or condition requiring special attention.

- The Sign-o-Barrier SS is made from Stainless Steel sheet of 1.2 mm and provides a stable and firm solution.
- It can be firmly attached to the confined space opening using nuts and bolts. (Includes hardware—4 nuts and 4 bolts)
- The four arms of the barrier have a scissor-like mechanism that allows the user to install and store the barrier easily.
- Comes along with a warning sign (Different signs available).
- **Sizes available:**
 - (i) **ES-SOB-SS-20:** For upto 20-inch confined space opening
 - (ii) **ES-SOB-SS-40:** For upto 40-inch confined space opening
- The Sign-o-Barrier SS is also available with a Lockout Tagout system to secure the barrier and protect against unauthorised removal. Simply thread a steel wire through the special nuts placed on the arms of the barrier and lockout using cable lockout **ES-SMCL**. (Supplied with **2.5 or 3.5-meter cable**) (3 mm cable dia.). (*Additional Charges Apply).



ES-SOB-SS-20

ES-SOB-SS-40

Sign Options



A



B



C



D

MODEL	PRODUCT DESCRIPTION	Inner Circle Ø
ES-SOB-SS-20	Sign-O-Barrier Stainless Steel - A (for 20 inches)	1 Feet
ES-SOB-SS-40	Sign-O-Barrier Stainless Steel - B (for upto 40 inches)	1.5 Feet
ES-SOB-SS-20-CL	Sign-O-Barrier Stainless Steel for 20" with Cable Lockout	1 Feet
ES-SOB-SS-40-CL	Sign-O-Barrier Stainless Steel for 40" with Cable Lockout	1.5 Feet



CONFINED SPACE LOCKOUT COVER

SIGN-O-SKIRT BARRIERS (PLUS TYPE)



LTT Lock's Sign-o-Skirt barriers are a solid choice for keeping people safe from dangerous confined spaces. Built from strong, powder-coated stainless steel, these barriers are robust and can withstand extreme weather and chemical conditions. They're great for securing openings of pipes, tanks, and large storage facilities.

Available in 2 Models: Plus Type and Pole Type.

- These barriers can go on openings of any shape or size. It doesn't matter if the opening is square, round, or some other shape. They can even fit on openings made from metal, wood, brick, plastic, or rubber.
- The barriers come with a safety warning that meets OSHA standards.
- These barriers are simple to set up and use.
- Slip-resistant diamond pattern underfoot holds the barrier firmly in place.
- Barrier with Lockout Tagout option available on request (*Additional Charges Apply).
- They are used as part of the manhole protection system.



ES-SOSB+T-4564



ES-SOSB+T-6483



ES-SOSB+T-83112

MODEL	PRODUCT DESCRIPTION	Circle dia \varnothing cm	Size in cm
ES-SOSB+T-4564	Sign-O-Skirt Barriers Plus Type	15	45 - 64
ES-SOSB+T-6483	Sign-O-Skirt Barriers Plus Type	20	64 - 83
ES-SOSB+T-83112	Sign-O-Skirt Barriers Plus Type	20	83 - 112

SIGN-O-SKIRT BARRIERS (POLE TYPE)



ES-SOSBPT-4564



ES-SOSBPT-6483



ES-SOSBPT-83112

MODEL	PRODUCT DESCRIPTION	Circle dia \varnothing cm	Size in cm
ES-SOSBPT-4564	Sign-O-Skirt Barriers Pole Type	15	45 - 64
ES-SOSBPT-6483	Sign-O-Skirt Barriers Pole Type	20	64 - 83
ES-SOSBPT-83112	Sign-O-Skirt Barriers Pole Type	20	83 - 112



**Customization
Accepted**
OEM Facility Available

CONFINED SPACE LOCKOUT COVER

SIGN-O-FLEXI BARRIER



The Sign-o-Flexi barrier by **LTTLock** is a cost-effective, simple, and effective solution to prevent unauthorised access into potentially dangerous confined spaces. It features a clear warning sign to alert passers-by and co-workers about the potential hazards.

- Made from durable polycarbonate plastic, this barrier offers a straightforward and affordable way to improve safety.
- This barrier comes with hooks on the ends of four elastic cords, making it easy to attach to manholes or similar areas.
- It includes a warning sign to alert people about the dangers of the confined space. Available Sign option A, B, C, D.
- Suitable for various sizes of confined holes.
- You can ask for customised text, pictures, logos, sizes, or longer cords (for larger manholes) to be added to your barrier. (*Additional Charges Apply).



A



B



C



D

MODEL	PRODUCT DESCRIPTION	Size in mm (W X H)
ES-SOFB-M	Sign-O-Flexi Barrier - Medium	A3 (297 x 420)
ES-SOFB-L	Sign-O-Flexi Barrier - Large	A2 (420 x 594)

CONFINED SPACE MANHOLE SIGN



ES-CSMS



LTTLock's Confined Space Manhole Sign is a simple, effective, and budget-friendly tool to prevent unauthorised access to dangerous confined spaces. Made of Polystyrene, it fits under most standard manhole covers and serves as a clear warning for passers-by and workers. Its lightweight design allows for easy installation.

- Made from Polystyrene, this sign provides a cost-effective and easy-to-use safety solution.
- It comes with a clear warning sign that meets OSHA standards.
- Size: The sign measures 21" in height and 30" in width.
- It's straightforward to install and use.
- They are used as part of the manhole protection system.
- Particularly suited for outdoor applications and in harsh environments where excellent abrasion and chemical resistance is required.
- Signs can be supplied as per customer's requirements in different languages, text, graphics, colours etc.
- ***NOTE: Do not put weight or use force to tamper.**
- Aluminium make and Steel make are also available .



SAFETY SIGN



MODEL	PRODUCT DESCRIPTION	Size in Inches (W X H)
ES-CSMS	Confined Space Manhole Sign	30 x 21
ES-CSMS-A	Confined Space Manhole Sign - Aluminium	30 x 21
ES-CSMS-S	Confined Space Manhole Sign - Steel	30 x 21




CONFINED SPACE LOCKOUT COVER

VELCRO CONFINED SPACE COVER




- **LTTLock's** Velcro Confined Space Covers are ideal for tower skirts/vessel skirts or surfaces where flanges are unavailable.
- They are lightweight, reusable, durable and easy to clean and store.
- Made from bright red polyester ventilated fabric designed for outdoor durability.
- They create a barrier to protect against the unwanted entry of litter, debris and pests.
- They are designed for long-term outdoor exposure.
- Provides warning as per OSHA requirements.
- Suitable for various sizes of confined holes.
- They are used as part of the manhole protection system.
- Length of velcro strapping can be ordered to fit your needs. (*Additional charges apply).
- Custom sizes, shapes, sign verbiage available. (*Additional charges apply).
- Adhesive can also be supplied on request. (*Additional charges apply).
- **Size measurements indicated refer to the cover in-seam dimensions. Velcro fixing area is beyond this size.**



ES-VCSC-XS

ES-VCSC-S

ES-VCSC-M



ES-VCSC-L

ES-VCSC-XL

Sign Options



A



B



C



D



MODEL	PRODUCT DESCRIPTION	Size in Inches (W X H)
ES-VCSC-XS	Velcro Confined Space Cover - Extra Small (Square)	24 - 24
ES-VCSC-S	Velcro Confined Space Cover - Small (Square)	30 - 30
ES-VCSC-M	Velcro Confined Space Cover - Medium (Square)	40 - 40
ES-VCSC-L	Velcro Confined Space Cover - Large (Rectangle)	30 - 54
ES-VCSC-XL	Velcro Confined Space Cover - Extra Large (Rectangle)	42 - 68

CONFINED SPACE LOCKOUT COVER


MAGNETIC CONFINED SPACE COVERS



LTTLock's Magnetic Confined Space Covers provide required signage to alert workers of confined space dangers. They are ideal for:


- Tower/Vessel skirts
- Flangeless manways and openings on tanks, ships, barges
- Hinged manways
- Door Sheets/D-Doors
- Nozzles
- Any other opening which magnets can attach to.

- They are made from bright red ventilated mesh polyester fabric. Also, these covers can be easily manipulated to wrap around bolts, hinges & other obstructions.
- They are designed for long-term outdoor exposure.
- Lightweight, reusable, durable and easy to clean/store.
- Provides warning as per OSHA requirements.
- Suitable for various sizes of confined holes.
- They are used as part of the manhole protection system.
- Industrial strength magnets are permanently sewn along the outer diameter.
- Custom sizes, shapes, sign verbiage available. (*Additional charges apply).



Covers will fit up to the cover diameter listed for each size.

Sign Options



MODEL	PRODUCT DESCRIPTION	Dia in Inches Ø
ES-MCSC-XS	Magnetic Confined Space Cover - Extra Small	22
ES-MCSC-S	Magnetic Confined Space Cover - Small	30
ES-MCSC-M	Magnetic Confined Space Cover - Medium	36
ES-MCSC-L	Magnetic Confined Space Cover - Large	42
ES-MCSC-XL	Magnetic Confined Space Cover - Extra Large	52



CONFINED SPACE LOCKOUT COVER

LOCKABLE RATCHET STRAP TOWER SKIRT COVERS



LTTLock's Lockable Ratchet Strap Tower Skirt Covers are a versatile solution for securing confined space openings, offering both a clear warning sign and a barrier in one easy-to-use product. They are especially suitable for manways that need to be secured but lack a flange.

The Lockable Ratchet Strap Tower Skirt Covers come in a set, including one confined space cover and two heavy-duty ratchets. Each ratchet is equipped with 1.5-inch nylon straps secured by a grommet/eyelet. Additional covers can be purchased separately to secure multiple confined spaces on the same tower skirt with the same set of ratchets.

- Creates a lockable barrier to keep out animals, trash, debris and co-workers from unauthorised entry.
- They are designed for long-term outdoor exposure.
- Lightweight, reusable, durable and easy to clean/store.
- Provides warning as per OSHA requirements.
- Suitable for various sizes of confined holes.
- They are used as part of the manhole protection system.
- Made from bright red, solid PVC coated polyester fabric, and comes with industrial strength ratchets with 1.5" wide x 26" long nylon strapping attached with a grommet/eyelet. This fits on to columns/skirts up to 8" in diameter.
- Custom sizes and sign in different languages, colors, text can be made and supplied.
- ***Size measurements indicated refer to the cover inseam dimensions.**



Sign Options



A



B



C



D



MODEL	PRODUCT DESCRIPTION	Size in Inches (W X H)
ES-LRSTSC-S	Lockable Ratchet Strap Tower Skirt Covers - Small	24 x 24
ES-LRSTSC-M	Lockable Ratchet Strap Tower Skirt Covers - Medium	40 x 40
ES-LRSTSC-L	Lockable Ratchet Strap Tower Skirt Covers - Large	30 x 48
ES-LRSTSC-XL	Lockable Ratchet Strap Tower Skirt Covers - Extra Large	30 x 58

CONFINED SPACE LOCKOUT COVER

ELASTIC NON-LOCKABLE VENTILATED CONFINED SPACE COVERS



Sign Options



A



B



C



D



- **LTTLock's** Elastic Non-lockable Ventilated Confined Space Covers feature an elastic band for easy slip-on and slip-off application, making it a perfect solution for preventing unauthorized entry during everyday operations, turnarounds/shutdowns and outages.
- It is constructed from special strong polyester perforated cloth and is designed for high traffic confined spaces.
- Its elastic band runs the entire diameter of the cover for a secure fit, and the cover comes along with a visual warning sign to warn the passers-by and co-workers and reduce the risk of breach.
- Easy-to-use, elastic rimmed cover slips over the flange of confined space for quick application.
- Provides OSHA required signage to warn affected workers of confined space hazards
- Exceeds OSHA 29CFR 1910.146 Standard for Permit-Required Confined Space
- Mesh material provides ventilation to allow for airflow.
- Keeps unwanted materials from entering the confined space, including litter, debris and pests.
- Reusable covers are easily cleaned and stored.
- Covers manufactured in bright red colour for high visibility.
- Custom sizes, shapes, styles and signage are also available. *MOQ applicable.
- Besides all the options mentioned above, reflective or photo luminescent strips can also be installed on these covers for extra safety depending on the locations - indoor/outdoor at an additional price. (*MOQ - 10 Pieces)
- Product price can vary depending on the size, the material used, quantities ordered, sign specifications and style or other special features or specifications.
- For more visibility, fluorescent yellow colours is also available.



ES-ENLVCSC-S
(20 - 23 Ø)

ES-ENLVCSC-M
(23 - 28 Ø)

ES-ENLVCSC-L
(28 - 36 Ø)

ES - ENLVCSC-XL
(32 - 39 Ø)

MODEL	PRODUCT DESCRIPTION	Dia in Inch Ø
ES-ENLVCSC-S	Elastic Non-Lockable Ventilated Confined Space Cover - Small	20 - 23
ES-ENLVCSC-M	Elastic Non-Lockable Ventilated Confined Space Cover - Medium	23 - 28
ES-ENLVCSC-L	Elastic Non-Lockable Ventilated Confined Space Cover - Large	28 - 36
ES-ENLVCSC-XL	Elastic Non-Lockable Ventilated Confined Space Cover - Extra Large	32 - 39

CONFINED SPACE LOCKOUT COVER



LOCKABLE VENTILATED CONFINED SPACE COVERS



LTTLock's Lockable Ventilated Confined Space Covers provide effective lockable barrier protection to prevent unauthorised entry. It fits most entry and egress points on man-ways, heater doors, nozzles and vessel skirts. The lockable and adjustable cover is fitted over the existing flange and is secured by installing a padlock. These covers are ideal for areas where noxious gasses are a concern, and it includes a 1.5" gas-testing port that allows for testing without removing the cover.

- Creates a lockable barrier to keep out animals, trash, debris and co-workers from unauthorised entry.
- The outer rim features adjustable cable lockout, which can be locked with the help of a padlock to allow access to authorised personnel only.
- Lockable polyester net construction for ventilated areas with solid side coverings on flanges.
- Lightweight, reusable, durable and easy to clean/store.
- Provides OSHA required signage to warn affected workers of confined space hazards.
- Mesh material provides ventilation to allow for airflow.
- Suitable for various sizes of confined holes.
- They are used as part of the manhole protection system.
- It includes a 1.5 inch gas-testing port that allows for testing without removing the cover.
- Custom sizes, shapes, styles and signage are also available. (*MOQ applicable).
- Besides all the options mentioned above, reflective or photo luminescent strips can also be installed on these covers for extra safety depending on the locations - indoor/outdoor at an additional price. (*MOQ – 10 pieces).
- Product price can vary depending on the size, the material used, quantities ordered, sign specifications and style or other special features or specifications.
- For more visibility, fluorescent yellow and orange colours are also available.
- The barrier features a cable lockout that can accommodate multiple locks simultaneously.

Sign Options



MODEL	PRODUCT DESCRIPTION	Dia in Inches Ø
ES-LVCSC-S	Lockable Ventilated Confined Space Covers - Small	20 - 23
ES-LVCSC-M	Lockable Ventilated Confined Space Covers - Medium	23 - 28
ES-LVCSC-L	Lockable Ventilated Confined Space Covers - Large	28 - 36
ES-LVCSC-XL	Lockable Ventilated Confined Space Covers - Extra Large	32 - 39



CONFINED SPACE LOCKOUT COVER

LOCKABLE SOLID CONFINED SPACE COVERS



Sign Options



A



B



C



D



LTTLock's Lockable Solid Confined Space Cover provides a practical and sturdy solution to restrict unauthorised employees' access by placing a durable physical barrier at the opening. The confined space covers meet and exceed OSHA regulations for confined space by providing proper signage and barrier protection, all within one easy-to-use product. It fits most entry and egress points on man-ways, heater doors, nozzles and vessel skirts. The lockable and adjustable cover is fitted over the existing flange and is secured by installing a padlock.

- Creates a solid lockable barrier to keep out animals, dust, trash, debris and co-workers from unauthorised entry.
- The outer rim features adjustable cable lockout, which can accommodate multiple padlocks to allow access to authorised personnel only.
- Fully compliant with OSHA 29CFR 1910.146 standards for permit-required confined space operation by offering clear signage, as well as efficient barrier protection.
- Made from durable materials to withstand extreme environments.
- Reusable covers are easily cleaned and stored.
- Suitable for various sizes of confined holes.
- They are used as part of the manhole protection system.
- Covers manufactured in bright red colour for high visibility.
- Custom sizes, shapes, styles and signage are also available. (*MOQ applicable).
- Besides all the options mentioned above, reflective or photo luminescent strips can also be installed on these covers for extra safety depending on the locations - indoor/outdoor at an additional price. (*MOQ – 10 pieces).
- Product price can vary depending on the size, the material used, quantities ordered, sign specifications and style or other special features or specifications.



MODEL	PRODUCT DESCRIPTION	Dia in Inches Ø
ES-LSCSC-S	Lockable Solid Confined Space Cover - Small	20 - 23
ES-LSCSC-M	Lockable Solid Confined Space Cover - Medium	23 - 28
ES-LSCSC-L	Lockable Solid Confined Space Cover - Large	28 - 36
ES-LSCSC-XL	Lockable Solid Confined Space Cover - Extra Large	32 - 39

CONFINED TAGS

CONFINED SPACE TAGS

- Double-sided semi-rigid plastic tags of 0.5/0.7 mm thickness allow people to enter all relevant information and protect workers from potentially dangerous environments.
- Both OSHA Confined Space Warning Tags and Checklist tags are available. These tags inform about entry permits, workers in confined spaces, inspections, occupants, and prevent unprepared entry.
- The Confined Space safety tags comply with the OSHA CFR 1910.145(f) requirements.
- Their surfaces allow you to write on them using a marker pen.
- Our quality 0.7 mm tags are tear-proof and can withstand harsh weather conditions.
- Available in packs of 10/25/50/100.

LTTLock's Confined Space Tags are used to alert workers of safety hazards. They act as a visual deterrent that stops unauthorised people from entering confined spaces such as access shafts, manholes, sewers, tunnels, tanks and silos. Confined Space Tags highlight specific areas that are hazardous, restricted, and require permits before entry.



ES-CST-01

ES-CST-02

ES-CST-03



ES-CST-04

ES-CST-05

ES-CST-06



ES-CST-07

ES-CST-08

ES-CST-09



ES-CST-10

ES-CST-11

ES-CST-12



MODEL	PRODUCT DESCRIPTION	Size in mm (H x W)
ES-CST	Confined Space Tag	143 X 80

CONFINED SPACE LOCKOUT COVER

Multiple Solutions For Any Location

- Confined space signs can be made in various sizes and materials, including high-performance polyester and reflective sheeting.
- Customised signs in different languages, formats, sizes, captions, messages, etc., can be supplied on request against order. (*Additional charges apply).

Sign Options



ES-CSS-A



ES-CSS-B



ES-CSS-C



ES-CSS-D



ES-CSS-E



ES-CSS-F



ES-CSS-G



ES-LVCSC-L



ES-LSCSC-L



ES-ENLVCSC-L



ES-LVCSC-XL



ES-LSCSC-XL



ES-ENLVCSC-XL



ES-LVCSC-L



ES-SOSB+T-4564



ES-ENLVCSC-L



ES-LVCSC-XL



ES-LSCSC-XL




ES-ENLVCSC-XL



ES-LVCSC-L



ES-LSCSC-L



ES-ENLVCSC-L